

## REFERENCES

- [1] Badan Pusat Statistik, 'Pada 2024, luas panen padi mencapai sekitar 10,05 juta hektare dengan produksi padi sebanyak 53,14 juta ton gabah kering giling (GKG)', Berita Resmi Statistik. Accessed: Oct. 10, 2025. [Online]. Available: <https://www.bps.go.id/id/pressrelease/2025/02/03/2414/pada-2024--luas-panen-padi-mencapai-sekitar-10-05-juta-hektare-dengan-produksi-padi-sebanyak-53-14-juta-ton-gabah-kering-giling--gkg--.html>
- [2] Humas, 'Presiden Prabowo Pimpin Ratas, Pastikan Swasembada Pangan Nasional Tercapai dalam Waktu Dekat', Sekretariat Kabinet Republik Indonesia. Accessed: Oct. 10, 2025. [Online]. Available: <https://setkab.go.id/presiden-prabowo-tegaskan-komitmen-wujudkan-swasembada-pangan-nasional-produksi-beras-naik-impor-segera-dihentikan/>
- [3] 'Mentan: Indonesia Akan Capai Swasembada Beras Akhir Desember 2025'. Accessed: Nov. 24, 2025. [Online]. Available: <https://www.suarasurabaya.net/kelanakota/2025/mentan-indonesia-akan-capai-swasembada-beras-akhir-desember-2025/>
- [4] Food and Agriculture Organization, 'Pest and Pesticide Management', FAO. Accessed: Oct. 10, 2025. [Online]. Available: <https://www.fao.org/pest-and-pesticide-management/about/understanding-the-context/en/>
- [5] D. Lestari, E. T. Prasetyawati, and P. Suryaminarsih, 'MODELING INTENSITY OF BACTERIAL LEAF BLIGHT ON RICE PLANTS DUE TO INFLUENCE OF ABIOTIC FACTORS IN BABAKSARI VILLAGE, GRESIK', *Agric*, vol. 35, no. 1, pp. 149–158, Aug. 2023, doi: 10.24246/agric.2023.v35.i1.p149-158.
- [6] Y. S. Mau, A. Ndiwa, and S. Oematan, 'Brown spot disease severity, yield and yield loss relationships in pigmented upland rice cultivars from East Nusa Tenggara, Indonesia', *Biodiversitas Journal of Biological Diversity*, vol. 21, no. 4, Mar. 2020, doi: 10.13057/biodiv/d210443.
- [7] H. S. Khairani, A. Abe, and T. Sone, 'Rice Blast Field Assessment in Three Regencies Underlies the Importance of Fungicide Resistance Studies in West Java, Indonesia: Asesmen Lapangan Penyakit Blas Padi Mendasari Pentingnya Kajian Resistensi Fungisida di Jawa Barat, Indonesia', *Jurnal Fitopatologi Indonesia*, vol. 20, no. 4, pp. 165–173, Jul. 2024, doi: 10.14692/jfi.20.4.165-173.
- [8] Y. F. Rachman, P. Susanti, A. B. R. P. A. Putra, and N. I. Rahmawati, 'Sistem Informasi Deteksi Penyakit Pada Tanaman Padi (Brown Spot, Hispa, Leaf Blast) Menggunakan Metode Convolutional Neural Network (CNN)', *Decode: Jurnal Pendidikan Teknologi Informasi*, vol. 4, no. 3, pp. 1193–1204, Nov. 2024, doi: 10.51454/decode.v4i3.846.
- [9] U. N. Oktaviana, R. Hendrawan, A. D. K. Annas, and G. W. Wicaksono, 'Klasifikasi Penyakit Padi berdasarkan Citra Daun Menggunakan Model Terlatih Resnet101', *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 6, pp. 1216–1222, Dec. 2021, doi: 10.29207/resti.v5i6.3607.
- [10] L. Alzubaidi *et al.*, 'Review of deep learning: concepts, CNN architectures, challenges, applications, future directions', *Journal of Big Data*, vol. 8, no. 1, pp. 1–74, Dec. 2021, doi: 10.1186/s40537-021-00444-8.
- [11] T. Turahman, E. Hasmin, and K. Aryasa, 'Analisis Perbandingan Metode Convolutional Neural Network (CNN) dan MobileNet dalam Klasifikasi Penyakit Daun Padi', *Jurnal JTIK (Jurnal Teknologi Informasi dan Komunikasi)*, vol. 9, no. 1, pp. 368–377, Jan. 2025, doi: 10.35870/jtik.v9i1.3218.
- [12] A. Mifthauddin, M. Lutfi, and Z. N. Saadah, 'Comparison of MobileNetv2 and MobileNetv3 architectures in rice leaf disease classification using transfer

- learning’, *Jurnal Mandiri IT*, vol. 14, no. 2, pp. 195–202, Oct. 2025, doi: 10.35335/mandiri.v14i2.459.
- [13] M. J. Karim, M. O. F. Goni, M. Nahiduzzaman, M. Ahsan, J. Haider, and M. Kowalski, ‘Enhancing agriculture through real-time grape leaf disease classification via an edge device with a lightweight CNN architecture and Grad-CAM’, *Sci Rep*, vol. 14, no. 1, p. 16022, Jul. 2024, doi: 10.1038/s41598-024-66989-9.
- [14] V. Hassija *et al.*, ‘Interpreting Black-Box Models: A Review on Explainable Artificial Intelligence’, *Cogn Comput*, vol. 16, no. 1, pp. 45–74, Jan. 2024, doi: 10.1007/s12559-023-10179-8.
- [15] F. N. Fiqri, S. Setyaningsih, and A. Saepulrohman, ‘Rice Disease Image Classification using MobileNetV2 Pretrained Model with Attention Visualization using Gradient-weighted Class Activation Mapping (Grad-CAM)’, in *2023 6th International Conference on Information and Communications Technology (ICOIACT)*, Nov. 2023, pp. 367–371. doi: 10.1109/ICOIACT59844.2023.10455786.
- [16] K. Gopalan, S. Srinivasan, . P., M. Singh, S. K. Mathivanan, and U. Moorthy, ‘Corn leaf disease diagnosis: enhancing accuracy with resnet152 and grad-cam for explainable AI’, *BMC Plant Biol*, vol. 25, no. 1, p. 440, Apr. 2025, doi: 10.1186/s12870-025-06386-0.
- [17] R. Rosenbacke, Å. Melhus, M. McKee, and D. Stuckler, ‘How Explainable Artificial Intelligence Can Increase or Decrease Clinicians’ Trust in AI Applications in Health Care: Systematic Review’, *JMIR AI*, vol. 3, p. e53207, Oct. 2024, doi: 10.2196/53207.
- [18] R. R. Selvaraju, M. Cogswell, A. Das, R. Vedantam, D. Parikh, and D. Batra, ‘Grad-CAM: Visual Explanations from Deep Networks via Gradient-based Localization’, *Int J Comput Vis*, vol. 128, no. 2, pp. 336–359, Feb. 2020, doi: 10.1007/s11263-019-01228-7.
- [19] W. Hao *et al.*, ‘A Tale of Two Models Constructing Evasive Attacks on Edge Models’.
- [20] A. Islam, T. Tahsin, Z. Anjum, M. B. Hasan, and M. H. Kabir, ‘A Domain-Adapted Lightweight Ensemble for Resource-Efficient Few-Shot Plant Disease Classification’, Dec. 15, 2025, *arXiv*: arXiv:2512.13428. doi: 10.48550/arXiv.2512.13428.
- [21] E. Ennadifi, S. Laraba, D. Vincke, B. Mercatoris, and B. Gosselin, ‘Wheat Diseases Classification and Localization Using Convolutional Neural Networks and GradCAM Visualization’, Jun. 2020, pp. 1–5. doi: 10.1109/ISCV49265.2020.9204258.
- [22] F. Noor Fiqri, S. Setyaningsih, and A. Saepulrohman, *Rice Disease Image Classification using MobileNetV2 Pretrained Model with Attention Visualization using Gradient-weighted Class Activation Mapping (Grad-CAM)*. 2023, p. 371. doi: 10.1109/ICOIACT59844.2023.10455786.
- [23] Z. Wang, Y. Wei, C. Mu, Y. Zhang, and X. Qiao, ‘Rice Disease Classification Using a Stacked Ensemble of Deep Convolutional Neural Networks’, *Sustainability*, vol. 17, no. 1, p. 124, Jan. 2025, doi: 10.3390/su17010124.
- [24] S. Conde, S. Catarino, S. Ferreira, M. P. Temudo, and F. Monteiro, ‘Rice Pests and Diseases Around the World: Literature-Based Assessment with Emphasis on Africa and Asia’, *Agriculture*, vol. 15, no. 7, p. 667, Jan. 2025, doi: 10.3390/agriculture15070667.

- [25] A. Walascha *et al.*, ‘Review Artikel: Inventarisasi Jenis Penyakit yang Menyerang Daun Tanaman Padi (*Oryza sativa* L.)’, *Prosiding Seminar Nasional Biologi*, vol. 1, no. 2, pp. 471–478, 2021, doi: 10.24036/prosemnasbio/vol1/150.
- [26] H. Fitriyah and R. C. Wihandika, *Dasar-Dasar Pengolahan Citra Digital*. Universitas Brawijaya Press, 2021.
- [27] R. Deshmukh and A. Vibhute, ‘A REVIEW ON DIGITAL IMAGE PROCESSING: APPLICATIONS, TECHNIQUES AND APPROACHES IN VARIOUS FIELDS’, *IJAR*, vol. 8, no. 6, pp. 726–734, Jun. 2020, doi: 10.21474/IJAR01/11152.
- [28] W. D. Ferreira, C. B. R. Ferreira, G. Da Cruz Júnior, and F. Soares, ‘A review of digital image forensics’, *Computers & Electrical Engineering*, vol. 85, p. 106685, Jul. 2020, doi: 10.1016/j.compeleceng.2020.106685.
- [29] P. A. Nugroho, ‘IMPLEMENTASI JARINGAN SYARAF TIRUAN MULTI-LAYER PERCEPTRON UNTUK PREDIKSI PENYINARAN MATAHARI KOTA BANDUNG’, *KOMPUTA*, vol. 12, no. 1, pp. 83–90, May 2023, doi: 10.34010/komputa.v12i1.9419.
- [30] D. A. Pramudhita, F. Azzahra, I. K. Arfat, R. Magdalena, and S. Saidah, ‘Strawberry Plant Diseases Classification Using CNN Based on MobileNetV3-Large and EfficientNet-B0 Architecture’, *J. Ilm. Tek. Elektro Komput. Dan Inform*, vol. 9, no. 3, pp. 522–534, Jul. 2023, doi: 10.26555/jiteki.v9i3.26341.
- [31] A. Howard *et al.*, ‘Searching for MobileNetV3’, Nov. 20, 2019, *arXiv: arXiv:1905.02244*. doi: 10.48550/arXiv.1905.02244.
- [32] P. Enkvetchakul and O. Surinta, ‘Effective Data Augmentation and Training Techniques for Improving Deep Learning in Plant Leaf Disease Recognition’, doi: 10.14416/j.asep.2021.01.003.
- [33] frapochetti, ‘A visual deep-dive into the building blocks of MobileNetV3 -’. Accessed: Dec. 02, 2025. [Online]. Available: <https://francescopochetti.com/a-visual-deep-dive-into-the-building-blocks-of-mobilenetv3/>
- [34] J. Hu, L. Shen, S. Albanie, G. Sun, and E. Wu, ‘Squeeze-and-Excitation Networks’, May 16, 2019, *arXiv: arXiv:1709.01507*. doi: 10.48550/arXiv.1709.01507.
- [35] B. Zhou, A. Khosla, A. Lapedriza, A. Oliva, and A. Torralba, ‘Learning Deep Features for Discriminative Localization’, Dec. 14, 2015, *arXiv: arXiv:1512.04150*. doi: 10.48550/arXiv.1512.04150.
- [36] R. Schlegel, S. Kumar, E. Rosnes, and A. G. i Amat, ‘Privacy-Preserving Coded Mobile Edge Computing for Low-Latency Distributed Inference’, Feb. 15, 2022, *arXiv: arXiv:2110.03545*. doi: 10.48550/arXiv.2110.03545.
- [37] ‘LiteRT overview | Google AI Edge’, Google AI for Developers. Accessed: Nov. 30, 2025. [Online]. Available: <https://ai.google.dev/edge/litert>
- [38] D. Vignoni, *Client-Server Model, inspired from Client-Server Model.jpg*. 2011. Accessed: Nov. 22, 2025. [Online]. Available: <https://commons.wikimedia.org/wiki/File:Client-server-model.svg>
- [39] ‘tf.keras.applications.MobileNetV3Large | TensorFlow v2.16.1’, TensorFlow. Accessed: Dec. 08, 2025. [Online]. Available: [https://www.tensorflow.org/api\\_docs/python/tf/keras/applications/MobileNetV3Large](https://www.tensorflow.org/api_docs/python/tf/keras/applications/MobileNetV3Large)