

REFERENCES

- [1] Muslih Muslih, “Segmentasi Pembuluh Darah Pada Citra Retina Mata Menggunakan Metode Region Growing,” *J. Inform. Polinema*, vol. 8, no. 4, pp. 25–30, 2022, doi: 10.33795/jip.v8i4.960.
- [2] K. Agustianto, S. Choirunnisa, N. Afianah, and C. Huda, “Deteksi Pembuluh Darah pada Citra Fundus Retina Menggunakan Gabungan Metode Segmentasi Pembuluh Darah Lebar dan Tipis,” *J. Teknol. Inf. dan Terap.*, vol. 9, no. 1, pp. 41–46, 2022, doi: 10.25047/jtit.v9i1.276.
- [3] C. Liu, P. Gu, and Z. Xiao, “Multiscale U-Net with Spatial Positional Attention for Retinal Vessel Segmentation,” *J. Healthc. Eng.*, vol. 2022, 2022, doi: 10.1155/2022/5188362.
- [4] I. M. D. Maysanjaya, Kadek Suwis Satria Atmaja, and I. M. G. Sunarya, “Segmentasi Soft Exudate pada Citra Fundus Retina Pasien Diabetic Retinopathy Berbasis U-Net,” *Inser. Inf. Syst. Emerg. Technol. J.*, vol. 4, no. 2, pp. 95–105, 2023, doi: 10.23887/insert.v4i2.59033.
- [5] Kemkes, “Pedoman Nasional Pelayanan Kedokteran: Tata Laksana Retinopati Diabetika,” *Kementerian. Kesehat. Republik Indones.*, pp. 1–36, 2023.
- [6] S. Das, S. Chakraborty, M. Mishra, and S. Majumder, “Assessment of retinal blood vessel segmentation using U-Net model: A deep learning approach,” *Franklin Open*, vol. 8, no. January, p. 100143, 2024, doi: 10.1016/j.fraope.2024.100143.
- [7] D. D. Sevgi *et al.*, “Characterization of Ultra-Widefield Angiographic Vascular Features in Diabetic Retinopathy with Automated Severity Classification,” *Ophthalmol. Sci.*, vol. 1, no. 3, p. 100049, 2021, doi: 10.1016/j.xops.2021.100049.
- [8] A. Desiani, D. A. Zayanti, R. Primartha, F. Efriliyanti, and N. A. C. Andriani, “Variasi Thresholding untuk Segmentasi Pembuluh Darah Citra Retina,” *J. Edukasi dan Penelit. Inform.*, vol. 7, no. 2, p. 255, 2021, doi: 10.26418/jp.v7i2.47205.
- [9] J. Ouyang, S. Liu, H. Peng, H. Garg, and D. N. H. Thanh, “LEA U-Net: a U-

- Net-based deep learning framework with local feature enhancement and attention for retinal vessel segmentation,” *Complex Intell. Syst.*, vol. 9, no. 6, pp. 6753–6766, 2023, doi: 10.1007/s40747-023-01095-3.
- [10] K. Ren, L. Chang, M. Wan, G. Gu, and Q. Chen, “An improved U-net based retinal vessel image segmentation method,” *Heliyon*, vol. 8, no. 10, p. e11187, 2022, doi: 10.1016/j.heliyon.2022.e11187.
- [11] A. Desiani, Erwin, B. Suprihatin, F. Efriliyanti, M. Arhami, and E. Setyaningsih, “VG-DropDNet a Robust Architecture for Blood Vessels Segmentation on Retinal Image,” *IEEE Access*, vol. 10, no. September, pp. 92067–92083, 2022, doi: 10.1109/ACCESS.2022.3202890.
- [12] Z. You, H. Yu, Z. Xiao, T. Peng, and Y. Wei, “CAS-UNet: A Retinal Segmentation Method Based on Attention,” *Electron.*, vol. 12, no. 15, 2023, doi: 10.3390/electronics12153359.
- [13] Q. Hou, D. Zhou, and J. Feng, “Coordinate Attention for Efficient Mobile Network Design,” *Conf. Comput. Vis. Pattern Recognit.*, pp. 13713–13722, 2021.
- [14] R. Hemelings, B. Elen, I. Stalmans, K. Van Keer, P. De Boever, and M. B. Blaschko, “Artery–vein segmentation in fundus images using a fully convolutional network,” *Comput. Med. Imaging Graph.*, vol. 76, p. 101636, 2019, doi: 10.1016/j.compmedimag.2019.05.004.
- [15] M. A. Al-masni and D. H. Kim, “CMM-Net: Contextual multi-scale multi-level network for efficient biomedical image segmentation,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–18, 2021, doi: 10.1038/s41598-021-89686-3.
- [16] M. Ptito, M. Bleau, and J. Bouskila, “The retina: A window into the brain,” *Cells*, vol. 10, no. 12, pp. 1–11, 2021, doi: 10.3390/cells10123269.
- [17] T. E. Tan and T. Y. Wong, “Diabetic retinopathy: Looking forward to 2030,” *Front. Endocrinol. (Lausanne)*, vol. 13, no. January, pp. 1–8, 2023, doi: 10.3389/fendo.2022.1077669.
- [18] D. Juniati and A. E. Suwanda, “Klasifikasi Penyakit Mata Berdasarkan Citra Fundus Retina Menggunakan Dimensi Fraktal Box Counting Dan Fuzzy K-Means,” *Prox. J. Penelit. Mat. dan Pendidik. Mat.*, vol. 5, no. 1, pp. 10–18, 2022, doi: 10.30605/proximal.v5i1.1623.

- [19] R. Indraswari, W. Herulambang, and R. Rokhana, “Deteksi Penyakit Mata Pada Citra Fundus Menggunakan Convolutional Neural Network (CNN),” *Techno.Com*, vol. 21, no. 2, pp. 378–389, 2022, doi: 10.33633/tc.v21i2.6162.
- [20] W. Zhou, C. Wu, Y. Yi, and W. Du, “Automatic Detection of Exudates in Digital Color Fundus Images Using Superpixel Multi-Feature Classification,” *IEEE Access*, vol. 5, no. 1, pp. 17077–17088, 2017, doi: 10.1109/ACCESS.2017.2740239.
- [21] P.-G. Ho, *Image Segmentation*. Rijeka, Croatia: InTech, 2011. [Online]. Available: <https://books.google.co.id/books?id=vDiaDwAAQBAJ&printsec=frontcover&hl=id#v=onepage&q&f=false>
- [22] S. Alqahtani Saeed *et al.*, “Impact of Retinal Vessel Image Coherence on Retinal Blood Vessel Segmentation,” *Electron.*, vol. 12, no. 2, pp. 1–19, 2023, doi: 10.3390/electronics12020396.
- [23] R. Subandi and A. Yudhana, “Pre-Processing Pada Klasifikasi Citra Medis Pneumonia,” vol. 4, no. 1, pp. 86–93, 2024.
- [24] D. Occorsio and G. Ramella, “An Open Image Resizing Framework for Remote Sensing Applications and Beyond,” pp. 1–32, 2023.
- [25] M. Zeeshan, X. Lyu, M. Nasir, W. He, A. Aljohani, and S. Zhang, “Efficient microaneurysm segmentation in retinal images via a lightweight Attention U-Net for early DR diagnosis,” *SLAS Technol.*, vol. 34, no. July, p. 100323, 2025, doi: 10.1016/j.slast.2025.100323.
- [26] F. K. Putri, D. Saepudin, and A. Rizal, “Analisis Contrasts Limited Adaptive Histogram Equalization (CLAHE) dan Region Growing dalam Deteksi Gejala Kanker Payudara pada Citra Mammogram,” *Elektro*, vol. 7, no. 1, pp. 15–28, 2014.
- [27] S. S. M. Sheet, T. S. Tan, M. A. As’ari, W. H. W. Hitam, and J. S. Y. Sia, “Retinal disease identification using upgraded CLAHE filter and transfer convolution neural network,” *ICT Express*, vol. 8, no. 1, pp. 142–150, 2022, doi: 10.1016/j.icte.2021.05.002.
- [28] D. Okuboyejo and O. O. Olugbara, “Segmentation of melanocytic lesion images using gamma correction with clustering of keypoint descriptors,”

- Diagnostics*, vol. 11, no. 8, 2021, doi: 10.3390/diagnostics11081366.
- [29] W. Walz, *Machine Learning for Brain Disorders Series Editor*.
- [30] A. Khawaja, T. M. Khan, M. A. U. Khan, and S. J. Nawaz, “A multi-scale directional line detector for retinal vessel segmentation,” *Sensors (Switzerland)*, vol. 19, no. 22, pp. 1–22, 2019, doi: 10.3390/s19224949.
- [31] R. S. Nurhalizah, R. Ardianto, and P. Purwono, “Analisis Supervised dan Unsupervised Learning pada Machine Learning: Systematic Literature Review,” *J. Ilmu Komput. dan Inform.*, vol. 4, no. 1, pp. 61–72, 2024, doi: 10.54082/jiki.168.
- [32] J. Cao, J. Chen, Y. Gu, and J. Liu, “MFA-UNet: a vessel segmentation method based on multi-scale feature fusion and attention module,” *Front. Neurosci.*, vol. 17, no. Figure 1, 2023, doi: 10.3389/fnins.2023.1249331.
- [33] M. R. K. Mookiah *et al.*, “A review of machine learning methods for retinal blood vessel segmentation and artery/vein classification,” *Med. Image Anal.*, vol. 68, p. 101905, 2021, doi: 10.1016/j.media.2020.101905.
- [34] C. Chen, J. H. Chuah, R. Ali, and Y. Wang, “Retinal vessel segmentation using deep learning: A review,” *IEEE Access*, vol. 9, pp. 111985–112004, 2021, doi: 10.1109/ACCESS.2021.3102176.
- [35] L. Alzubaidi *et al.*, *Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*, vol. 8, no. 1. Springer International Publishing, 2021. doi: 10.1186/s40537-021-00444-8.
- [36] O. Ronneberger, P. Fischer, and T. Brox, “INet: Convolutional Networks for Biomedical Image Segmentation,” *Med. Image Comput. Comput. Interv. – MICCAI 2015*, vol. 9, pp. 234–241, 2015, doi: 10.1007/978-3-319-24574-4_28.
- [37] M. H. Guo *et al.*, “Attention mechanisms in computer vision: A survey,” *Comput. Vis. Media*, vol. 8, no. 3, pp. 331–368, 2022, doi: 10.1007/s41095-022-0271-y.
- [38] T. Goncalves, I. Rio-Torto, L. F. Teixeira, and J. S. Cardoso, “A Survey on Attention Mechanisms for Medical Applications: Are we Moving Toward Better Algorithms?,” *IEEE Access*, vol. 10, no. August, pp. 98909–98935, 2022, doi: 10.1109/ACCESS.2022.3206449.

- [39] O. Oktay *et al.*, “Attention U-Net: Learning Where to Look for the Pancreas,” no. Midl, 2018, [Online]. Available: <http://arxiv.org/abs/1804.03999>
- [40] C. Guo, M. Szemenyei, Y. Yi, W. Wang, B. Chen, and C. Fan, “SA-UNET: Spatial attention U-net for retinal vessel segmentation,” *Proc. - Int. Conf. Pattern Recognit.*, pp. 1236–1242, 2020, doi: 10.1109/ICPR48806.2021.9413346.
- [41] A. Stergiou, R. Poppe, and G. Kalliatakis, “Refining activation downsampling with SoftPool,” *Proc. IEEE Int. Conf. Comput. Vis.*, pp. 10337–10346, 2021, doi: 10.1109/ICCV48922.2021.01019.
- [42] R. Nirthika, S. Manivannan, A. Ramanan, and R. Wang, “Pooling in convolutional neural networks for medical image analysis: a survey and an empirical study,” *Neural Comput. Appl.*, vol. 34, no. 7, pp. 5321–5347, 2022, doi: 10.1007/s00521-022-06953-8.
- [43] V. A. A. Pellokila, K. Usman, and N. K. C. Pratiwi, “Pemanfaatan Convolutional Neural Network (Cnn) Untuk Klasifikasi Jenis Beras Berbasis Citra,” *e-Proceeding Eng.*, vol. 10, no. 5, pp. 4246–4252, 2023.
- [44] L. Maier-Hein *et al.*, “Metrics reloaded: recommendations for image analysis validation,” *Nat. Methods*, vol. 21, no. 2, pp. 195–212, 2024.
- [45] A. Galdran, A. Anjos, J. Dolz, H. Chakor, H. Lombaert, and I. Ben Ayed, “State-of-the-art retinal vessel segmentation with minimalistic models,” *Sci. Rep.*, vol. 12, no. 1, p. 6174, 2022.
- [46] N. Krisdianto *et al.*, “International Jurnal of Informatics Pengembangan Sistem Pengenalan Objek Multi-Kelas Berbasis Segmentasi Citra dengan YOLOv11 dan Streamlit,” *Int. J. Informatics*, pp. 1–18, 2025.
- [47] D. Hal, F. Jessica, W. C. Thomas, C. L. Zepani, M. E. Fadillah, and R. Annisa, “Aplikasi Perkiraan Efisiensi Bahan Bakar Mobil dengan Machine Learning dan Streamlit,” *J. Ilmu Komput. dan Inform.*, vol. 8, pp. 86–92, 2025.