

BIBLIOGRAPHY

- [1] Bandung City Government Health Office, "The Number of Cases of the 10 Most Diseases," one Indonesian data. Accessed: Mar. 10, 2026. [Online]. Available: <https://data.go.id/dataset/dataset/jumlah-kasus-10-penyakit-terbanyak2>
- [2] D. Seth, K. Cheldize, D. Brown, and E. E. Freeman, "Global Burden of Skin Disease: Inequities and Innovations," *Curr. Dermatol. Rep.*, vol. 6, no. 3, pp. 204–210, Sep. 2017, doi: 10.1007/s13671-017-0192-7.
- [3] T. Joshi and V. Ren, "Tele dermatology in the Control of Skin Neglected Tropical Diseases: A Systematic Review," *Dermatol. Pract. Concept.*, p. e2021130, Sep. 2021, doi: 10.5826/dpc.1104a130.
- [4] R. N. P. Fauziyyah, M. Komariah, and Y. K. Herliani, "Sunlight Exposure and Protection Behavior as Prevention of Skin Cancer in Nursing Students," *Indonesian Journal of Cancer*, vol. 17, no. 1, p. 1, Mar. 2023, doi: 10.33371/ijoc.v17i1.921.
- [5] A. J. Miller and M. C. Mihm, "Melanoma," *New England Journal of Medicine*, vol. 355, no. 1, pp. 51–65, Jul. 2006, doi: 10.1056/NEJMra052166.
- [6] A. Fadila *et al.*, "A Retrospective Study of *Verruca*," *Periodical of Skin and Venerean Health Sciences*, vol. 34, no. 2, pp. 77–80, Jul. 2022, doi: 10.20473/bikk.V34.2.2022.77-80.
- [7] B. Moriarty, R. Hay, and R. Morris-Jones, "The diagnosis and management of *tinea*," *BMJ*, vol. 345, no. jul10 1, pp. e4380–e4380, Jul. 2012, doi: 10.1136/bmj.e4380.
- [8] A. L. Dawson and R. P. Dellavalle, "*Acne vulgaris*," *BMJ*, vol. 346, no. May08 1, pp. f2634–f2634, May 2013, doi: 10.1136/bmj.f2634.
- [9] R. Agarwal and D. Godavarthi, "Skin Disease Classification Using CNN Algorithms," *EAI Endorsed Trans. Pervasive Health Technol.*, vol. 9, Oct. 2023, doi: 10.4108/eetpht.9.4039.
- [10] N. Jain *et al.*, "Melanoma Simulation Model," *JAMA Dermatol.*, vol. 149, no. 6, p. 710, Jun. 2013, doi: 10.1001/jamadermatol.2013.2882.

- [11] T. Rakmawati, R. Hincheliff, and J. F. Pardosi, "District-level impacts of health system decentralization in Indonesia: A systematic review," *Int. J. Health Plann. Manage.*, vol. 34, no. 2, Apr. 2019, doi: 10.1002/hpm.2768.
- [12] R. Arenas, G. Moreno-Coutiño, L. Vera, and O. Welsh, "*Tinea incognito*," *Clin. Dermatol.*, vol. 28, no. 2, pp. 137–139, Mar. 2010, doi: 10.1016/j.clindermatol.2009.12.011.
- [13] P. M. Herlambang and I. Muhimmah, "A Survey of Tele-expertise System Models for Dermatology Cases," 2019.
- [14] P. Tschandl *et al.*, "Human–computer collaboration for skin cancer recognition," *Nat. Med.*, vol. 26, no. 8, pp. 1229–1234, Aug. 2020, doi: 10.1038/s41591-020-0942-0.
- [15] S. Khan, M. Naseer, M. Hayat, S. W. Zamir, F. S. Khan, and M. Shah, "Transformers in Vision: A Survey," *ACM Comput. Surv.*, vol. 54, no. 10s, pp. 1–41, Jan. 2022, doi: 10.1145/3505244.
- [16] A. Dosovitskiy *et al.*, "An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale," Jun. 2021.
- [17] Z. Liu *et al.*, "Swin Transformer: Hierarchical Vision Transformer using Shifted Windows," Aug. 2021.
- [18] S. Ayas, "Multiclass skin lesion classification in dermoscopic images using swin transformer model," *Neural Computing. Appl.*, vol. 35, no. 9, pp. 6713–6722, Mar. 2023, doi: 10.1007/s00521-022-08053-z.
- [19] K. Gao, H. He, D. Lu, L. Xu, L. Ma, and J. Li, "Optimizing and Evaluating Swin Transformer for Aircraft Classification: Analysis and Generalizability of the MTARSI Dataset," *IEEE Access*, vol. 10, pp. 134427–134439, 2022, doi: 10.1109/ACCESS.2022.3231327.
- [20] P. Brößner, B. Hohlmann, and K. Radermacher, "Transformer vs. CNN – A Comparison on Knee Segmentation in Ultrasound Images," 2022, pp. 31–24. doi: 10.29007/cqcv.
- [21] R. A. Dihin, E. AlShemmary, and W. Al-Jawher, "Diabetic Retinopathy Classification Using Swin Transformer with Multi Wavelet," *Journal of*

- Kufa for Mathematics and Computer*, vol. 10, no. 2, pp. 167–172, Aug. 2023, doi: 10.31642/JoKMC/2018/100225.
- [22] R. Karthik, R. Menaka, S. Atre, J. Cho, and S. Veerappampalayam Easwaramoorthy, "A Hybrid *Deep learning* Approach for Skin Cancer Classification Using Swin Transformer and Dense Group Shuffle Non-Local Attention Network," *IEEE Access*, vol. 12, pp. 158040–158051, 2024, doi: 10.1109/ACCESS.2024.3485507.
- [23] S. Dümen, E. Kavalcı Yılmaz, K. Adem, and E. Avaroglu, "Performance of vision transformer and swin transformer models for lemon quality classification in fruit juice factories," *European Food Research and Technology*, vol. 250, no. 9, pp. 2291–2302, Sep. 2024, doi: 10.1007/s00217-024-04537-5.
- [24] E. Mohammed, "A Swin Transformer-based method for Classification of Land Use and Land Cover Image," *International Journal of Advances in Soft Computing and its Applications*, vol. 16, no. 3, 2024, doi: 10.15849/IJASCA.241130.18.
- [25] Rasha. A. Dihin, E. N. Al Shemmary, and W. A. M. Al-Jawher, "Implementation Of The Swin Transformer and Its Application In Image Classification," *Journal Port Science Research*, vol. 6, no. 4, pp. 318–331, Nov. 2023, doi: 10.36371/port.2023.4.2.
- [26] P. Essay and A. Rajasekharan, "Robust diagnosis recommendation system for Primary Care Telemedicine using long short-term memory multi-class sequence classification," *Hell*, vol. 10, no. 6, p. e26770, Mar. 2024, doi: 10.1016/j.heliyon.2024.e26770.
- [27] S. Takahashi *et al.*, "Comparison of Vision Transformers and Convolutional Neural Networks in Medical Image Analysis: A Systematic Review," *J. Med. Syst.*, vol. 48, no. 1, p. 84, Sep. 2024, doi: 10.1007/s10916-024-02105-8.
- [28] P. A. J. Kolarsick, M. A. Kolarsick, and C. Goodwin, "Anatomy and Physiology of the Skin," *J. Dermatol. Nurses Assoc.*, vol. 3, no. 4, pp. 203–213, Jul. 2011, doi: 10.1097/JDN.0b013e3182274a98.

- [29] R. J. Hay *et al.*, "The Global Burden of Skin Disease in 2010: An Analysis of the Prevalence and Impact of Skin Conditions," *Journal of Investigative Dermatology*, vol. 134, no. 6, pp. 1527–1534, Jun. 2014, doi: 10.1038/jid.2013.446.
- [30] F. J. Dalgard *et al.*, "The Psychological Burden of Skin Diseases: A Cross-Sectional Multicenter Study among Dermatological Out-Patients in 13 European Countries," *Journal of Investigative Dermatology*, vol. 135, no. 4, pp. 984–991, Apr. 2015, doi: 10.1038/jid.2014.530.
- [31] G. Leonardi *et al.*, "Cutaneous melanoma: From pathogenesis to therapy (Review)," *Int. J. Oncol.*, Feb. 2018, doi: 10.3892/ijo.2018.4287.
- [32] S. Widaty *et al.*, *Clinical practice guide for dermatologists and venereologists in Indonesia*. Jakarta: Indonesian Association of Dermatologists and Venereologists (PERDOSKI), 2017.
- [33] J. W. Ely, S. Rosenfeld, and M. Seabury Stone, "Diagnosis and management of tinea "Okay." *Am. Fam. Physician*, vol. 90, no. 10, pp. 702–10, Nov. 2014.
- [34] D. J. Witchev, N. B. Witchev, M. M. Roth-Kauffman, and M. K. Kauffman, "Plantar Warts: Epidemiology, Pathophysiology, and Clinical Management," *J. Am. Osteopath. Assoc.*, vol. 118, no. 2, p. 92, Feb. 2018, doi: 10.7556/jaoa.2018.024.
- [35] B. Dréno, S. Pécastaings, S. Corvec, S. Veraldi, A. Khammari, and C. Roques, "*Cutibacterium acnes* (*Propionibacterium acnes* São Paulo S *acne* Vulgaris: A Brief Look at the LATest Update." *Journal of the European Academy of Dermatology and Venereology*, vol. 32, no. S2, pp. 5–14, Jun. 2018, doi: 10.1111/jdv.15043.
- [36] R. C. Gonzalez and R. E. Woods, *Processamento de imagens digitais*, vol. Editora Blucher. São Paulo, 2000.
- [37] S. Khalid, T. Khalil, and S. Nasreen, "A survey of feature selection and feature extraction techniques in machine learning," in *2014 Science and Information Conference*, IEEE, Aug. 2014, pp. 372–378. doi: 10.1109/SAI.2014.6918213.

- [38] T. G. Debelee, "Skin Lesion Classification and Detection Using Machine Learning Techniques: A Systematic Review," *Diagnostics*, vol. 13, no. 19, p. 3147, Oct. 2023, doi: 10.3390/diagnostics13193147.
- [39] A. Jutel, "Classification, Disease, and Diagnosis," *Perspect. Biol. Med.*, vol. 54, no. 2, pp. 189–205, Mar. 2011, doi: 10.1353/pbm.2011.0015.
- [40] M. Aly, "Survey on multiclass classification methods," *Neural Networks*, no. November, pp. 1–9, 2005.
- [41] E. Alpaydin, *Introduction to machine learning*, 4th ed. Cambridge, MA: MIT Press, 2020.
- [42] K. Han *et al.*, "A Survey on Vision Transformer," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 45, no. 1, pp. 87–110, Jan. 2023, doi: 10.1109/TPAMI.2022.3152247.
- [43] N. Fnu and A. Bansal, "Understanding the architecture of vision transformer and its variants: A review," in *2024 1st International Conference on Innovative Engineering Sciences and Technological Research (ICIESTR)*, IEEE, May 2024, pp. 1–6. doi: 10.1109/ICIESTR60916.2024.10798341.
- [44] Ş. Öztürk and U. Özkaya, "Skin Lesion Segmentation with Improved Convolutional Neural Network," *J. Digit. Imaging*, vol. 33, no. 4, pp. 958–970, Aug. 2020, doi: 10.1007/s10278-020-00343-z.
- [45] M. Sivakumar, S. Parthasarathy, and T. Padmapriya, "Trade-off between *Training* and *Testing* ratio in machine learning for medical image processing," *PeerJ Comput. Sci.*, vol. 10, p. e2245, Sep. 2024, doi: 10.7717/peerj-cs.2245.
- [46] H. M and S. M.N, "A Review on Evaluation Metrics for Data Classification Evaluations," *International Journal of Data Mining & Knowledge Management Process*, vol. 5, no. 2, pp. 01–11, Mar. 2015, doi: 10.5121/ijdkp.2015.5201.
- [47] R. Mishra, P. Kumar, and B. Bhasker, "A web recommendation system considering sequential information," *Decide. Support Syst.*, vol. 75, pp. 1–10, Jul. 2015, doi: 10.1016/j.dss.2015.04.004.

- [48] Y. Venkatraman, *Deployment of a Real-Time Face Mask Classification System Using Browser Webcam Streaming and FastAPI*. 2026.
- [49] P. Rama Rao, "Modern Web Design: Utilizing HTML5, CSS3, and Responsive Techniques," vol. 1, no. 8, 2023.