

BIBLIOGRAPHY

- [1] “Angka Hepatitis B dan C di Indonesia Turun.” Accessed: Jan. 12, 2026. [Online]. Available: <https://kemkes.go.id/id/angka-hepatitis-b-dan-c-di-indonesia-turun>
- [2] M. L. P. Teng *et al.*, “Global incidence and prevalence of nonalcoholic fatty liver disease,” *Clin. Mol. Hepatol.*, vol. 29, no. Suppl, pp. S32–S42, Dec. 2022, doi: 10.3350/CMH.2022.0365.
- [3] H. Afifah, “EFEK SUPLEMENTASI PROBIOTIK L. PLANTARUM DAD-13 TERHADAP GAMBARAN HISTOPATOLOGI HEPAR DAN KADAR LPS-BINDING PROTEIN SERUM PADA TIKUS SPRAGUE-DAWLEY MODEL NAFLD. BENEFICIAL EFFECTS OF PROBIOTIC SUPPLEMENTATION (LACTOBACILLUS PLANTARUM DAD-13) ON SERUM LPS...”.
- [4] Z. Zhu, D. Lv, X. Zhang, S. H. Wang, and G. Zhu, “Deep Learning in the Classification of Stage of Liver Fibrosis in Chronic Hepatitis B with Magnetic Resonance ADC Images,” *Contrast Media Mol. Imaging*, vol. 2021, no. 1, p. 2015780, Jan. 2021, doi: 10.1155/2021/2015780.
- [5] H. C. Park *et al.*, “Automated classification of liver fibrosis stages using ultrasound imaging,” *BMC Med. Imaging*, vol. 24, no. 1, Dec. 2024, doi: 10.1186/S12880-024-01209-4.
- [6] Y. Joo, H. C. Park, O. J. Lee, C. Yoon, M. H. Choi, and C. Choi, “Classification of Liver Fibrosis From Heterogeneous Ultrasound Image,” *IEEE Access*, vol. 11, pp. 9920–9930, 2023, doi: 10.1109/ACCESS.2023.3240216.
- [7] B. A. Febryanto and I. Tahyudin, “Perbandingan Algoritma CNN, LSTM, FNN untuk Diagnosa Fibrosis Hati dengan Citra Medis.,” *Techno.com*, vol. 24, no. 1, p. 41, Feb. 2025, doi: 10.62411/TC.V24I1.12020.
- [8] X. Lu *et al.*, “Deep learning radiomics of elastography for diagnosing compensated advanced chronic liver disease: an international multicenter

- study,” *Vis. Comput. Ind. Biomed. Art* 2025 81, vol. 8, no. 1, pp. 19-, Aug. 2025, doi: 10.1186/S42492-025-00199-6.
- [9] S. Y. Chiang, Y. W. Wang, P. Y. Su, Y. Y. Chang, H. H. Yen, and R. F. Chang, “PBCS-ConvNeXt: Convolutional Network-Based Automatic Diagnosis of Non-alcoholic Fatty Liver in Abdominal Ultrasound Images,” *J. Imaging Informatics Med.*, vol. 38, no. 5, p. 2878, Oct. 2025, doi: 10.1007/S10278-025-01394-W.
- [10] R. Saito *et al.*, “Evaluation of ultrasonic fibrosis diagnostic system using convolutional network for ordinal regression,” *Int. J. Comput. Assist. Radiol. Surg.*, vol. 16, no. 11, pp. 1969–1975, Nov. 2021, doi: 10.1007/S11548-021-02491-1.
- [11] X. Shi, W. Cao, and S. Raschka, “Deep Neural Networks for Rank-Consistent Ordinal Regression Based On Conditional Probabilities,” *Pattern Anal. Appl.*, vol. 26, no. 3, pp. 941–955, Jun. 2023, doi: 10.1007/s10044-023-01181-9.
- [12] S. Woo *et al.*, “ConvNeXt V2: Co-designing and Scaling ConvNets with Masked Autoencoders,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2023-June, pp. 16133–16142, Jan. 2023, doi: 10.1109/CVPR52729.2023.01548.
- [13] A. S. Sambyal, U. Niyaz, N. C. Krishnan, and D. R. Bathula, “Understanding calibration of deep neural networks for medical image classification,” *Comput. Methods Programs Biomed.*, vol. 242, p. 107816, Dec. 2023, doi: 10.1016/J.CMPB.2023.107816.
- [14] S. A. Balanya, J. Maroñas, and D. Ramos, “Adaptive temperature scaling for Robust calibration of deep neural networks,” *Neural Comput. Appl.* 2024 3614, vol. 36, no. 14, pp. 8073–8095, Feb. 2024, doi: 10.1007/S00521-024-09505-4.
- [15] “Liver Histopathology (Fibrosis) Ultrasound Images.” Accessed: Jan. 09, 2026. [Online]. Available: <https://www.kaggle.com/datasets/vibhingupta028/liver-histopathology->

- [16] H. Ai, Y. Huang, D. I. Tai, P. H. Tsui, and Z. Zhou, “Ultrasonic Assessment of Liver Fibrosis Using One-Dimensional Convolutional Neural Networks Based on Frequency Spectra of Radiofrequency Signals with Deep Learning Segmentation of Liver Regions in B-Mode Images: A Feasibility Study,” *Sensors* 2024, Vol. 24, Page 5513, vol. 24, no. 17, p. 5513, Aug. 2024, doi: 10.3390/S24175513.
- [17] C. Ortiz, R. Schierwagen, L. Schaefer, S. Klein, X. Trepap, and J. Trebicka, “Extracellular Matrix Remodeling in Chronic Liver Disease,” *Curr. Tissue Microenviron. Reports* 2021 23, vol. 2, no. 3, pp. 41–52, Jul. 2021, doi: 10.1007/S43152-021-00030-3.
- [18] “Health - National guideline for the diagnosis and management of Hepatitis B.” Accessed: Jan. 11, 2026. [Online]. Available: <https://health.gov.mv/en/downloads/national-guideline-for-the-diagnosis-and-management-of-hepatitis-b>
- [19] O. Ramos-Lopez, E. Martinez-Lopez, S. Roman, N. A. Fierro, and A. Panduro, “Genetic, metabolic and environmental factors involved in the development of liver cirrhosis in Mexico,” *World J. Gastroenterol.*, vol. 21, no. 41, pp. 11552–11566, Nov. 2015, doi: 10.3748/wjg.v21.i41.11552.
- [20] W. Cao, V. Mirjalili, and S. Raschka, “Rank consistent ordinal regression for neural networks with application to age estimation,” *Pattern Recognit. Lett.*, vol. 140, pp. 325–331, Dec. 2020, doi: 10.1016/j.patrec.2020.11.008.
- [21] I. A. Kazi, V. Jahagirdar, B. W. Kabir, A. K. Syed, A. W. Kabir, and A. Perisetti, “Role of Imaging in Screening for Hepatocellular Carcinoma,” *Cancers (Basel)*, vol. 16, no. 19, Oct. 2024, doi: 10.3390/CANCERS16193400.
- [22] G. Litjens *et al.*, “A survey on deep learning in medical image analysis,” *Med. Image Anal.*, vol. 42, pp. 60–88, Dec. 2017, doi: 10.1016/J.MEDIA.2017.07.005.

- [23] R. Egala and M. V. S. Sairam, “A Review on Medical Image Analysis Using Deep Learning †,” *Eng. Proc.*, vol. 66, no. 1, pp. 2–5, 2024, doi: 10.3390/engproc2024066007.
- [24] J. H. L. Goh *et al.*, “Comparative Analysis of Vision Transformers and Conventional Convolutional Neural Networks in Detecting Referable Diabetic Retinopathy,” *Ophthalmol. Sci.*, vol. 4, no. 6, Nov. 2024, doi: 10.1016/j.xops.2024.100552.
- [25] S. Roy *et al.*, “MedNeXt: Transformer-Driven Scaling of ConvNets for Medical Image Segmentation,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 14223 LNCS, pp. 405–415, 2023, doi: 10.1007/978-3-031-43901-8_39.
- [26] M. Strzelecki *et al.*, “DiagNeXt: A Two-Stage Attention-Guided ConvNeXt Framework for Kidney Pathology Segmentation and Classification,” *J. Imaging 2025, Vol. 11, Page 433*, vol. 11, no. 12, p. 433, Dec. 2025, doi: 10.3390/JIMAGING11120433.
- [27] Y. Lei, H. Zhu, J. Zhang, and H. Shan, “Meta Ordinal Regression Forest for Medical Image Classification With Ordinal Labels,” *IEEE/CAA J. Autom. Sin.*, vol. 9, no. 7, pp. 1233–1247, Jul. 2022, doi: 10.1109/JAS.2022.105668.
- [28] L. Ma, Q. Xu, H. Hong, Y. Shi, Y. Zhu, and L. Wang, “Joint ordinal regression and multiclass classification for diabetic retinopathy grading with transformers and CNNs fusion network,” *Appl. Intell.*, vol. 53, no. 22, pp. 27505–27518, Nov. 2023, doi: 10.1007/S10489-023-04949-Y/METRICS.
- [29] J. Jia *et al.*, “Explainable fully automated CT scoring of interstitial lung disease for patients suspected of systemic sclerosis by cascaded regression neural networks and its comparison with experts,” *Sci. Reports 2024 141*, vol. 14, no. 1, pp. 26666–, Nov. 2024, doi: 10.1038/s41598-024-78393-4.
- [30] A. Bhadrashetty and P. Sandhya, “Convolutional Neural Networks for Dementia Severity Classification: Ordinal Versus Regular Methods,” *Iraqi J. Comput. Sci. Math.*, vol. 5, no. 4, p. 14, Nov. 2024, doi: 10.52866/2788-7421.1224.

- [31] C. J. ; Hellin *et al.*, “Unraveling the Impact of Class Imbalance on Deep-Learning Models for Medical Image Classification,” *Appl. Sci.* 2024, Vol. 14, Page 3419, vol. 14, no. 8, p. 3419, Apr. 2024, doi: 10.3390/APP14083419.
- [32] W. Chen, K. Yang, Z. Yu, Y. Shi, and C. L. P. Chen, “A survey on imbalanced learning: latest research, applications and future directions,” *Artif. Intell. Rev.*, vol. 57, no. 6, pp. 137-, Jun. 2024, doi: 10.1007/S10462-024-10759-6/FIGURES/11.
- [33] M. Yeung, E. Sala, C. B. Schönlieb, and L. Rundo, “Unified Focal loss: Generalising Dice and cross entropy-based losses to handle class imbalanced medical image segmentation,” *Comput. Med. Imaging Graph.*, vol. 95, p. 102026, Jan. 2022, doi: 10.1016/J.COMPAMEDIMAG.2021.102026.
- [34] L. Cui *et al.*, “Towards Reliable Healthcare Imaging: A Multifaceted Approach in Class Imbalance Handling for Medical Image Segmentation,” *Interdiscip. Sci. Comput. Life Sci.*, vol. 17, no. 3, pp. 614–633, Sep. 2025, doi: 10.1007/S12539-025-00726-2.
- [35] I. Araf, A. Idri, and I. Chairi, “Cost-sensitive learning for imbalanced medical data: a review,” *Artif. Intell. Rev.* 2024 574, vol. 57, no. 4, pp. 80-, Mar. 2024, doi: 10.1007/S10462-023-10652-8.
- [36] Y. Zhao, X. Wang, T. Che, G. Bao, and S. Li, “Multi-task deep learning for medical image computing and analysis: A review,” *Comput. Biol. Med.*, vol. 153, p. 106496, Feb. 2023, doi: 10.1016/J.COMPBIOMED.2022.106496.
- [37] L. Lo Muzio, M. Rhanoui, K. A. Belghiti, and M. Mikram, “Multi-Task Deep Learning for Simultaneous Classification and Segmentation of Cancer Pathologies in Diverse Medical Imaging Modalities,” *Onco* 2025, Vol. 5, Page 34, vol. 5, no. 3, p. 34, Jul. 2025, doi: 10.3390/ONCO5030034.
- [38] Y. Xiao, L. Zhang, B. Liu, R. Cai, and Z. Hao, “Multi-task ordinal regression with labeled and unlabeled data,” *Inf. Sci. (Ny).*, vol. 649, p. 119669, Nov. 2023, doi: 10.1016/J.INS.2023.119669.

- [39] C.-P. Tang, H.-Y. Chang, Y.-M. Hsu, and T.-L. Lin, “Ordinal Regression Research Based on Dual Loss Function—An Example on Lumbar Vertebra Classification in CT Images,” *Diagnostics* 2025, Vol. 15, Page 2949, vol. 15, no. 23, p. 2949, Nov. 2025, doi: 10.3390/DIAGNOSTICS15232949.
- [40] T. Islam, M. S. Hafiz, J. R. Jim, M. M. Kabir, and M. F. Mridha, “A systematic review of deep learning data augmentation in medical imaging: Recent advances and future research directions,” *Healthc. Anal.*, vol. 5, p. 100340, Jun. 2024, doi: 10.1016/J.HEALTH.2024.100340.
- [41] H. K. Jeong *et al.*, “Image Quality Assessment Using Convolutional Neural Network in Clinical Skin Images,” *JID Innov.*, vol. 4, no. 4, p. 100285, Jul. 2024, doi: 10.1016/j.xjidi.2024.100285.
- [42] E. Gocer, “Medical image data augmentation: techniques, comparisons and interpretations,” *Artif. Intell. Rev.* 2023 5611, vol. 56, no. 11, pp. 12561–12605, Mar. 2023, doi: 10.1007/S10462-023-10453-Z.
- [43] F. Garcea, A. Serra, F. Lamberti, and L. Morra, “Data augmentation for medical imaging: A systematic literature review,” *Comput. Biol. Med.*, vol. 152, p. 106391, Jan. 2023, doi: 10.1016/J.COMPBIOMED.2022.106391.
- [44] C. Athalye and R. Arnaout, “Domain-guided data augmentation for deep learning on medical imaging,” *PLoS One*, vol. 18, no. 3, p. e0282532, Mar. 2023, doi: 10.1371/JOURNAL.PONE.0282532.
- [45] X. Liu, G. Karagoz, and N. Meratnia, “Analyzing the Impact of Data Augmentation on the Explainability of Deep Learning-Based Medical Image Classification,” *Mach. Learn. Knowl. Extr.* 2025, Vol. 7, Page 1, vol. 7, no. 1, p. 1, Dec. 2024, doi: 10.3390/MAKE7010001.
- [46] C. Guo, G. Pleiss, Y. Sun, and K. Q. Weinberger, “On Calibration of Modern Neural Networks,” *34th Int. Conf. Mach. Learn. ICML 2017*, vol. 3, pp. 2130–2143, Jun. 2017, Accessed: Jan. 11, 2026. [Online]. Available: <https://arxiv.org/pdf/1706.04599>
- [47] T. Dawood *et al.*, “Uncertainty aware training to improve deep learning

- model calibration for classification of cardiac MR images,” *Med. Image Anal.*, vol. 88, p. 102861, Aug. 2023, doi: 10.1016/J.MEDIA.2023.102861.
- [48] B. Kocak *et al.*, “Evaluation metrics in medical imaging AI: fundamentals, pitfalls, misapplications, and recommendations,” *Eur. J. Radiol. Artif. Intell.*, vol. 3, p. 100030, Sep. 2025, doi: 10.1016/J.EJRAI.2025.100030.
- [49] M. Minderer *et al.*, “Revisiting the Calibration of Modern Neural Networks,” *Adv. Neural Inf. Process. Syst.*, vol. 19, pp. 15682–15694, Jun. 2021, Accessed: Jan. 11, 2026. [Online]. Available: <https://arxiv.org/pdf/2106.07998>
- [50] R. Vasilev and A. D’yakonov, “Calibration of Neural Networks,” 2023.
- [51] S. Rajaraman, P. Ganesan, and S. Antani, “Deep learning model calibration for improving performance in class-imbalanced medical image classification tasks,” *PLoS One*, vol. 17, no. 1, p. e0262838, Jan. 2022, doi: 10.1371/JOURNAL.PONE.0262838.
- [52] A. M. Durán-Rosal *et al.*, “Ordinal classification of the affectation level of 3D-images in Parkinson diseases,” *Sci. Reports 2021 111*, vol. 11, no. 1, pp. 7067–, Mar. 2021, doi: 10.1038/s41598-021-86538-y.
- [53] S. Graham *et al.*, “One model is all you need: Multi-task learning enables simultaneous histology image segmentation and classification,” *Med. Image Anal.*, vol. 83, p. 102685, Jan. 2023, doi: 10.1016/J.MEDIA.2022.102685.
- [54] B. Qian *et al.*, “DRAC 2022: A public benchmark for diabetic retinopathy analysis on ultra-wide optical coherence tomography angiography images,” *Patterns*, vol. 5, no. 3, p. 100929, Mar. 2024, doi: 10.1016/J.PATTER.2024.100929.
- [55] A. McCarthy, I. Valenzuela, R. W. S. Chen, L. R. Dagi Glass, and K. Thakoor, “A Practical Guide to Evaluating Artificial Intelligence Imaging Models in Scientific Literature,” *Ophthalmol. Sci.*, vol. 5, no. 6, p. 100847, Nov. 2025, doi: 10.1016/j.xops.2025.100847.
- [56] I. Garcia-Atutxa, F. Villanueva-Flores, E. D. Barrio, J. I. Sanchez-Villamil,

J. Martínez-Más, and A. Bueno-Crespo, “Artificial intelligence for ovarian cancer diagnosis via ultrasound: a systematic review and quantitative assessment of model performance,” *Front. Artif. Intell.*, vol. 8, p. 1649746, Nov. 2025, doi: 10.3389/FRAI.2025.1649746/BIBTEX.