

BIBLIOGRAPHY

- [1] R. F. Oybek Kizi, T. P. Theodore Armand, and H. C. Kim, “A Review of Deep Learning Techniques for Leukemia Cancer Classification Based on Blood Smear Images,” Mar. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/applbiosci4010009.
- [2] Y. Zhao, Y. Wang, and S. Ma, “Racial Differences in Four Leukemia Subtypes: Comprehensive Descriptive Epidemiology,” *Sci. Rep.*, vol. 8, no. 1, Dec. 2018, doi: 10.1038/s41598-017-19081-4.
- [3] E. D. Pramesti, N. M. S. G. Dhevi, S. Hudhori, E. Z. Salsabila, I. Asriantini, and J. Anggoro, “Literature Study: Acute Myeloid Leukimia (AML),” *Jurnal Biologi Tropis*, vol. 25, no. 4, pp. 4800–4809, Sep. 2025, doi: 10.29303/jbt.v25i4.10082.
- [4] B. Parkash, S. Pandey, E. Bhardwaj, T. Agrawal, and C. Author, “COMPARATIVE HEMATOLOGICAL PARAMETERS IN ACUTE VS. CHRONIC LEUKEMIA: A RETROSPECTIVE ANALYSIS IN A TERTIARY CARE HOSPITAL OF ROHILKHAND REGION,” *JPTCP*, vol. 32, no. 07, pp. 224–236, 2025, doi: 10.53555/bh4cew97.
- [5] G. Pektaş, E. Gönül, Ş. Öncü, M. Becit Kızılkaya, G. Sadi, and M. B. Pektaş, “Chronic Lymphocytic Leukemia: Investigation of Survival and Prognostic Factors with Drug-Related Remission,” *Diagnostics*, vol. 15, no. 6, Mar. 2025, doi: 10.3390/diagnostics15060728.
- [6] L. Sukrisman and I. Rinaldi, “Diagnosis of Chronic Lymphocytic Leukemia Using iwCLL 2018 Compared with NCI-WG96 Criteria in Cipto Mangunkusumo Hospital: A Practical Consideration in Resource Limited Setting,” *Acta Med Indones-Indones J Intern Med*, vol. 54, no. 4, Oct. 2022.
- [7] J. Huang *et al.*, “Disease Burden, Risk Factors, and Trends of Leukaemia: A Global Analysis,” *Front. Oncol.*, vol. 12, Jul. 2022, doi: 10.3389/fonc.2022.904292.

- [8] M. R. Maulana *et al.*, “Chronic Lymphocytic Leukemia: A Literature Review,” *Jurnal Biologi Tropis*, vol. 25, no. 4, pp. 4922–4932, Oct. 2025, doi: 10.29303/jbt.v25i4.10078.
- [9] Y. El Alaoui *et al.*, “A Review of Artificial Intelligence Applications in Hematology Management: Current Practices and Future Prospects,” *J. Med. Internet Res.*, vol. 24, no. 7, Jul. 2022, doi: 10.2196/36490.
- [10] A. Shah, S. S. Naqvi, K. Naveed, N. Salem, M. A. U. Khan, and K. S. Alimgeer, “Automated Diagnosis of Leukemia: A Comprehensive Review,” 2021, *Institute of Electrical and Electronics Engineers Inc.* doi: 10.1109/ACCESS.2021.3114059.
- [11] R. Haque *et al.*, “Advancing Early Leukemia Diagnostics: A Comprehensive Study Incorporating Image Processing and Transfer Learning,” *BioMedInformatics*, vol. 4, no. 2, pp. 966–991, Jun. 2024, doi: 10.3390/biomedinformatics4020054.
- [12] Z. Liu *et al.*, “Swin Transformer: Hierarchical Vision Transformer using Shifted Windows,” in *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV 2021)*, Montreal, Canada: IEEE / Computer Vision Foundation (CVF), 2021, pp. 10012–10022. [Online]. Available: <https://github.com>.
- [13] C. Ozer, A. Guler, A. T. Cansever, D. Alis, E. Karaarslan, and I. Oksuz, “Shifted Windows Transformers for Medical Image Quality Assessment,” in *Machine Learning in Medical Imaging - 13th International Workshop, MLMI 2022, Held in Conjunction with MICCAI 2022, Proceedings*, Singapore: PublisherSpringer Science and Business Media Deutschland GmbH, Aug. 2022, pp. 425–435. [Online]. Available: <http://arxiv.org/abs/2208.06034>
- [14] N. S. Mahajaya, Putu Desiana Wulaning Ayu, and Roy Rudolf Huizen, “Classification of Lung Diseases in X-Ray Images Using Transformer-Based Deep Learning Models,” *Jurnal Nasional Pendidikan Teknik Informatika (JANAPATI)*, vol. 13, no. 3, pp. 494–505, Dec. 2024, doi: 10.23887/janapati.v13i3.81425.

- [15] H. Üzen and H. Firat, “A hybrid approach based on multipath Swin transformer and ConvMixer for white blood cells classification,” *Health Inf. Sci. Syst.*, vol. 12, no. 1, Dec. 2024, doi: 10.1007/s13755-024-00291-w.
- [16] S. Violina, N. Rosiana Damayanti, and I. O. Herlistiono, “DETEKSI DAN KLASIFIKASI CITRA KANKER DARAH MENGGUNAKAN METODE CONVOLUTIONAL NEURAL NETWORK (CNN),” *Journal of Information Technology and Computer Science (INTECOMS)*, vol. 7, no. 4, 2024.
- [17] J. Daud Halim and Rizal, “Klasifikasi Sel Darah Putih Menggunakan Vision Transformer (ViT),” *Jurnal Strategi*, vol. 6, no. 2, Nov. 2024.
- [18] Y. Chen, J. Feng, J. Liu, B. Pang, D. Cao, and C. Li, “Detection and Classification of Lung Cancer Cells Using Swin Transformer,” *J. Cancer Ther.*, vol. 13, no. 07, pp. 464–475, 2022, doi: 10.4236/jct.2022.137041.
- [19] S. Chen, S. Lu, S. Wang, Y. Ni, and Y. Zhang, “Shifted Window Vision Transformer for Blood Cell Classification,” *Electronics (Switzerland)*, vol. 12, no. 11, Jun. 2023, doi: 10.3390/electronics12112442.
- [20] F. A. Mohammed, K. K. Tune, J. A. Mohammed, T. A. Wassu, and S. Muhie, “Early Cervical Cancer Diagnosis with SWIN-Transformer and Convolutional Neural Networks,” *Diagnostics*, vol. 14, no. 20, Oct. 2024, doi: 10.3390/diagnostics14202286.
- [21] D. M. Wonohadidjojo, “Perbandingan Convolutional Neural Network pada Transfer Learning Method untuk Mengklasifikasikan Sel Darah Putih,” *Ultimatics : Jurnal Teknik Informatika*, vol. 13, no. 1, p. 51, 2021.
- [22] M. Hallek, “Chronic Lymphocytic Leukemia: 2025 Update on the Epidemiology, Pathogenesis, Diagnosis, and Therapy,” *Am. J. Hematol.*, vol. 100, no. 3, pp. 450–480, Mar. 2025, doi: 10.1002/ajh.27546.
- [23] T. Tamang, S. Baral, and M. P. Paing, “Classification of White Blood Cells: A Comprehensive Study Using Transfer Learning Based on Convolutional Neural Networks,” *Diagnostics*, vol. 12, no. 12, Dec. 2022, doi: 10.3390/diagnostics12122903.
- [24] Chentao Lian, “LLC-2024,” Mendeley Data.

- [25] H. Zhang and M. O. Shafiq, "Survey of transformers and towards ensemble learning using transformers for natural language processing," *J. Big Data*, vol. 11, no. 1, Dec. 2024, doi: 10.1186/s40537-023-00842-0.
- [26] I. Loshchilov and F. Hutter, "Decoupled Weight Decay Regularization," in *Proceedings of the International Conference on Learning Representations (ICLR) 2019*, New Orleans, Louisiana, USA: ICLR, Jan. 2019. [Online]. Available: <http://arxiv.org/abs/1711.05101>
- [27] S. V. Stehman, "Selecting and interpreting measures of thematic classification accuracy," *Remote Sens. Environ.*, vol. 62, no. 1, pp. 77–89, Oct. 1997, doi: 10.1016/S0034-4257(97)00083-7.
- [28] M. Sivakumar, S. Parthasarathy, and T. Padmapriya, "Trade-off between training and testing ratio in machine learning for medical image processing," *PeerJ Comput. Sci.*, vol. 10, 2024, doi: 10.7717/PEERJ-CS.2245.
- [29] A. A. Soladoye, D. B. Olawade, I. A. Adeyanju, T. Adereni, K. M. Olagunju, and A. Clement David-Olawade, "Enhancing leukemia detection in medical imaging using deep transfer learning," *Int. J. Med. Inform.*, vol. 203, Nov. 2025, doi: 10.1016/j.ijmedinf.2025.106023.
- [30] L. N. Pavithra, "Deep Learning for Leukemia Detection: A MobileNetV2-Based Approach for Accurate and Efficient Diagnosis," *International Research Journal of Engineering and Technology (IRJET)*, vol. 10, no. 10, Oct. 2023, [Online]. Available: www.irjet.net
- [31] Y. Panagakis *et al.*, "Tensor Methods in Computer Vision and Deep Learning," IEEE, Jul. 2021, pp. 863–890. doi: 10.1109/JPROC.2021.3074329.
- [32] M. Zhu *et al.*, "Class weights random forest algorithm for processing class imbalanced medical data," *IEEE Access*, vol. 6, pp. 4641–4652, Jan. 2018, doi: 10.1109/ACCESS.2018.2789428.
- [33] H. He and E. A. Garcia, "Learning from imbalanced data," *IEEE Trans. Knowl. Data Eng.*, vol. 21, no. 9, pp. 1263–1284, Sep. 2009, doi: 10.1109/TKDE.2008.239.

- [34] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, “Focal Loss for Dense Object Detection.”
- [35] D. M. Belete and M. D. Huchaiah, “Grid search in hyperparameter optimization of machine learning models for prediction of HIV/AIDS test results,” *International Journal of Computers and Applications*, vol. 44, no. 9, pp. 875–886, 2022, doi: 10.1080/1206212X.2021.1974663.
- [36] A. K. Jain, M. N. Murty, and P. J. Flynn, “Data Clustering: A Review,” *ACM Comput. Surv.*, vol. 31, no. 3, pp. 264–323, 2000.
- [37] H. Anthony and K. Kamnitsas, “On the use of Mahalanobis distance for out-of-distribution detection with neural networks for medical imaging,” Sep. 2023, [Online]. Available: <http://arxiv.org/abs/2309.01488>
- [38] R. Kamoi and K. Kobayashi, “Why is the Mahalanobis Distance Effective for Anomaly Detection?,” Apr. 2020, [Online]. Available: <http://arxiv.org/abs/2003.00402>
- [39] F. S. Salam Nagalay, D. Rahma Aryanti, M. Liandani, F. Sains dan Teknologi, U. Wira Buana, and F. Ilmu Kesehatan, “PENGEMBANGAN APLIKASI PREDIKSI RISIKO PENYAKIT JANTUNG BERBASIS MODEL KLASIFIKASI RANDOM FOREST MENGGUNAKAN FRAMEWORK STREAMLIT,” *Jurnal Kesehatan Wira Buana*, vol. 9, pp. 2541–5387, 2025.

This page has been intentionally left blank