

DAFTAR PUSTAKA

- Abuelfutouh, N. A. K., et al. (2020). Rainwater harvesting quality assessment and evaluation: IIUM case study. *IIUM Engineering Journal*, 21(1), 12–22. <https://doi.org/10.31436/iiumej.v21i1.1139>
- Alvin, E. V. (2017). Evaluasi Sistem Drainase Dan Pengendalian Genangan Air Di Kampus Dan Perumahan ITS Surabaya. Departemen Teknik Lingkungan Fakultas Teknik Sipil dan Perencanaan Institut Teknologi Sepuluh Nopember Surabaya. <https://files01.core.ac.uk/download/pdf/291463487>
- Annisa, N., & Prasetia, H. (2017). Manajemen Limpasan Air Hujan di Daerah Perkotaan dengan Rain Garden dan Menjaganya dari Keberadaan Nyamuk. *Jukung (Jurnal Teknik Lingkungan)*, 3(2), 47–54. <https://doi.org/10.20527/jukung.v3i2.4027>
- Ardiyana, M., Bisri, M., & Sumiadi. (2016). Studi Penerapan Ecodrain pada Sistem Drainase Perkotaan (Studi Kasus: Perumahan Sawojajar Kota Malang). *Jurnal Teknik Pengairan: Journal of Water Resources Engineering*, 7(2), 295–309. <https://jurnalpengairan.ub.ac.id/index.php/jtp/article/view/301>
- Arifin, et al. (2026). Analisis Kapasitas Hidraulik Saluran Drainase Menggunakan Pemodelan SWMM: Studi Kasus di Kecamatan Banguntapan. *Jurnal Kridatama Sains dan Teknologi*, 8(1). Universitas Ma'arif Nahdlatul Ulama Kebumen. <https://doi.org/10.53863/kst.v8i01.2091>
- Chen et, al. (2020). Sponge city practice in China: A review of construction, assessment, operational and maintenance. *Journal of Cleaner Production*. <https://doi.org/10.1016/j.jclepro.2020.124963>
- Chow, V. T. (1959). *Open-channel hydraulics*. McGraw-Hill Book Company.
- Chowdhury, M. A. H., & Akter, A. (2026). Evaluation of rainwater harvesting system in university buildings for non-potable water demand. *Scientific Reports*, 16, 12836. <https://doi.org/10.1038/s41598-026-38972-z>
- Darby, S. E., & Thorne, C. R. (1995). Fluvial maintenance operations in managed alluvial rivers. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 5(1), 37–54.
- Daigneault, A., Brown, P., & Gawith, D. (2016). Dredging versus hedging: Comparing hard infrastructure to ecosystem-based adaptation to flooding. *Ecological Economics*.
- Distana, K. A. P. (2020). Pengaruh Paving Block Berpori terhadap Limpasan Permukaan. Skripsi S1, Universitas Mataram.

- Gilley, J. E., Kottwitz, E. R., & Wieman, G. A. (1991). Roughness coefficients for selected residue materials. *Journal of Irrigation and Drainage Engineering*, 117(4), 503-514.
- Fei, Y., Rene, E. R., Shang, Q., & Singh, R. P. (2023). Comprehensive effect evaluation of LID facilities implemented in sponge campuses: A case study. *Ecological Indicators*, 155. <https://doi.org/10.1016/j.ecolind.2023.110912>
- Fletcher, T. D., Shuster, W., Hunt, W. F., Ashley, R., Butler, D., Arthur, S., Trowsdale, S., Barraud, S., Semadeni-Davies, A., Bertrand-Krajewski, J.-L., Mikkelsen, P. S., Rivard, G., Uhl, M., Dagenais, D., & Viklander, M. (2015). SUDS, LID, BMPs, WSUD and more – The evolution and application of terminology surrounding urban drainage. *Urban Water Journal*, 12(7), 525–542. <https://doi.org/10.1080/1573062X.2014.916314>
- Harianti, M., & Sulaiman, M. (2021). Evaluation of Gadjah Mada University Yogyakarta Campus Drainage System Using Environmental Protection Agency Storm Water Management Model 5.1 (EPA SWMM 5.1). *IOP Conference Series: Earth and Environmental Science*, 832(1). <https://doi.org/10.1088/1755-1315/832/1/012049>
- Harto, S. (1993). Analisis hidrologi. Gramedia Pustaka Utama.
- H. S. Masduki, Perencanaan Sistem Drainase Perkotaan. Bandung, Indonesia: Institut Teknologi Bandung, 1988.
- He, et al. (2026). Analysis of flood conveyance capacity of the Biliu River near the estuary. *Open Geosciences*. De Gruyter. https://doi.org/10.1515/geo-2025-0938?urlappend=%3Futm_source%3Dresearchgate.net%26utm_medium%3Darticle
- Ifanda, Nathanael (2024) Evaluasi Sistem Saluran Drainase dengan Software HEC-RAS (Studi Kasus Jalan Raya Mayjend Sungkono, Surabaya). Teknik Lingkungan, UPN Veteran Jawa Timur.
- Kementerian Pekerjaan Umum. (2014). Peraturan Menteri Pekerjaan Umum Republik Indonesia Nomor 12/PRT/M/2014 Tentang Penyelenggaraan Sistem Drainase Perkotaan. Jakarta: Kementerian Pekerjaan Umum.
- Khaing Min, Aung & Tashiro, Takashi. (2024). Assessment of pluvial flood events based on monitoring and modeling of an old urban storm drainage in the city center of Yangon, Myanmar. *Natural Hazards*. 120. 10.1007/s11069-024-06555-8.
- Lopa, Akshari & Sampebua, Onesimus & Arfandi, Anas. (2020). Penerapan Drainase Biopori dan Kolam Resapan pada lingkungan Perumahan. DEDIKASI. <https://doi.org/10.26858/dedikasi.v22i2.16117>

- Maharani, Y.A., Priyantoro, D., & Andawayanti, U. (2021). Penempatan UB-Drain Seri I dan II Berdasarkan Evaluasi Sirkulasi Jaringan Drainase di Kawasan Kampus UB. *Jurnal Teknik Pengairan: Journal of Water Resources Engineering*, 12(2).
- MoHURD (Ministry of Housing and Urban-Rural Development).(2014).Technical Guide for Sponge Cities-Construction of Low Impact Development.
- Meylani, V., dkk. (2021). Analisis Sistem Saluran Drainase Pada Perumahan Baturaja Permai di Kota Baturaja Kabupaten Ogan Komering Ulu. *Jurnal Deformasi*, 6(1), 15-22. <https://doi.org/10.31851/deformasi.v5i1.4233>
- Min et al. (2024). Assessment of pluvial flood events based on monitoring and modeling of an old urban storm drainage in the city center of Yangon, Myanmar. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06555-8>
- Nasution, M. A. (2024). Analisa Drainase Serta Pengaruhnya Terhadap Kerusakan Pada Aspal Studi Kasus Saluran Drainase Dibelakang Kampus UMSU. *Jurnal Ilmiah Mahasiswa Teknik [JIMT]*, 3(1). <https://jurnalmahasiswa.umsu.ac.id/index.php/jimt/article/view/2817>
- Nurhadini, & Yulistiyanto, B. (2007). Analisis pengaruh kekasaran dinding terhadap distribusi kecepatan aliran pada saluran terbuka. Universitas Gadjah Mada.
- Nugraha, T. (2013). Pengaruh Sumur Resapan dan Kolam Retensi di Sistem Drainase UGM (Studi Kasus: Kampus UGM Wilayah Timur). Skripsi, Teknik Sipil UGM (Pembimbing: Prof. Dr. Ir. Sunjoto).
- Pane, YF, Hasiholan, F., Sangkawati, S., & Atmojo, PS (2016). PERENCANAAN DRAINASE JALAN RAYA SEMARANG - BAWEN KM 12+400 - KM 16+600 (JAMU JAGO - BALAI PELATIHAN TRANSMIGRASI DAN PENYANDANG CACAT JATENG). *Jurnal Karya Teknik Sipil*, 5 (1), 179-189. Diambil dari <https://ejournal3.undip.ac.id/index.php/jkts/article/view/11803>
- Prawati, et al. (2021). Analisis Kapasitas Saluran Drainase terhadap Banjir pada Ruas Jalan Rapol – Gang Lambau Kota Metro – Lampung. *TAPAK: Jurnal Program Studi Teknik Sipil*, Universitas Muhammadiyah Metro. <https://doi.org/10.24127/tp.v11i1.1799>
- Putri, D. A., & Atharikusuma, D. (2024). Implementasi Konsep Kota Spons dalam Pengelolaan Air Perkotaan: Tantangan, Inovasi, dan Evaluasi Kinerja melalui Studi Kasus. *Rekayasa Hijau: Jurnal Teknologi Ramah Lingkungan*, 8(1), 94-100. <https://doi.org/10.26760/jrh.v8i1.87-104>

- Putri, et al. (2024). Evaluasi Sistem Drainase. *Jurnal JUMATISI*, Universitas Muhammadiyah Metro. <https://doi.org/10.24127/jumatisi.v4i1.4018>
- Rachmawati, A., Suhardjono, Andawayanti, U., & Tri Juwono, P. (2020). Studi Evaluasi Saluran Drainase Perkotaan Pada Kelurahan Purwantoro Kecamatan Blimbing Kota Malang, Jawa Timur Menggunakan Program EPA SWMM. *Jurnal Teknik Pengairan*. <https://doi.org/10.33474/jice.v4i2.20930>
- Rashid, et al. (2026). Evaluation of rainwater harvesting system in university buildings for non-potable water demand. *Scientific Reports*. Nature Publishing Group. <https://doi.org/10.1038/s41598-026-38972-z>
- Razzaghamanesh, M., & Beecham, S. (2014). The hydrological behaviour of extensive and intensive green roofs in a dry climate. *Science of the Total Environment*, 499, 284–296. <https://doi.org/10.1016/j.scitotenv.2014.08.046>
- Ratu & Suryatmaja (2026). Evaluasi Kapasitas Saluran Drainase Menggunakan Simulasi HEC-RAS. *Jurnal Teknik Gradien*. Universitas Ngurah Rai. https://doi.org/10.47329/teknik_gradien.v17i02.1702
- Rizandy, M.Nizam. (2024). Analisis Pengaruh Perubahan Tata Guna Lahan Terhadap Debit Limpasan Drainase Kecamatan Depok, Sleman. Fakultas Teknik Sipil Dan Perencanaan Universitas Islam Indonesia
- Sepehri, M., et al. (2018). Studying the effect of rain water harvesting from roof surfaces on runoff and household consumption reduction. *Sustainable Cities and Society*, 43, 317–324. <https://doi.org/10.1016/j.scs.2018.09.005>
- Silvia, et al. (2021). Efficiency Rainwater Harvesting at the Roof Campus Buildings. *International Journal of Engineering, Science & Information Technology (IJESTY)*, 1(3), 17–22.
- Suprpto, M., Suyanto, S., & Prasetya, E. (2016). Prioritas perbaikan saluran drainase dengan metode analytic network process (ANP) di Kelurahan Kadipiro Bagian Barat. *Matriks Teknik Sipil*, 4(3). <https://doi.org/10.20961/mateksi.v4i3.37090>
- Suripin. (2004). Sistem drainase perkotaan yang berkelanjutan. Andi Offset.
- Sutikno, Sari, Fajrian. (2023). Studi Ketahanan Air Dengan Konsep Sponge City (Studi Kasus: Kelurahan Kidul Dalem, Kecamatan Klojen, Kota Malang). Departemen Perencanaan Wilayah dan Kota Fakultas Teknik Universitas Brawijaya. <https://purejournal.ub.ac.id/index.php/pure/article/view/503>
- Syawaludin, M. A., Anggraini, I. M., & Wahyu, Z. (2022). ANALISIS HIDROLIKA ALIRAN SALURAN SEKUNDER DI DESA PARIT BARU

KECAMATAN SELAKAU KABUPATEN SAMBAS DENGAN
MENGUNAKAN SOFTWARE HEC-RAS. 1(2).
<https://jurnal.upb.ac.id/index.php/ft>

- Tamagnone, P., Comino, E., & Rosso, M. (2020). Rainwater harvesting techniques as an adaptation strategy for flood mitigation. *Journal of Hydrology*, 586, 124880. <https://doi.org/10.1016/j.jhydrol.2020.124880>
- Thomas, J. (2025). Nature-Based Solutions for Disaster Risk Reduction: Sponge Cities Increase Resilience, Reduce Risks, and Lower the Costs of Floods. *Journal of Water Resource and Protection*, 17(11), 798–809. <https://doi.org/10.4236/jwarp.2025.1711044>
- Triatmodjo, B. (2008). Hidrologi terapan. Beta Offset.
- UI GreenMetric. (2026). *Pedoman UI GreenMetric Sustainable University Rankings 2026*. Universitas Indonesia.
- U.S. Aqua Services. (2026, 25 Februari). Dredging Rivers for Flood Prevention. <https://www.usdredge.com/learn/dredging-rivers-for-flood-prevention>
- Wahjudijanto. (2012). Karakteristik koefisien Manning pada saluran terbuka.
- Wardhani, A. R. (2022). Analisis Pengaruh Perubahan Tata Guna Lahan Terhadap Debit Banjir Kota Magelang Wilayah Timur Saluran Irigasi Progo Manggis (Analisis Pengaruh Perubahan Penggunaan Lahan Terhadap Debit Banjir Di Kota Magelang Wilayah Timur Saluran Irigasi Progo Manggis). *Jurnal Rekayasa Sipil*, 14(2), 131-138. <https://dspace.uir.ac.id/handle/123456789/42312>
- Wibowo, H. (2015). Evaluasi koefisien kekasaran Manning pada saluran irigasi.
- Wigati, R., & Kironoto, B. A. (2008). Kajian eksperimental koefisien kekasaran Manning pada saluran terbuka. Universitas Gadjah Mada.
- Yin, D., Chen, Y., Jia, H., Wang, Q., Chen, Z., Xu, C., Li, Q., Wang, W., Yang, Y., Fu, G., & Chen, A. S. (2021). Sponge city practice in China: A review of construction, assessment, operational and maintenance. In *Journal of Cleaner Production* (Vol. 280). Elsevier Ltd. <https://doi.org/10.1016/j.jclepro.2020.124963>
- Yulistyorini, A. (2011). Pemanenan Air Hujan sebagai Alternatif Pengelolaan Sumber Daya Air di Perkotaan. *Teknologi dan Kejuruan*, 34(1), 105–114. <http://journal.um.ac.id/index.php/teknologi-kejuruan/article/view/3024>

Zhang, X., & Hu, M. (2014). Effectiveness of Rainwater Harvesting in Runoff Volume Reduction in a Planned Industrial Park, China. *Water Resources Management*, 28, 671–682. <https://doi.org/10.1007/s11269-013-0507-9>