

REFERENCES

- [1] R. A. Hasyani, S. M. Simbolon, Y. Mufida, Y. Ester, and B. Ritonga, "Klasifikasi Malaria melalui Penggunaan Convolutional Neural Network pada Citra Sel Darah," *Student Research Journal*, vol. 1, no. 6, 2023, doi: 10.55606/srjyappi.v1i6.853.
- [2] N. Huda, S. Y. Prayogi, M. A. Ahmad, and A. Y. Dewi, "Klasifikasi Malaria Menggunakan Metode Image Processing Dari Sel Darah Merah Dengan Algoritma Convolutional Neural Network," *JOINS (Journal of Information System)*, vol. 7, no. 2, pp. 166–177, Nov. 2022, doi: 10.33633/joins.v7i2.7068.
- [3] A. Fauzi Saksenata, A. E. Minarno, and Y. Azhar, "Klasifikasi Citra Sel Darah Untuk Penyakit Malaria Dengan Metode CNN," *REPOSITOR*, vol. 4, no. 2, pp. 185–194, 2022.
- [4] Z. Sari, Y. Azhar, and A. Yusuf, "Deteksi Penyakit Malaria Menggunakan Klasifikasi Berbasis Cnn," vol. 9, no. 1, 2024, doi: 10.36418/syntax-literate.v9i1.
- [5] A. W. Setiawan, "Perbandingan Kinerja Arsitektur Convolutional Neural Network Pada Deteksi Malaria Menggunakan Citra Sel Darah Comparison Of Performance Of Convolutional Neural Networks Architectures On Malaria Detection Using Blood Cell Image," vol. 11, no. 3, pp. 643–652, 2025.
- [6] W. Widya Ariestya *et al.*, "Algoritma Convolutional Neural Network (Cnn) Untuk Klasifikasi Penyakit Malaria," 2024. [Online]. Available: www.kaggle.com
- [7] Z. Liu *et al.*, "Swin Transformer: Hierarchical Vision Transformer using Shifted Windows," Aug. 2021, [Online]. Available: <http://arxiv.org/abs/2103.14030>
- [8] T. Xiao, M. Singh, E. Mintun, T. Darrell, P. Dollár, and R. Girshick, "Early Convolutions Help Transformers See Better," Oct. 2021, [Online]. Available: <http://arxiv.org/abs/2106.14881>
- [9] C. Shelden, B. Spreng, and J. N. Munday, "Enhanced repulsive Casimir forces between gold and thin magnetodielectric plates," Jun. 2023, [Online]. Available: <http://arxiv.org/abs/2302.00865>
- [10] N. Nurhaeni, S. E. Prastya, A. Hidayat, and F. N. Anisa, "Pemodelan Sistem Deteksi Parasit Malaria pada Citra Mikroskopis Sel Darah Menggunakan Metode Deep Learning," *SMATIKA JURNAL*, vol. 14, no. 02, pp. 409–416, Dec. 2024, doi: 10.32664/smatika.v14i02.1475.
- [11] N. Nurhaeni, S. E. Prastya, A. Hidayat, and F. N. Anisa, "Pemodelan Sistem Deteksi Parasit Malaria pada Citra Mikroskopis Sel Darah Menggunakan Metode Deep Learning," *SMATIKA JURNAL*, vol. 14, no. 02, pp. 409–416, Dec. 2024, doi: 10.32664/smatika.v14i02.1475.
- [12] R. A. Hasyani, S. M. Simbolon, Y. Mufida, Y. Ester, and B. Ritonga, "Klasifikasi Malaria melalui Penggunaan Convolutional Neural Network pada Citra Sel Darah," *Student Research Journal*, vol. 1, no. 6, 2023, doi: 10.55606/srjyappi.v1i6.853.

- [13] J. G. Purnomo, S. Birowo, and M. A. Maulana, "Identifikasi Malaria Pada Citra Darah Dengan Convolutional Neural Network," *bit-Tech*, vol. 7, no. 2, pp. 406–412, Dec. 2024, doi: 10.32877/bt.v7i2.1828.
- [14] S. Chen, S. Lu, S. Wang, Y. Ni, and Y. Zhang, "Shifted Window Vision Transformer for Blood Cell Classification," *Electronics (Switzerland)*, vol. 12, no. 11, Jun. 2023, doi: 10.3390/electronics12112442.
- [15] D. DE Lucas Latorre Oliveira, T. Aparecida Azevedo Tosta, L. Alves Neves, and M. DO Zanchetta Nascimento, "Hybrid CNN-Transformer Models in Histopathology Image Analysis: A Scoping Review," 2024, doi: 10.1109/ACCESS.2024.0429000.
- [16] H. Long, "Hybrid Design of CNN and Vision Transformer: A Review," in *ACM International Conference Proceeding Series*, Association for Computing Machinery, Dec. 2024, pp. 121–127. doi: 10.1145/3703187.3703208.
- [17] B. Dwi Ningrum Pristiani, M. Riko Anshori Prasetya, A. Hidayat, and H. Naparin, "Identifikasi Parasit Malaria Berbasis Web Menggunakan CNN pada Citra Sel Darah," vol. 19, no. 1.
- [18] A. R. Dayat and N. Ain Banyal, "Klasifikasi Perkembangbiakan Plasmodium Penyebab Penyakit Malaria Dalam Sel Darah Merah Manusia Dengan Menggunakan Support Vector Machine (Svm) Di Kota Jayapura-Papua".
- [19] N. Ain Banyal and A. Rachman Dayat, "Klasifikasi Citra Plasmodium Penyebab Penyakit Malaria Dalam Sel Darah Merah Manusia Dengan Menggunakan Metode Multi Class Support Vector Machine (Svm)," *Jurnal Ilmiah ILKOM*, vol. 8, no. 2, 2016.
- [20] S. Anraeni, "Analisis penerapan metode K-Nearest Neighbor (K-NN) pada dataset citra penyakit malaria," *Indonesian Journal of Data and Science (IJODAS)*, vol. 3, no. 1, pp. 17–29, 2022.
- [21] M. Masud *et al.*, "Leveraging Deep Learning Techniques for Malaria Parasite Detection Using Mobile Application," *Wirel. Commun. Mob. Comput.*, vol. 2020, 2020, doi: 10.1155/2020/8895429.
- [22] A. Esteva *et al.*, "A guide to deep learning in healthcare," Jan. 01, 2019, *Nature Publishing Group*. doi: 10.1038/s41591-018-0316-z.
- [23] W. D. Pan, Y. Dong, and D. Wu, "Classification of Malaria-Infected Cells Using Deep Convolutional Neural Networks," in *Machine Learning - Advanced Techniques and Emerging Applications*, InTech, 2018. doi: 10.5772/intechopen.72426.
- [24] S. Devella and K. Arianto, "Deteksi Penyakit Malaria Menggunakan Convolutional Neural Network Berbasis Saliency (Detection of Malaria Using Convolutional Neural Network Based on Saliency)," 2020.
- [25] H. Wu *et al.*, "CvT: Introducing Convolutions to Vision Transformers," Mar. 2021, [Online]. Available: <http://arxiv.org/abs/2103.15808>
- [26] J. W. Kim, A. U. Khan, and I. Banerjee, "Systematic Review of Hybrid Vision Transformer Architectures for Radiological Image Analysis," Oct. 01, 2025, *Springer Nature*. doi: 10.1007/s10278-024-01322-4.

- [27] N. Kannaiya Raja *et al.*, “Deep Learning-Driven Scalable and High-Precision Malaria Detection from Microscopic Blood Smear Images.” [Online]. Available: www.ijacsa.thesai.org
- [28] L. Zedda, A. Loddo, and C. Di Ruberto, “YOLO-PAM: Parasite-Attention-Based Model for Efficient Malaria Detection,” *J. Imaging*, vol. 9, no. 12, Dec. 2023, doi: 10.3390/jimaging9120266.
- [29] A. Dosovitskiy *et al.*, “An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale,” Jun. 2021, [Online]. Available: <http://arxiv.org/abs/2010.11929>
- [30] R. Tanvir, “A Hybrid Transformer-CNN Framework with Early and Late Fusion for Robust Skin Lesion Classification,” 2025.
- [31] A. Khan *et al.*, “A survey of the vision transformers and their CNN-transformer based variants,” *Artif. Intell. Rev.*, vol. 56, pp. 2917–2970, Dec. 2023, doi: 10.1007/s10462-023-10595-0.
- [32] R. R. Selvaraju, M. Cogswell, A. Das, R. Vedantam, D. Parikh, and D. Batra, “Grad-CAM: Visual Explanations from Deep Networks via Gradient-based Localization,” Dec. 2019, doi: 10.1007/s11263-019-01228-7.
- [33] J. Adebayo, J. Gilmer, M. Muelly, I. Goodfellow, M. Hardt, and B. Kim, “Sanity Checks for Saliency Maps,” Nov. 2020, [Online]. Available: <http://arxiv.org/abs/1810.03292>
- [34] B. Ghoshal and A. Tucker, “Estimating Uncertainty and Interpretability in Deep Learning for Coronavirus (COVID-19) Detection,” Mar. 2020, [Online]. Available: <http://arxiv.org/abs/2003.10769>
- [35] M. N. M. & P. J. F. A. K. Jain, “Data Clustering A Review et.al,” *ACM Comput Surv*, vol. 31, no. 3, pp. 264–323, 2000.
- [36] I. I. Purnomo and A. Andie, “Perancangan Sistem Evaluasi Tingkat Kompetensi Alumni dengan Algoritma Support Vector Machine (SVM) Linear Method Berbasis Framework Streamlit,” *Jurnal Informatika Universitas Pamulang*, vol. 8, no. 3, pp. 407–412, Sep. 2023, doi: 10.32493/informatika.v8i3.33766.
- [37] K. M. F. Fuhad, J. F. Tuba, M. R. A. Sarker, S. Momen, N. Mohammed, and T. Rahman, “Deep learning based automatic malaria parasite detection from blood smear and its smartphone based application,” *Diagnostics*, vol. 10, no. 5, May 2020, doi: 10.3390/diagnostics10050329.
- [38] A. G. Taye *et al.*, “Automated Web-Based Malaria Detection System with Machine Learning and Deep Learning Techniques,” *AI for Health*.
- [39] M. E. Yayla *et al.*, “Deep Learning Performance in Analyzing Nailfold Videocapillaroscopy Images in Systemic Sclerosis,” *Diagnostics*, vol. 15, no. 22, Nov. 2025, doi: 10.3390/diagnostics15222912.