

DAFTAR PUSTAKA

- [1] S. Hao, X. Han, Y. Guo, X. Xu, and M. Wang, "Low-Light Image Enhancement With Semi-Decoupled Decomposition," *IEEE Transactions on Multimedia*, vol. 22, pp. 3025-3038, 2020, doi: 10.1109/TMM.2020.2969790.
- [2] X. Liu et al., "NTIRE 2024 Challenge on Low Light Image Enhancement: Methods and Results," 2024 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), Seattle, WA, USA, 2024, pp. 6571-6594, doi:10.1109/CVPRW63382.2024.00655.
- [3] Q. Li, H. Wu, L. Xu, L. Wang, Y. Lv, and X. Kang, "Low-Light Image Enhancement Based on Deep Symmetric Encoder-Decoder Convolutional Networks," *Symmetry*, vol. 12, p. 446, 2020, doi: 10.3390/sym12030446.
- [4] "Akurat.co on Instagram: 'Sepanjang tahun 2025, Kepolisian Republik Indonesia (Polri) mencatat sedikitnya 380.424 tindak kejahatan yang terjadi di berbagai wilayah Indonesia. Yuk kita lihat info lengkapnya, gengs... #polisi #polri #kejahatan #2025 #akuratinfografis,'" Instagram, 2017. https://www.instagram.com/p/DS6-y2XETo_/
- [5] I. Kausar, "Polda Metro: Waspadai jam rawan kejahatan pukul 00.00-04.00 WIB," *Antara News*, Feb. 16, 2023. <https://www.antaranews.com/berita/3399990/polda-metro-waspadai-jam-rawan-kejahatan-pukul-0000-0400-wib> (accessed Mar. 10, 2026).
- [6] K. Singh, R. Kapoor, and S. Sinha, "Enhancement of low exposure images via recursive histogram equalization algorithms," *Optik*, vol. 126, pp. 2619-2625, 2015, doi: 10.1016/J.IJLEO.2015.06.060.
- [7] V. Magudeeswaran and J. Singh, "Contrast limited fuzzy adaptive histogram equalization for enhancement of brain images," *International Journal of Imaging Systems and Technology*, vol. 27, 2017, doi: 10.1002/ima.22214.
- [8] S. Liu, W. Long, Y. Li, and H. Cheng, "Low-light image enhancement based on membership function and gamma correction," *Multimedia Tools and Applications*, vol. 81, pp. 22087-22109, 2021, doi: 10.1007/s11042-021-11505-8.
- [9] C. Li, J. Zhu, L. Bi, W. Zhang, and Y. Liu, "A low-light image enhancement method with brightness balance and detail preservation," *PLOS ONE*, vol. 17, 2022, doi: 10.1371/journal.pone.0262478.
- [10] C. Li et al., "Low-Light Image and Video Enhancement Using Deep Learning: A Survey," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 44, pp. 9396-9416, 2021, doi: 10.1109/TPAMI.2021.3126387.
- [11] O. Ronneberger, P. Fischer, and T. Brox, "U-Net: Convolutional Networks for Biomedical Image Segmentation," *ArXiv*, abs/1505.04597, 2015, doi: 10.1007/978-3-319-24574-4_28.
- [12] J. Suri et al., "UNet Deep Learning Architecture for Segmentation of Vascular and Non-Vascular Images: A Microscopic Look at UNet Components Buffered With Pruning, Explainable Artificial Intelligence, and Bias," *IEEE Access*, vol. 11, pp.595-645, 2023, doi: 10.1109/ACCESS.2022.3232561.
- [13] Y. Wang, X. Zhu, Y. Zhao, and P. Wang, "Enhancement of Low-Light Image

- Based on Wavelet U-Net," *Journal of Physics: Conference Series*, vol. 1345, 2019, doi: 10.1088/1742-6596/1345/2/022030.
- [14] C. Chen, Q. Chen, J. Xu, and V. Koltun, "Learning to See in the Dark," *arXiv (Cornell University)*, May 2018, doi: <https://doi.org/10.48550/arxiv.1805.01934>.
 - [15] Y. Cai and K. U, "Low-Light Image Enhancement Based On Modified U-Net," 2019 International Conference on Wavelet Analysis and Pattern Recognition (ICWAPR), 2019, pp. 1-7, doi: 10.1109/ICWAPR48189.2019.8946456.
 - [16] L. Yin et al., "UNet --: Memory-Efficient and Feature-Enhanced Network Architecture Based on U-Net with Reduced Skip-Connections," in *Computer Vision – ACCV 2024*, vol. 15478, Springer, Singapore, 2025, doi: 10.1007/978-981-96-0963-511.
 - [17] Z. Zhou, M. Siddiquee, N. Tajbakhsh, and J. Liang, "UNet++: A Nested U-Net Architecture for Medical Image Segmentation," in *Deep Learning in Medical Image Analysis and Multimodal Learning for Clinical Decision Support: 4th International Workshop, DLMIA 2018, and 8th International Workshop, ML-CDS 2018, Granada, Spain, pp. 3-11, 2018*, doi: 10.1007/978-3-030-00889-5_1.
 - [18] L. Wang, G. Fu, Z. Jiang, G. Ju, and A. Men, "Low-Light Image Enhancement with Attention and Multi-level Feature Fusion," 2019 IEEE International Conference on Multimedia & Expo Workshops (ICMEW), Shanghai, China, 2019, pp. 276-281, doi: 10.1109/ICMEW.2019.00054.
 - [19] D. J. Jobson, Z. Rahman, and G. A. Woodell, "Properties and performance of a center/surround retinex," *IEEE Trans. Image Process.*, vol. 6, no. 3, pp. 451–462, Mar. 1997, doi: 10.1109/83.557356.
 - [20] Y. Jiang et al., "EnlightenGAN: Deep Light Enhancement without Paired Supervision," *arXiv preprint*, 2019. [Online]. Available: <https://doi.org/10.48550/arxiv.1906.06972>
 - [21] C. Guo et al., "Zero-Reference Deep Curve Estimation for Low-Light Image Enhancement," in *Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Seattle, WA, USA, 2020, pp. 1777–1786, doi: 10.1109/CVPR42600.2020.00185.
 - [22] Wang, L., Zhao, L., Zhong, T. et al. Low-light image enhancement using generative adversarial networks. *Sci Rep* 14, 18489 (2024). <https://doi.org/10.1038/s41598-024-69505-1>
 - [23] A. Konstantinidis, "Physical Parameters of Image Quality," Elsevier eBooks, pp. 49–63, Jan. 2014, doi: <https://doi.org/10.1016/b978-0-444-53632-7.00202-1>.
 - [24] T. Barbu, "Variational Image Denoising Approach with Diffusion Porous Media Flow," *Abstract and Applied Analysis*, vol. 2013, p. e856876, Jan. 2013, doi: <https://doi.org/10.1155/2013/856876>.
 - [25] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, pp. 436–444, 2015, doi: 10.1038/nature14539.
 - [26] D. E. Rumelhart, G. E. Hinton, and R. J. Williams, "Learning representations by back-propagating errors," *Nature*, vol. 323, no. 6088, pp. 533–536, Oct.

- 1986, doi: <https://doi.org/10.1038/323533a0>.
- [27] S. Hochreiter and J. Schmidhuber, "Long Short-Term Memory," *Neural Computation*, vol. 9, no. 1, pp. 1–42, Jan. 1997, doi: <https://doi.org/10.1162/neco.1997.9.1.1>.
 - [28] O. Oktay et al., "Attention U-Net: Learning Where to Look for the Pancreas," *arXiv preprint*, 2018. [Online]. Available: <https://doi.org/10.48550/arXiv.1804.03999>
 - [29] L.-C. Chen, Y. Zhu, G. Papandreou, F. Schroff, and H. Adam, "Encoder-Decoder with Atrous Separable Convolution for Semantic Image Segmentation," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 833–851, doi: [10.1007/978-3-030-01234-2_49](https://doi.org/10.1007/978-3-030-01234-2_49).
 - [30] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proc. IEEE*, vol. 86, no. 11, pp. 2278–2324, Nov. 1998, doi: [10.1109/5.726791](https://doi.org/10.1109/5.726791).
 - [31] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*, MIT Press, 2016.
 - [32] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet Classification with Deep Convolutional Neural Networks," *Communications of the ACM*, vol. 60, no. 6, pp. 84–90, May 2012.
 - [33] K. Simonyan and A. Zisserman, "Very Deep Convolutional Networks for LargeScale Image Recognition," 2014, doi: <https://doi.org/10.48550/arXiv.1409.1556>.
 - [34] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Las Vegas, NV, USA, 2016, pp. 770–778, doi: [10.1109/CVPR.2016.90](https://doi.org/10.1109/CVPR.2016.90).
 - [35] J. Long, E. Shelhamer, and T. Darrell, "Fully convolutional networks for semantic segmentation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Boston, MA, USA, 2015, pp. 3431–3440, doi: [10.1109/CVPR.2015.7298965](https://doi.org/10.1109/CVPR.2015.7298965).
 - [36] V. Dumoulin and F. Visin, "A guide to convolution arithmetic for deep learning," *arXiv preprint*, 2016. [Online]. Available: <https://doi.org/10.48550/arxiv.1603.07285>
 - [37] M. D. Zeiler, G. W. Taylor, and R. Fergus, "Adaptive deconvolutional networks for mid and high level feature learning," in *Proc. Int. Conf. Comput. Vis. (ICCV)*, Barcelona, Spain, 2011, pp. 2018–2025, doi: [10.1109/ICCV.2011.6126474](https://doi.org/10.1109/ICCV.2011.6126474).
 - [38] Yann Lecun, L. D. Jackel, C. Cortes, J. S. Denker, and Vladimir Vapnik, "Learning Algorithms For Classification: A Comparison On Handwritten Digit Recognition," Jul. 14, 2000. https://www.researchgate.net/publication/2599424_Learning_Algorithms_For_Classification_A_Comparison_On_Handwritten_Digit_Recognition
 - [39] M. Lin, Q. Chen, and S. Yan, "Network in network," *arXiv.org*, Dec. 16, 2013. <https://arxiv.org/abs/1312.4400>
 - [40] A. Zafar et al., "A Comparison of Pooling Methods for Convolutional Neural Networks," *Applied Sciences*, vol. 12, no. 17, p. 8643, Jan. 2022, doi: <https://doi.org/10.3390/app12178643>.
 - [41] J. Hu, L. Shen, S. Albanie, G. Sun, and E. Wu, "Squeeze-and-Excitation

- Networks,” arXiv:1709.01507 [cs], May 2019, Available: <https://arxiv.org/abs/1709.01507>
- [42] M. D. Zeiler and R. Fergus, "Visualizing and Understanding Convolutional Networks," in Proc. Eur. Conf. Comput. Vis. (ECCV), 2014, vol. 8689, pp. 818–833, doi: 10.1007/978-3-319-10590-1_53.
 - [43] A. L. Maas, "Rectifier Nonlinearities Improve Neural Network Acoustic Models," 2013. <https://www.semanticscholar.org/paper/Rectifier-Nonlinearities-ImproveNeural-Network-Maas/367f2c63a6f6a10b3b64b8729d601e69337ee3cc>
 - [44] C. K. Li et al., "Deep Supervision with Intermediate Concepts," IEEE Trans. Pattern Anal. Mach. Intell., vol. 41, no. 8, pp. 1828–1843, 2019, doi: 10.1109/TPAMI.2018.2863285.
 - [45] Willmott, Cort J.; Matsuura, Kenji (December 19, 2005). "Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance". *Climate Research*. 30: 79–82. doi:10.3354/cr030079.
 - [46] H. Zhao, O. Gallo, I. Frosio, and J. Kautz, "Loss Functions for Image Restoration With Neural Networks," IEEE Transactions on Computational Imaging, vol. 3, no. 1, pp. 47–57, Mar. 2017, doi: <https://doi.org/10.1109/tci.2016.2644865>.
 - [47] "Mean Squared Error (MSE)," www.probabilitycourse.com. https://www.probabilitycourse.com/chapter9/9_1__mean_squared_error_MSE.php
 - [48] Z. Wang, A. C. Bovik, H. R. Sheikh, and E. P. Simoncelli, "Image Quality Assessment: From Error Visibility to Structural Similarity," IEEE Transactions on Image Processing, vol. 13, no. 4, pp. 600–612, Apr. 2004, doi: <https://doi.org/10.1109/tip.2003.819861>.
 - [49] J. Snell, K. Ridgeway, R. Liao, B. D. Roads, M. C. Mozer, and R. S. Zemel, "Learning to Generate Images with Perceptual Similarity Metrics," arXiv.org, 2015. <https://arxiv.org/abs/1511.06409>
 - [50] C. Coleman et al., "Analysis of DAWN Bench, a Time-to-Accuracy Machine Learning Performance Benchmark," arXiv (Cornell University), Jan. 2018, doi: <https://doi.org/10.48550/arxiv.1806.01427>.
 - [51] F. Fardo, V. Conforto, F. De Oliveira, and P. Rodrigues, "A Formal Evaluation of PSNR as Quality Measurement Parameter for Image Segmentation Algorithms," May 2016. Available: <https://arxiv.org/pdf/1605.07116>
 - [52] J. Nilsson and T. Akenine-Möller, "Understanding SSIM," arXiv.org, Jun. 29, 2020. <https://arxiv.org/abs/2006.13846>
 - [53] R. Zhang, P. Isola, A. A. Efros, E. Shechtman, and O. Wang, "The Unreasonable Effectiveness of Deep Features as a Perceptual Metric," arXiv:1801.03924 [cs], Apr. 2018, Available: <https://arxiv.org/abs/1801.03924>
 - [54] I. A. Apsari, "Pengaruh Return on Equity, Net Profit Margin, Debt to Equity Ratio, Dan Longterm Debt to Equity Ratio Terhadap Price Book Value (Studi Pada Perusahaan Sub Sektor Makanan Dan Minuman Yang Terdaftar Di Bursa Efek Indonesia Periode Tahun 2010-2013)," *Jurnal Administrasi Bisnis*

- S1 Universitas Brawijaya, vol. 27, no. 2, p. 86371, Oct. 2015, doi: <https://media.neliti.com/media/publications/86371-ID-pengaruh-return-on-equitynet-profit-mar.pdf>.
- [55] Wei, W. Wang, W. Yang, and J. Liu, "Deep Retinex Decomposition for Low-Light Enhancement," arXiv.org, 2018. <https://arxiv.org/abs/1808.04560>
 - [56] S. William, "Komunikasi Data dan Komputer: Dasar-Dasar Komunikasi Data," DPK Kepri, 2020. <https://dpk.kepriprov.go.id/opac/detail/t3rw0> (accessed Oct. 05, 2025).
 - [57] G. Huang, Z. Liu, and Weinberger, Kilian Q, "Densely Connected Convolutional Networks," arXiv.org, 2016. <https://arxiv.org/abs/1608.06993>
 - [58] Y. Zhang, Y. Tian, Y. Kong, B. Zhong, and Y. Fu, "Residual Dense Network for Image Restoration," arXiv preprint, 2018. [Online]. Available: <https://doi.org/10.48550/arxiv.1812.10477>
 - [59] C. Szegedy et al., "Going Deeper with Convolutions," arXiv.org, 2014. <https://arxiv.org/abs/1409.4842>
 - [60] Y. Chen, C. Jin, and B. Yu, "Stability and Convergence Trade-off of Iterative Optimization Algorithms," arXiv (Cornell University), Jan. 2018, doi: <https://doi.org/10.48550/arxiv.1804.01619>.