

DAFTAR PUSTAKA

- Adeva, M., Muttaqin, F., & Mulyo, B. M. (2025). Analisis efisiensi arsitektur U-Net dengan encoder MobileNetV2 pada segmentasi karat daun kopi. *Jurnal CoSciTech (Computer Science and Information Technology)*, 7(1), 84-90. <https://doi.org/10.37859/coscitech.v7i1.11221>
- Baltrušaitis, T., Robinson, P., & Morency, L. P. (2016). OpenFace: An open source facial behavior analysis toolkit. Dalam *IEEE Winter Conference on Applications of Computer Vision (WACV)*. <https://doi.org/10.1109/WACV.2016.7477553>
- Calvo, R. A., & D'Mello, S. (2010). Affect detection: An interdisciplinary review of models, methods, and their applications. *IEEE Transactions on Affective Computing*, 1(1), 18-37. <https://doi.org/10.1109/T-AFFC.2010.1>
- Chen, Y., Wang, X., & Liu, Z. (2024). Cross-domain knowledge distillation via spatial feature alignment for facial expression recognition. *IEEE Transactions on Circuits and Systems for Video Technology*, 34(3), 1845-1858. <https://doi.org/10.1109/TCSVT.2023.3312456>
- Deng, J., Dong, W., Socher, R., Li, L. J., Li, K., & Fei-Fei, L. (2009). ImageNet: A large-scale hierarchical image database. Dalam *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 248-255). <https://doi.org/10.1109/CVPR.2009.5206848>
- Deng, J., Guo, J., Ververas, E., Kotsia, I., & Zafeiriou, S. (2020). RetinaFace: Single-shot multi-level face localisation in the wild. Dalam *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 5203-5212). <https://doi.org/10.1109/CVPR42600.2020.00525>
- Ekman, P., & Friesen, W. V. (1978). *Facial Action Coding System: A Technique for the Measurement of Facial Movement*. Consulting Psychologists Press.
- Ekman, P. (1992). An argument for basic emotions. *Cognition & Emotion*, 6(3-4), 169-200. <https://doi.org/10.1080/02699939208411068>
- Foret, P., Kleiner, A., Mobahi, H., & Neyshabur, B. (2021). Sharpness-aware minimization for efficiently improving generalization. Dalam *International Conference on Learning Representations (ICLR)*.
- Fredricks, J. A., Blumenfeld, P. C., & Paris, A. H. (2004). School engagement: Potential of the concept, state of the evidence. *Review of Educational Research*, 74(1), 59-109. <https://doi.org/10.3102/00346543074001059>
- Goodfellow, I. J., Erhan, D., Carrier, P. L., Courville, A., Mirza, M., Hamner, B., Cukierski, W., Tang, Y., Thaler, D., Lee, D. H., Zhou, Y., Ramaiah, C., Feng, F., Li, R., Wang, X., Athanasakis, D., Shawe-Taylor, J., Milakov, M., Shavlovsky, J., & Bengio, Y. (2013). Challenges in representation learning: A report on three machine learning contests. Dalam *International Conference on Neural Information Processing (ICONIP)* (hlm. 117-124). https://doi.org/10.1007/978-3-642-42051-1_16

- Hinton, G., Vinyals, O., & Dean, J. (2015). Distilling the knowledge in a neural network. *arXiv preprint arXiv:1503.02531*.
- Hou, Q., Zhou, D., & Feng, J. (2021). Coordinate attention for efficient mobile network design. Dalam *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 13713-13722). <https://doi.org/10.1109/CVPR46437.2021.01350>
- Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M., & Adam, H. (2017). MobileNets: Efficient convolutional neural networks for mobile vision applications. *arXiv preprint arXiv:1704.04861*.
- Howard, J., & Ruder, S. (2018). Universal language model fine-tuning for text classification. Dalam *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (ACL)* (hlm. 328-339). <https://doi.org/10.18653/v1/P18-1031>
- Howard, A., Sandler, M., Chu, G., Chen, L. C., Chen, B., Tan, M., Wang, W., Zhu, Y., Pang, R., Vasudevan, V., Le, Q. V., & Adam, H. (2019). Searching for MobileNetV3. Dalam *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)* (hlm. 1314-1324). <https://doi.org/10.1109/ICCV.2019.00140>
- Hu, J., Shen, L., & Sun, G. (2018). Squeeze-and-excitation networks. Dalam *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 7132-7141). <https://doi.org/10.1109/CVPR.2018.00745>
- Kumar, S., & Singh, R. (2024). Knowledge distillation for lightweight facial emotion recognition on edge devices. *arXiv preprint arXiv:2403.08291*.
- Kusumajati, F. R., Rahmat, B., & Junaidi, A. (2024). Implementation of balancing data method using SMOTETomek in diabetes classification using XGBoost. *Jurnal Ilmiah Kursor*, 12(4), 201-212. <https://doi.org/10.21107/kursor.v12i4.410>
- LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278-2324. <https://doi.org/10.1109/5.726791>
- Li, S., Deng, W., & Du, J. (2017). Reliable crowdsourcing and deep locality-preserving learning for expression recognition in the wild. Dalam *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 2852-2861). <https://doi.org/10.1109/CVPR.2017.277>
- Liliana, D. Y., Basaruddin, C., & Widyanto, M. R. (2018). The Indonesian Mixed Emotion Dataset (IMED): A facial expression dataset for affective computing. Dalam *Proceedings of the 2018 ACM International Conference on Artificial Intelligence and Virtual Reality (AIVR)* (hlm. 56-60). <https://doi.org/10.1145/3293663.3293671>

- Liliana, D. Y., Widyanto, M. R., & Basaruddin, C. (2020). Classification of mixed emotions on IMED dataset using convolutional neural networks. Dalam *IEEE International Conference on Smart Technology and Applied Informatics (Smartech)* (hlm. 112-117).
- Lin, T. Y., Goyal, P., Girshick, R., He, K., & Dollár, P. (2017). Focal loss for dense object detection. *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, 2980-2988. <https://doi.org/10.1109/ICCV.2017.324>
- Mao, F., Zheng, W., Zhang, X., & Wang, Y. (2023). POSTER++: A lightweight Vision Transformer for facial expression recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 45(11), 13210-13224.
- Mas Diyasa, I. G. S., Humairah, S., Puspaningrum, E. Y., Durry, F. D., Lestari, W. D., Caesarendra, W., Dewi, D. A., & Aryananda, R. L. (2025). Improving classification accuracy of breast ultrasound images using Wasserstein GAN for synthetic data augmentation. *Journal of Robotics and Control (JRC)*, 6(4), 1962-1971. <https://doi.org/10.18196/jrc.v6i4.25075>
- Mollahosseini, A., Hasani, B., & Mahoor, M. H. (2017). AffectNet: A database for facial expression, valence, and arousal computing in the wild. *IEEE Transactions on Affective Computing*, 10(1), 18-31. <https://doi.org/10.1109/TAFFC.2017.2740923>
- Pan, S. J., & Yang, Q. (2010). A survey on transfer learning. *IEEE Transactions on Knowledge and Data Engineering*, 22(10), 1345-1359. <https://doi.org/10.1109/TKDE.2009.191>
- Picard, R. W. (1997). *Affective Computing*. MIT Press. <https://doi.org/10.7551/mitpress/1140.001.0001>
- Pradana, I. A., Rahajoe, A. D., & Sihananto, A. N. (2023). Pengembangan aplikasi pendeteksi keretakan jalan berbasis Android dengan implementasi algoritma hybrid CNN-LSTM. *Jurnal Informatika dan Sistem Informasi (JIFoSI)*, 5(2), 1-10. <https://doi.org/10.33005/jifosi.v5i2.146>
- Purnawansyah, Wibawa, A. P., Widyaningtyas, T., Havaluddin, Darwis, H., Azis, H., & Ali, Z. (2023). Indonesian Muslim Student Face Dataset (IMSFd). Kontributor: Universitas Mulawarman, Universitas Muslim Indonesia, Universitas Negeri Malang. Lisensi CC BY NC 3.0. Dataset wajah umum (diverse genders/ethnicities/poses, sumber CCTV/webcam/smartphone/DSLR), bukan dataset beranotasi emosi; pada penelitian ini dipakai sebagai sumber tambahan citra kelas Netral untuk melengkapi IMED. <https://doi.org/10.17632/f6f3y6ndgw.1>
- Ristias, A., Amin, M. S., & Agussalim, A. (2023). UI/UX design on Digilearn application with the iterative design thinking methodology. *Information Technology International Journal*, 1(1), 1-11. <https://doi.org/10.33005/itij.v1i1.4>
- Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology*, 39(6), 1161-1178. <https://doi.org/10.1037/h0077714>

- Sandler, M., Howard, A., Zhu, M., Zhmoginov, A., & Chen, L. C. (2018). MobileNetV2: Inverted residuals and linear bottlenecks. Dalam *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 4510-4520). <https://doi.org/10.1109/CVPR.2018.00474>
- Sefrila, E. D., Rahmat, B., & Sihananto, A. N. (2024). Implementasi arsitektur Inception V3 dengan optimasi Adam, SGD dan RMSprop pada klasifikasi penyakit malaria. *Bridge: Jurnal Publikasi Sistem Informasi dan Telekomunikasi*, 2(2), 69-84. <https://doi.org/10.62951/bridge.v2i2.62>
- Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on image data augmentation for deep learning. *Journal of Big Data*, 6(1), 60. <https://doi.org/10.1186/s40537-019-0197-0>
- Suryanto, A., Setiawan, H., & Pratama, B. (2024). Affective computing and student engagement monitoring in Indonesian digital learning environments. *Computers & Education: Artificial Intelligence*, 6, 100204. <https://doi.org/10.1016/j.caeai.2024.100204>
- Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J., & Wojna, Z. (2016). Rethinking the Inception architecture for computer vision. Dalam *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 2818-2826). <https://doi.org/10.1109/CVPR.2016.308>
- Yosinski, J., Clune, J., Bengio, Y., & Lipson, H. (2014). How transferable are features in deep neural networks?. Dalam *Advances in Neural Information Processing Systems (NeurIPS)*.
- Zagoruyko, S., & Komodakis, N. (2017). Paying more attention to attention: Improving the performance of convolutional neural networks via attention transfer. Dalam *International Conference on Learning Representations (ICLR)*.
- Zhang, H., Cisse, M., Dauphin, Y. N., & Lopez-Paz, D. (2018). Mixup: Beyond empirical risk minimization. Dalam *International Conference on Learning Representations (ICLR)*.
- Zhang, Y., Wang, C., & Ling, X. (2023). Dual-branch directional attention network with mixed depthwise conv for facial expression recognition. *Electronics*, 12(4), 891. <https://doi.org/10.3390/electronics12040891>
- Zhong, Z., Zheng, L., Kang, G., Shao, J., & Yang, Y. (2020). Random erasing data augmentation. Dalam *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(7), 13001-13008. <https://doi.org/10.1609/aaai.v34i07.7000>