



DAFTAR PUSTAKA

- Abudula, T., Gzara, L., Simonetti, G., Alshahrie, A., Salah, N., Morganti, P. & Memić, A. (2018). The effect of poly (glycerol sebacate) incorporation within hybrid chitin–lignin sol–gel nanofibrous scaffolds. *Materials*, 11(3), 451. <https://doi.org/10.3390/ma11030451alzrog>
- Alabi, O. A., Ologbonjaye, K. I., Awosolu, O., & Alalade, O. E. (2019). Public and environmental health effects of plastic waste disposal: a review. *J Toxicol Risk Assess*, 5(021), 1-13.
- Alzrog, A. M., Mohamed, A. S., Zakaria, R., et al. (2013). Effect of planting media (rice husk and coco peat) on the uptake of cadmium and some micronutrients in chilli (*Capsicum annum* L.). *Pure and Applied Biology*, 2, 76–82.
- Amri, A., Ekawati, L., Herman, S., Yenti, S. R., Aziz, Y., & Utami, S. P. (2018, April). Properties enhancement of cassava starch based bioplastics with addition of graphene oxide. In *IOP Conference Series: Materials Science and Engineering* (Vol. 345, No. 1, p. 012025). IOP Publishing.
- Anuchi, S. O., Campbell, K. L. S., & Hallett, J. P. (2022). Effective pretreatment of lignin-rich coconut wastes using a low-cost ionic liquid. *Scientific Reports*, 12(1), 6108. <https://doi.org/10.1038/s41598-022-09629-4>
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Heras Caballero, A., & Acosta, N. (2021). Chitosan: An overview of its properties and applications. *Polymers*, 13(19), 32-56.
- Azizati, Z. and Haqiqi, A.K. (2021) ‘Synthesis and characterization of bioplastic based on chitosan-urea-bentonite’, *Journal of Physics: Conference Series*,



1796(1), p. 012108. Available at: <https://doi.org/10.1088/1742-6596/1796/1/012108>.

Azmana, M., Mahmood, S., Hilles, A. R., Rahman, A., Arifin, M. A. B., & Ahmed, S. (2021). A review on chitosan and chitosan-based bionanocomposites: Promising material for combating global issues and its applications. *International journal of biological macromolecules*, 185, pp.832-848.

Borbolla-Jiménez, F.V., Peña-Corona, S.I., Farah, S.J., Jiménez-Valdés, M.T., Pineda-Pérez, E., Romero-Montero, A., Del Prado-Audelo, M.L., Bernal-Chávez, S.A., Magaña, J.J. and Leyva-Gómez, G. (2023) ‘Films for wound healing fabricated using a solvent casting technique’, *Pharmaceutics*, 15(7), p. 1914. Available at: <https://doi.org/10.3390/pharmaceutics15071914>.

Brilianti, K. F., Ridlo, A., & Sedjati, S. (2023). Sifat Mekanik dan Ketebalan Bioplastik dari *Kappaphycus alvarezii* Menggunakan Variasi Konsentrasi Amilum dengan Pemplastis Gliserol. *Journal of Marine Research*, 12(1), 95–102. <https://doi.org/10.14710/jmr.v12i1.34169>

Çalgeris, İ., Çakmakçı, E., Ogan, A., Kahraman, M., & Kayaman-Apohan, N. (2012). Preparation and drug release properties of lignin–starch biodegradable films. *Starch - Stärke*, 64(5), 399-407. <https://doi.org/10.1002/star.201100158>

Chen, L., Chang-Yu T., Nan-Ying N., Chao-Yu W., Qiang F., & Qin Z., (2009), “Preparation And Properties Of Chitosan/Lignin Composite Films”, *Chinese Journal Of Polymer Science*, 27(5), Pp.739–746

Chen, M., Li, Y., Liu, H., Zhang, D., Shi, Q. S., Zhong, X. Q., ... & Xie, X. B. (2023). High value valorization of lignin as environmental benign antimicrobial. *Materials Today Bio*, 18, 100-520.



- Crouvisier-Urien, K., Bodart, P. R., Winckler, P., Raya, J., Gougeon, R. D., Cayot, P., Domenek, S., Debeaufort, F., & Karbowiak, T. (2016). Biobased Composite Films from Chitosan and Lignin: Antioxidant Activity Related to Structure and Moisture. *ACS Sustainable Chemistry & Engineering*, 4(12), 6371–6381. <https://doi.org/10.1021/acssuschemeng.6b00956>
- Dewi, I. A., Ihwah, A., Setyawan, H. Y., Kurniasari, A. A. N., & Ulfah, A. (2021). Optimization of NaOH concentration and cooking time in delignification of mature coconut (*Cocos nucifera* L.) coir. *IOP Conference Series: Earth and Environmental Science*, 733(1), 012034. <https://doi.org/10.1088/1755-1315/733/1/012034>
- Dou, J., Ilina, P., Cruz, C., Nurmi, D., Vidarte, P., Rissanen, M., & Vuorinen, T. (2023). Willow bark-derived material with antibacterial and antibiofilm properties for potential wound dressing applications. *Journal of Agricultural and Food Chemistry*, 71(44), 16554-16567. <https://doi.org/10.1021/acs.jafc.3c00849>
- Epriyanti, N. M. H., Harsojuwono, B. A., & Arnata, I. W. (2016). Pengaruh suhu dan lama pengeringan terhadap karakteristik komposit plastik biodegradable dari pati kulit singkong dan kitosan. *Jurnal Rekayasa dan Manajemen Agroindustri*, 4(1), 21-30.
- Fitzgerald, C. L., & Thies, M. C. (2022). Continuous recovery of high-purity Kraft lignin from black liquor via simultaneous, liquid-phase acidification and purification. *Industrial Crops and Products*, 184, 115084. <https://doi.org/10.1016/j.indcrop.2022.115084>
- Fransiska, D., Wahyuni, T., Irianto, H. E., Priambudi, P., Abdullah, A. H. D., Nissa, R. D., & Firdiana, B. (2022). Physical properties of bioplastic agar/chitosan blend. In *IOP Conference Series: Earth and Environmental Science* 978(1), pp.012-046. IOP Publishing.
-



- Ginting, M. H. S., Kristiani, M., Amelia, Y., & Hasibuan, R. (2016). The Effect of Chitosan, Sorbitol, and Heating Temperature Bioplastic Solution on Mechanical Properties of Bioplastic from Durian Seed Starch (*Durio zibehinus*). *Int. Journal of Engineering Research and Applications*, 6(1).
- Ghozali, M., Triwulandari, E., Haryono, A., & Yuanita, E. (2017, July). Effect of lignin on morphology, biodegradability, mechanical and thermal properties of low linear density polyethylene/lignin biocomposites. In *IOP Conference Series: Materials Science and Engineering* (Vol. 223, No. 1, p. 012022). IOP Publishing.
- Harsojuwono, B.A., Arnata, I.W. and Mulyani, S. (2017) 'Biodegradable Plastic Characteristics of Cassava Starch Modified in Variations Temperature and Drying Time', *International Knowledge Sharing Platform*, 49.
- Irawan, D., Muslimah, N., & Arifin, Z. (2018). Lignin Isolation From Coconut Coir With Variation Of Time And Concentration Of Naoh In The Process Of Alkaline Delignification. *Rasayan Journal Of Chemistry*, 11(4), 1458–1460. <https://doi.org/10.31788/Rjc.2018.1144039>
- Loekito, L., Wedarti, Y., & Pengabdian, F. (2019). Daya antibakteri kitosan kepiting rajungan (*portunus pelagicus*) terhadap biofilm porphyromonas gingivalis. *Denta*, 12(2), 1. <https://doi.org/10.30649/denta.v12i2.174>
- Mat Jusoh, M. S., Nordin, M. N., Wan Ahamad, W. M. A., & Hamid, M. A. (2021). Comparison Study on Fiber and Cocopeat from Young Coconut Husks and Old Coconut Husks. *Advances in Agricultural and Food Research Journal*, 2(2). <https://doi.org/10.36877/aafmj.a0000216>
- Mali, S., Grossmann, M. V. E., García, M. A., Martino, M. N., & Zaritzky, N. E. (2005). Mechanical and thermal properties of yam starch films. *Food*
-



Hydrocolloids, 19(1), 157–164.
<https://doi.org/10.1016/j.foodhyd.2004.05.002>

Maher Z. Elsabee A, Entsar S. Abdou, (2013), Chitosan based edible films and coatings: A review, *Materials Science and Engineering* vol.33 no.1, 1819–1841

Nair, V., Panigrahy, A., & Vinu, R. (2014). Development of novel chitosan–lignin composites for adsorption of dyes and metal ions from wastewater. *Chemical Engineering Journal*, 254, 491-502.

Nandiyanto, A. B. D., Fiandini, M., Ragadhita, R., Sukmafitri, A., Salam, H., & Triawan, F. (2020). Mechanical And Biodegradation Properties Of Cornstarch-Based Bioplastic Material. *Materials Physics & Mechanics*, 44(3).

Nissa, R. C., Fikriyyah, A. K., Abdullah, A. H. D., & Pudjiraharti, S. (2019). Preliminary study of biodegradability of starch-based bioplastics using ASTM G21-70, dip-hanging, and Soil Burial Test methods. *IOP Conference Series: Earth and Environmental Science*, 277(1), 012007.
<https://doi.org/10.1088/1755-1315/277/1/012007>

Permata, D. A., Kasim, A., Asben, A. & Yusniwati. (2021). Delignification of Lignocellulosic Biomass. *World Journal of Advanced Research and Reviews*, 12(2), 462–469. <https://doi.org/10.30574/wjarr.2021.12.2.0618>

Priyadarshi, R. and Rhim, J.-W. (2020) ‘Chitosan-based biodegradable functional films for food packaging applications’, *Innovative Food Science & Emerging Technologies*, 62, p. 102346. Available at: <https://doi.org/10.1016/j.ifset.2020.102346>.

Punia Bangar, S., Chaudhary, V., Thakur, N., Kajla, P., Kumar, M. and Trif, M. (2021) ‘Natural antimicrobials as additives for edible food packaging



applications: a review', *Foods*, 10(10), p. 2282. Available at:
<https://doi.org/10.3390/foods10102282>.

Ramachandran, G., Alharbi, N. S., Chackaravarthy, G., Chelliah, C. K., Rajivgandhi, G., Maruthupandy, M. & Li, W. J. (2023). Chitosan/silver nanocomposites enhanced the biofilm eradication in biofilm forming Gram positive *S. aureus*. *Journal of King Saud University-Science*, 35(4), 102-597.

Rinaudo, M., Pavlov, G., & Desbrières, J. (1999). Influence of acetic acid concentration on the solubilization of chitosan. *Polymer*, 40(25), 7029–7032. [https://doi.org/10.1016/S0032-3861\(99\)00056-7](https://doi.org/10.1016/S0032-3861(99)00056-7)

Sapei, L., Padmawijaya, K. S., Sijayanti, O., & Wardhana, P. J. (2015). The effect of banana starch concentration on the properties of chitosan-starch bioplastics. *J. Chem. Pharm. Res.* 7(9S), 101–105.

Saputra, E., Pramono, H., Abdillah, A., & Alamsjah, M. A. (2015). An edible film characteristic of chitosan made from shrimp waste as a plasticizer. *Journal of natural sciences research*, 5(4).

Solihat, N., Sari, F., Falah, F., Ismayati, M., Lubis, M. A. R., Fatriasari, W. & Syafii, W. (2021). Lignin as an active biomaterial: a review. *Jurnal Sylva Lestari*, 9(1), 1-22.

Takribiah, F., Harunsyah, H., Amalia, Z., Fauzan, R., & Sami, M. (2022). Pembuatan Bioplastik dengan Penguat ZnO dan Penambahan Minyak Atsiri sebagai Anti Mikroba. *Jurnal Teknologi*, 22(1), 37-43.

Timbuleng, N., Naharia, O., Gedoan, S.P., Mocosuli, Y.S., Rahardiyan, D. & Moko, E.M. (2023) 'Biodegradasi Bioplastik Berbahan Dasar Pati Daluga (*Cyrtosperma merkusii*) dengan Cellulose Nano Crystal sebagai Agen Reinforcement sebagai Dasar Pengembangan Food Packaging', *Jurnal*



Sains dan Teknologi, 12(3), pp. 633–645. doi:
10.23887/jstundiksha.v12i3.67917.

Trisanti, P. N., HP, S. S., Nura'ini, E., & Sumarno, S. (2018). Ekstraksi selulosa dari serbuk gergaji kayu sengon melalui proses delignifikasi alkali ultrasonik. *Indonesian Journal of Materials Science*, 19(3), 113-119.

Wedarti, Y., Loekito, L., Pengabdian, F., & Andriani, D. (2020). <p>potensi kitosan kepiting rajungan (portunus pelagicus) dalam penghambatan pembentukan biofilm porphyromonas gingivalis dan pertumbuhan candida albicans potential of flower crab (portunus pelagicus) chitosan in the inhibition of porphyromonas gingivalis and candida albicans biofilm;. *Padjadjaran Journal of Dental Researchers and Students*, 4(2), 121. <https://doi.org/10.24198/pjdrs.v4i2.26636>

Yi, Y., Wang, X., Li, Z., Gao, C., Fatehi, P., Wang, S., ... & Kong, F. (2022). A green composite hydrogel based on xylan and lignin with adjustable mechanical properties, high swelling, excellent uv shielding, and antioxidation properties. *Journal of Applied Polymer Science*, 139(28). <https://doi.org/10.1002/app.52520>

Yustinah, Y., Ab, S., Solekhah, P. P., Novitasari, G. P., Nuryani, F., Djaeni, M., & Buchori, L. (2023). Pengaruh Jumlah Kitosan dalam Pembuatan Plastik Biodegradabel dari Selulosa Sabut Kelapa dengan Pemplastik Gliserol. *JRST (Jurnal Riset Sains dan Teknologi)*, 7(2), 143. <https://doi.org/10.30595/jrst.v7i2.15598>

Yustinah, Y., Noviyanti, S., Hasyim, U. H., & AB, S. (2019). Pengaruh Penambahan Kitosan Dalam Pembuatan Plastik Biodegradabel dari Rumput Laut Gracilaria sp dengan Pemplastik Sorbitol. *Prosiding Semnastek*.



Laporan Hasil Penelitian
Sintesis Dan Karakterisasi Bioplastik Berbasis Kitosan Dengan
Penambahan Lignin Dari Limbah Sabut Kelapa

Vieira, F., Santana, H. E., Jesus, M., Mata, F., Pires, P., Vaz-Velho, M. & Ruzene, D. S. (2024). Comparative Study of Pretreatments on Coconut Fiber for Efficient Isolation of Lignocellulosic Fractions. *Sustainability*, 16(11), 4784.