



Laporan Hasil Penelitian

Sintesis Bioadsorben Kristal Violet Berbasis Selulosa Dari Tandan Kosong Kelapa Sawit (TKKS) dengan Aktivasi Menggunakan Pemanasan Microwave

DAFTAR PUSTAKA

- Abolore, R. S., Jaiswal, S., & Jaiswal, A. K. (2024). Green and sustainable pretreatment methods for cellulose extraction from lignocellulosic biomass and its applications: A review. *Carbohydrate Polymer Technologies and Applications*, 7. <https://doi.org/10.1016/j.carpta.2023.100396>
- Achaw, O-W. & Afrane, G. (2008). The evolution of pore structure of coconut shells during the preparation of cocnut shell-based activated carbons. *Microporous and Mesoporous Materials*, 112, pp. 284-290, ISSN 1387-1811
- Alfi, R., Nasution, H., & Zubir, M. (2020). Production of Activated Carbon from Natural Sources for Water Purification. *Indonesian Journal of Chemical Science and Technology*, 3(2), 67–73.
- Asri, A., Arsyad, M., & Dwiria Wahyuni, dan. (2023). UJI KINERJA KARBON AKTIF TANDAN KOSONG KELAPA SAWIT (TKKS) SEBAGAI REUSABLE ADSORBENT LOGAM BESI PADA AIR GAMBUT. *Jurnal Fisika*, 8(2), 2657–1900.
- Astuti, A. D. Handayani, dan D. A. Wulandari (2018), "Adsorpsi Methyl Violet oleh Karbon Aktif dari Limbah Tempurung Kelapa dengan Aktivator $ZnCl_2$ Menggunakan Pemanasan Gelombang Mikro," *Jurnal Rekayasa Kimia dan Lingkungan*, vol. 13, no. 2, pp. 189–200, 2018. doi: 10.23955/rkl.v13i2.11945.
- Aulia dan M. Khair, "Preparasi Karbon Aktif dari Sabut Kelapa dengan Aktivator Gelombang Mikro untuk Adsorpsi Rhodamin B," *Chemistry Journal of Universitas Negeri Padang*, vol. 11, no. 1, pp. 62–xx, 2022
- Biti, S., McCue, A. J., Dionisi, D., Graça, I., & Martín, C. F. (2024). Greener carbon capture using microwave heating for the development of cellulose-based adsorbents. *Fuel*, 358. <https://doi.org/10.1016/j.fuel.2023.130246>
- Cheruiyot, G. K., Wanyonyi, W. C., Kiplimo, J. J., & Maina, E. N. (2019a). Adsorption of toxic crystal violet dye using coffee husks: Equilibrium, kinetics and thermodynamics study. *Scientific African*, 5. <https://doi.org/10.1016/j.sciaf.2019.e00116>



Laporan Hasil Penelitian

Sintesis Bioadsorben Kristal Violet Berbasis Selulosa Dari Tandan Kosong Kelapa Sawit (TKKS) dengan Aktivasi Menggunakan Pemanasan Microwave

- Cheruiyot, G. K., Wanyonyi, W. C., Kiplimo, J. J., & Maina, E. N. (2019b). Adsorption of toxic crystal violet dye using coffee husks: Equilibrium, kinetics and thermodynamics study. *Scientific African*, 5. <https://doi.org/10.1016/j.sciaf.2019.e00116>
- Dimawarnita, F., Faramitha, Y., Prakoso, H. T., Puspitasari, I., Kalbuadi, D. N., & Prasetyo, D. (2023). Characterization of cellulose from oil palm empty fruit bunches by fast delignification process with different solvents. *Journal Menara Perkebunan*, 91(2). <https://doi.org/10.22302/iribb.jur.mp.v91i2.542>
- Duran-Jimenez, G., Rodriguez, J., Stevens, L., Altarawneh, S., Batchelor, A., Jiang, L., & Dodds, C. (2024). Single-step preparation of activated carbons from pine wood, olive stones and nutshells by KOH and microwaves: Influence of ultra-microporous for high CO₂ capture. *Chemical Engineering Journal*, 499. <https://doi.org/10.1016/j.cej.2024.156135>
- Emilia, I., Ardila, L., & Anggraini, P. (2024). PEMANFAATAN LIMBAH TANDAN KOSONG KELAPA SAWIT (*Elaeis guineensis*) MENJADI PUPUK KOMPOS DI DESA SUKA DAMAI KECAMATAN TUNGKAL JAYA MUSI BANYUASIN. *Enviromental Science Journal*, 2(2).
- Febriyanti, F., Fadila, N., Susandy, A., Yazid Bindar, S., Irawan, A., Limbah, P., Kosong, T., Menjadi, K. S., Sanjaya, A. S., & Bindar, Y. (2019). PEMANFAATAN LIMBAH TANDAN KOSONG KELAPA SAWIT MENJADI BIO-CHAR, BIO-OIL DAN GAS DENGAN METODE PIROLISIS UTILIZATION OF EMPTY FRUIT BUNCHES WASTE INTO BIO-CHAR, BIO-OIL AND GASES WITH PYROLYSIS METHOD. *Jurnal Chemurgy*, 03(2).
- Fevriera, S., & Safara Devi, F. (2023). Analisis Produksi Kelapa Sawit Indonesia: Pendekatan Mikro dan Makro Ekonomi. *Transformatif*, 12(1), 1–16.
- Greco, G., Canevesi, R. L. S., Di Stasi, C., Celzard, A., Fierro, V., & Manyà, J. J. (2022). Biomass-derived carbons physically activated in one or two steps for CH₄/CO₂ separation. *Renewable Energy*, 191, 122–133. <https://doi.org/10.1016/j.renene.2022.04.035>



Laporan Hasil Penelitian

Sintesis Bioadsorben Kristal Violet Berbasis Selulosa Dari Tandan Kosong Kelapa Sawit (TKKS) dengan Aktivasi Menggunakan Pemanasan Microwave

- Kundu, et al. (2015) "Optimisation of the process variables in production of activated carbon by microwave heating," *RSC Adv.*, vol. 5, no. 45, pp. 35899–35908. doi:10.1039/C4RA16900J.
- Kunusa, W. (2017). Kajian Tentang Isolasi Selulosa Mikrokristalin (SM) dari Limbah Tongkol Jagung. *Jurnal Entropi*, 12(1), 105–108.
- Lee, H., Fiore, S., & Berruti, F. (2024). Adsorption of methyl orange and methylene blue on activated biocarbon derived from birchwood pellets. *Biomass and Bioenergy*, 191. <https://doi.org/10.1016/j.biombioe.2024.107446>
- Loulidi, F.(2020), "Adsorption of Crystal Violet onto an Agricultural Waste Residue: Kinetics, Isotherm, Thermodynamics, and Mechanism of Adsorption," *The Scientific World Journal*, Article ID 5873521, 9 pages, 2020. doi: 10.1155/2020/5873521.
- Mohamad Yusop, M. F., Mohd Johan Jaya, E., & Ahmad, M. A. (2022). Single-stage microwave assisted coconut shell based activated carbon for removal of Zn(II) ions from aqueous solution – Optimization and batch studies. *Arabian Journal of Chemistry*, 15(8). <https://doi.org/10.1016/j.arabjc.2022.104011>
- Mohd, N. H., Kargazadeh, H., Miyamoto, M., Uemiya, S., Sharer, N., Baharum, A., Lee Peng, T., Ahmad, I., Yarmo, M. A., & Othaman, R. (2021). Aminosilanes grafted nanocrystalline cellulose from oil palm empty fruit bunch aerogel for carbon dioxide capture. *Journal of Materials Research and Technology*, 13, 2287–2296. <https://doi.org/10.1016/j.jmrt.2021.06.018>
- Nasruddin N (2012). Delignifikasi tandan kosong kelapa sawit dilanjutkan dengan hidrolisis bertahap untuk menghasilkan glukosa. *Jurnal Dinamika Penelitian Industri* 23(1), 1-11.
- Ojo, A. O. (2023). An Overview of Lignocellulose and Its Biotechnological Importance in High-Value Product Production. *Fermentation*, 9(11). <https://doi.org/10.3390/fermentation9110990>
- Oktaviani, Z. N., Wahyuni, D., Nurhanisa, M., & Artikel, R. (2024). Sintesis Karbon Aktif dari Tandan Kosong Kelapa Sawit dengan Aktivator Gelombang Mikro dan



Laporan Hasil Penelitian

Sintesis Bioadsorben Kristal Violet Berbasis Selulosa Dari Tandan Kosong Kelapa Sawit (TKKS) dengan Aktivasi Menggunakan Pemanasan Microwave

- Pengujian Kualitas Berdasarkan SNI 06-3730-1995. *Newton-Maxwell Journal of Physics*, 5(1). <https://www.ejournal.unib.ac.id/index.php/nmj>
- Osman, N. B., Shamsuddin, N., & Uemura, Y. (2016). Activated Carbon of Oil Palm Empty Fruit Bunch (EFB); Core and Shaggy. *Procedia Engineering*, 148, 758–764. <https://doi.org/10.1016/j.proeng.2016.06.610>
- Praevia, M. F., & Widayat, W. (2022). Analisis Pemanfaatan Limbah Tandan Kosong Kelapa Sawit Sebagai Cofiring pada PLTU Batubara. *Jurnal Energi Baru Dan Terbarukan*, 3(1), 28–37. <https://doi.org/10.14710/jebt.2022.13367>
- Rahayu, A., Hanum, F. F., Amrillah, N. A. Z., Lim, L. W., & Salamah, S. (2022). Cellulose Extraction from Coconut Coir with Alkaline Delignification Process. *Journal of Fibers and Polymer Composites*, 1(2), 106–116. <https://doi.org/10.55043/jfpc.v1i2.51>
- Rahkadima, Y. T., Qurrota, D., & Yuni, A. '. (2017). TRANSESTERIFIKASI MINYAK DEDAK PADI SECARA IN-SITU DENGAN BANTUAN GELOMBANG MIKRO. *Journal of Research and Technology*, 3(2), 54–62.
- Rani, N. H. A., Mohamad, N. F., Matali, S., & Sharifah Aishah, S. A. S. (2014). Preparation and characterization of activated carbon made from oil palm empty fruit bunch. *Key Engineering Materials*, 594–595, 44–48. <https://doi.org/10.4028/www.scientific.net/KEM.594-595.44>
- Salahudeen dan A. Alhassan, "Adsorption of crystal violet on rice husk activated carbon," *Journal of Engineering Sciences*, vol. 9, no. 1, pp. F11–F15, 2022. doi: 10.21272/jes.2022.9(1).f2.
- Somsiripan, T., & Sangwichien, C. (2023). Enhancement of adsorption capacity of Methylene blue, Malachite green, and Rhodamine B onto KOH activated carbon derived from oil palm empty fruit bunches. *Arabian Journal of Chemistry*, 16(12). <https://doi.org/10.1016/j.arabjc.2023.105270>
- Zhang, M. Mi, B. Li, dan Y. Dong (2013), "Modification of Activated Carbon by Means of Microwave Heating and Its Effects on the Pore Texture and Surface Chemistry," *Res. J. Appl. Sci. Eng. Technol.*, vol. 5, no. 5, pp. 1791–1795.
-