



DAFTAR PUSTAKA

- Ahmad, F., Nisar, H., & Ahmad, N. (2021). Simulation and Optimization of Polymerization Reactor for the Production of Polyethylene Terephthalate (PET). *Austin Chemical Engineering*, 8(1). <https://doi.org/10.26420/austinchemeng.2021.1083>
- Akram, E., Cao, Y., Xing, H., Ding, Y., Luo, Y., Wei, R., & Zhang, Y. (2024). On the temperature dependence of enzymatic degradation of poly(ethylene terephthalate). *Chinese Journal of Catalysis*, 60, 284–293. [https://doi.org/10.1016/S1872-2067\(23\)64628-5](https://doi.org/10.1016/S1872-2067(23)64628-5)
- Almaadeed, M. A. A., Ponnamm, D., & Carignano, M. A. (2020). *Polymer Science and Innovative Applications*. Elsevier.
- Alnaqbi, M. A., Mohsin, M. A., Busheer, R. M., & Haik, Y. (2015). Microwave assisted glycolysis of poly(ethylene terephthalate) catalyzed by 1-butyl-3-methylimidazolium bromide ionic liquid. *Journal of Applied Polymer Science*, 132(12). <https://doi.org/10.1002/app.41666>
- Aspillaga, L., Jan Bautista, D., Daluz, S. N., Hernandez, K., Renta, J. A., & Lopez, E. C. R. (2023). Nucleation and Crystal Growth: Recent Advances and Future Trends. *Engineering Proceedings*, 56(1). <https://doi.org/10.3390/ASEC2023-15281>
- Azeem, M., Fournet, M. B., & Attallah, O. A. (2022). Ultrafast 99% Polyethylene terephthalate depolymerization into value added monomers using sequential glycolysis-hydrolysis under microwave irradiation. *Arabian Journal of Chemistry*, 15(7). <https://doi.org/10.1016/j.arabjc.2022.103903>
- Babaei, M., Jalilian, M., & Shahbaz, K. (2024). Chemical recycling of Polyethylene terephthalate: A mini-review. In *Journal of Environmental Chemical Engineering* (Vol. 12, Number 3). Elsevier Ltd. <https://doi.org/10.1016/j.jece.2024.112507>
- Barredo, A., Asueta Aiser, Amundarain, I., Leivar, J., Fernandez, R.-M., Arnaiz, S., Epelde, E., Lopez-Fonseca, R., & Gutierrez-Ortiz, J. (2023). Chemical



- recycling of monolayer PET tray waste by alkaline hydrolysis. *Journal of Environmental Chemical Engineering*, 11.
- Burgos Pintos, P., Sanz de León, A., & Molina, S. I. (2024). Large format additive manufacturing of polyethylene terephthalate (PET) by material extrusion. *Additive Manufacturing*, 79. <https://doi.org/10.1016/j.addma.2023.103908>
- Cao, Z., Fu, X., Li, H., Pandit, S., Amombo Noa, F. M., Öhrström, L., Zeleznik, A., & Mijakovic, I. (2023). Synthesis of Metal-Organic Frameworks through Enzymatically Recycled Polyethylene Terephthalate. *ACS Sustainable Chemistry and Engineering*, 11(43), 15506–15512. <https://doi.org/10.1021/acssuschemeng.3c05222>
- Chapa-Martínez, C. A., Hinojosa-Reyes, L., Hernández-Ramírez, A., Ruiz-Ruiz, E., Maya-Treviño, L., & Guzmán-Mar, J. L. (2016). An evaluation of the migration of antimony from polyethylene terephthalate (PET) plastic used for bottled drinking water. *Science of the Total Environment*, 565, 511–518. <https://doi.org/10.1016/j.scitotenv.2016.04.184>
- Chen, F., Wang, G., Shi, C., Zhang, Y., Zhang, L., Li, W., & Yang, F. (2013). Kinetics of glycolysis of poly(ethylene terephthalate) under microwave irradiation. *Journal of Applied Polymer Science*, 127(4), 2809–2815. <https://doi.org/10.1002/app.37608>
- Chinglenthomba, C., Mahadevan, G., Zuo, J., Prathyumn, T., & Valiyaveetil, S. (2024). Conversion of PET Bottle Waste into a Terephthalic Acid-Based Metal-Organic Framework for Removing Plastic Nanoparticles from Water. *Nanomaterials*, 14(3). <https://doi.org/10.3390/nano14030257>
- Čolnik, M., Pečar, D., Knez, Ž., Goršek, A., & Škerget, M. (2022). Kinetics study of hydrothermal degradation of pet waste into useful products. *Processes*, 10(1). <https://doi.org/10.3390/pr10010024>
- Dai, W., Ma, Y., Zhang, W., Yang, Y., Yin, S., & Zhu, H. (2025). High-efficiency microwave heating system for continuously processing tubular materials. *Journal of Cleaner Production*, 497. <https://doi.org/10.1016/j.jclepro.2025.145159>
-



- Damayanti, & Wu, H. S. (2021). Strategic possibility routes of recycled pet. In *Polymers* (Vol. 13, Number 9). MDPI AG. <https://doi.org/10.3390/polym13091475>
- Di Lorenzo, M. L. (2024). Crystallization of Poly(ethylene terephthalate): A Review. In *Polymers* (Vol. 16, Number 14). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/polym16141975>
- Dyosiba, X., Ren, J., Musyoka, N. M., Langmi, H. W., Mathe, M., & Onyango, M. S. (2016). Preparation of value-added metal-organic frameworks (MOFs) using waste PET bottles as source of acid linker. *Sustainable Materials and Technologies*, 10, 10–13. <https://doi.org/10.1016/j.susmat.2016.10.001>
- Enache, A. C., Grecu, I., & Samoila, P. (2024). Polyethylene Terephthalate (PET) Recycled by Catalytic Glycolysis: A Bridge toward Circular Economy Principles. In *Materials* (Vol. 17, Number 12). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ma17122991>
- Feng, Y., Lv, S. W., Zhang, R., Ren, X., Shen, J., & Cong, Y. (2025). From waste to wealth: Glycolysis of PET for high-value resource utilization. *Waste Management*, 200. <https://doi.org/10.1016/j.wasman.2025.114768>
- Gao, L., Jia, Z., Qin, L., Sun, H., Zhang, X., Li, B., Wang, X., Liu, J., & Bai, J. (2025). Using waste to treat waste: Catalysts from spent alkaline batteries for glycolysis of PET waste. *Catalysis Today*, 447. <https://doi.org/10.1016/j.cattod.2024.115143>
- Gazal, A. A., & Gheewala, S. H. (2020). Plastics, microplastics and other polymer materials-A threat to the environment. *Journal of Sustainable Energy and Environment Journal of Sustainable Energy & Environment*, 11, 113.
- George, N., & Kurian, T. (2014). Recent developments in the chemical recycling of postconsumer poly(ethylene terephthalate) Waste. *Industrial and Engineering Chemistry Research*, 53(37), 14185–14198. <https://doi.org/10.1021/ie501995m>
- Girija, B. G., Sailaja, R. R. N., & Madras, G. (2005). Thermal degradation and mechanical properties of PET blends. *Polymer Degradation and Stability*, 90(1), 147–153. <https://doi.org/10.1016/j.polymdegradstab.2005.03.003>
-



- Gong, Y., Chen X., & Wu, W. (2024). Application of fourier transform infrared (FTIR) spectroscopy in sample preparation : Material characterization and mechanism investigation. *Advances in Sample Preparation*.
- Goossens, D. J., & Chan, E. J. (2017). Synchrotron X-ray diffuse scattering from a stable polymorphic material: Terephthalic acid, C₈H₆O₄. *Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials*, 73(1), 112–121. <https://doi.org/10.1107/S2052520616018801>
- Grewal, A. S., Singh Grewal, A., Kumar, K., Redhu, S., Bhardwaj, S., Nayak, J., & Devi, C. (2013). Microwave assisted synthesis: a green chemistry approach Sonika Redhu MICROWAVE ASSISTED SYNTHESIS: A GREEN CHEMISTRY APPROACH. *International Research Journal of Pharmaceutical and Applied Sciences*, 3(5), 278–285. <https://www.researchgate.net/publication/261872979>
- Gulati, S., & Sun, Q. (2024). Complete enzymatic depolymerization of polyethylene terephthalate (PET) plastic using a *Saccharomyces cerevisiae*-based whole-cell biocatalyst. *BioRxiv*, 2024.07.20.604433.
- Ha, G. S., Al Mamunur Rashid, M., Ha, J. M., Yoo, C. J., Jeon, B. H., Jeong, K., & Kim, K. H. (2024). Enhancing polyethylene terephthalate conversion through efficient microwave-assisted deep eutectic solvent-catalyzed glycolysis. *Chemosphere*, 349. <https://doi.org/10.1016/j.chemosphere.2023.140781>
- Han, M. (2019). Depolymerization of PET Bottle via Methanolysis and Hydrolysis. In *Recycling of Polyethylene Terephthalate Bottles* (pp. 85–108). Elsevier. <https://doi.org/10.1016/b978-0-12-811361-5.00005-5>
- Huang, J., Yan, D., Zhu, Q., Cheng, X., Tang, J., Lu, X., & Xin, J. (2023). Depolymerization of polyethylene terephthalate with glycol under comparatively mild conditions. *Polymer Degradation and Stability*, 208. <https://doi.org/10.1016/j.polymdegradstab.2022.110245>
- Ikenaga, K., Inoue, T., & Kusakabe, K. (2016). Hydrolysis of PET by Combining Direct Microwave Heating with High Pressure. *Procedia Engineering*.
- Jung, K. W., Kim, J. H., & Choi, J. W. (2020a). Synthesis of magnetic porous carbon composite derived from metal-organic framework using recovered
-



- terephthalic acid from polyethylene terephthalate (PET) waste bottles as organic ligand and its potential as adsorbent for antibiotic tetracycline hydrochloride. *Composites Part B: Engineering*, 187. <https://doi.org/10.1016/j.compositesb.2020.107867>
- Jung, K. W., Kim, J. H., & Choi, J. W. (2020b). Synthesis of magnetic porous carbon composite derived from metal-organic framework using recovered terephthalic acid from polyethylene terephthalate (PET) waste bottles as organic ligand and its potential as adsorbent for antibiotic tetracycline hydrochloride. *Composites Part B: Engineering*, 187. <https://doi.org/10.1016/j.compositesb.2020.107867>
- Kang, M. J., Yu, H. J., Jegal, J., Kim, H. S., & Cha, H. G. (2020). Depolymerization of PET into terephthalic acid in neutral media catalyzed by the ZSM-5 acidic catalyst. *Chemical Engineering Journal*, 398. <https://doi.org/10.1016/j.cej.2020.125655>
- Karkanis, S. F., Karetso, N. G., & Achilias, D. S. (2025). Efficient Microwave-Assisted Glycolysis of PET Fiber Waste: Optimization, Products Analysis, and BHET Recovery for Sustainable Recycling. *ChemistrySelect*, 10(38). <https://doi.org/10.1002/slct.202500718>
- Killinger, L., Hanich-Spahn, R., Flick, K., & K.Hashmi, A. S. (2025). Lewis pair catalytic depolymerization of post consumer polyethylene terephthalate (PET) waste. *Polymer Degradation and Stability*.
- Li, H., Aguirre-Villegas, H. A., Allen, R. D., Bai, X., Benson, C. H., Beckham, G. T., Bradshaw, S. L., Brown, J. L., Brown, R. C., Cecon, V. S., Curley, J. B., Curtzwiler, G. W., Dong, S., Gaddameedi, S., García, J. E., Hermans, I., Kim, M. S., Ma, J., Mark, L. O., ... Huber, G. W. (2022). Expanding plastics recycling technologies: chemical aspects, technology status and challenges. *Green Chemistry*, 24(23), 8899–9002. <https://doi.org/10.1039/d2gc02588d>
- Liu, Y., Cui, L., Liu, H., Zhao, W., & Zhang, Y. (2023). Conversion of polyethylene terephthalate (PET) plastic particles in a microwave-assisted heating reactor. *International Journal of Chemical Reactor Engineering*, 21(11), 1423–1432. <https://doi.org/10.1515/IJCRE-2023-0102>
-



- Loganathan, M., M, R., Murugesan, A., & Arun, T. (2024a). Recovery of Bis(2-hydroxyethyl) terephthalate and terephthalic acid from waste PET bottles for synthesis of cerium-based metal-organic frameworks: A study towards supercapacitor applications. *Reactive and Functional Polymers*, 205. <https://doi.org/10.1016/j.reactfunctpolym.2024.106101>
- Loganathan, M., M, R., Murugesan, A., & Arun, T. (2024b). Recovery of Bis(2-hydroxyethyl) terephthalate and terephthalic acid from waste PET bottles for synthesis of cerium-based metal-organic frameworks: A study towards supercapacitor applications. *Reactive and Functional Polymers*, 205. <https://doi.org/10.1016/j.reactfunctpolym.2024.106101>
- Luttrell, W. E., & Hester, R. L. (2016). Terephthalic acid. In *Journal of Chemical Health and Safety* (Vol. 23, Number 6, pp. 49–52). Elsevier Inc. <https://doi.org/10.1016/j.jchas.2016.09.005>
- Matar, S., & Hatch, L. F. (2000). *Chemistry of Petrochemical Processes*. Gulf Professional Publishing.
- Merck. (2023). *Lembar Data Keselamatan Terephthalic Acid Untuk Sintesis*.
- Mirsoleimani-Azizi, S. M., Setoodeh, P., Zeinali, S., & Rahimpour, M. R. (2018). Tetracycline antibiotic removal from aqueous solutions by MOF-5: Adsorption isotherm, kinetic and thermodynamic studies. *Journal of Environmental Chemical Engineering*, 6(5), 6118–6130. <https://doi.org/10.1016/j.jece.2018.09.017>
- Mohammadi, S., Bouldo, M. G., & Enayati, M. (2023). Controlled Glycolysis of Poly(ethylene terephthalate) to Oligomers under Microwave Irradiation Using Antimony(III) Oxide. *ACS Applied Polymer Materials*, 5(8), 6574–6584. <https://doi.org/10.1021/acsapm.3c01071>
- Molonia, M. S., Muscarà, C., Speciale, A., Salamone, F. L., Toscano, G., Saija, A., & Cimino, F. (2022). The p-Phthalates Terephthalic Acid and Dimethyl Terephthalate Used in the Manufacture of PET Induce In Vitro Adipocytes Dysfunction by Altering Adipogenesis and Thermogenesis Mechanisms. *Molecules*, 27(21). <https://doi.org/10.3390/molecules27217645>
-



- Müller, C., Heck, C. A., Stephan, L., Paschetag, M., & Scholl, S. (2023a). Precipitation of Terephthalic Acid from Alkaline Solution: Influence of Temperature and Precipitation Acid. *Industrial and Engineering Chemistry Research*, 62(30), 12029–12040. <https://doi.org/10.1021/acs.iecr.2c04451>
- Müller, C., Heck, C. A., Stephan, L., Paschetag, M., & Scholl, S. (2023b). Precipitation of Terephthalic Acid from Alkaline Solution: Influence of Temperature and Precipitation Acid. *Industrial and Engineering Chemistry Research*, 62(30), 12029–12040. <https://doi.org/10.1021/acs.iecr.2c04451>
- Muringayil Joseph, T., Azat, S., Ahmadi, Z., Moini Jazani, O., Esmaeili, A., Kianfar, E., Haponiuk, J., & Thomas, S. (2024). Polyethylene terephthalate (PET) recycling: A review. *Case Studies in Chemical and Environmental Engineering*, 9. <https://doi.org/10.1016/j.cscee.2024.100673>
- Nanev, C. N. (2025). Theoretical Analysis of the Factors Determining the Crystal Size Distribution (CSD) During Crystallization in Solution: Rates of Crystal Growth. *Crystals*, 15(7). <https://doi.org/10.3390/cryst15070653>
- Nguyen, T. H., & Chiang, K. Y. (2024). Enhancement of terephthalic acid recovered from PET waste using a combination of citric acid and dimethyl sulfoxide extraction. *Sustainable Environment Research*, 34(1). <https://doi.org/10.1186/s42834-024-00220-2>
- Nisticò, R. (2020). Polyethylene terephthalate (PET) in the packaging industry. *Polymer Testing*, 90, 1. <https://doi.org/10.1016/j.polymertesting.2020.106707>
- Selvam, E., Luo, Y., Ierapetritou, M., Lobo, R. F., & Vlachos, D. G. (2023). Microwave-assisted depolymerization of PET over heterogeneous catalysts. *Catalysis Today*, 418. <https://doi.org/10.1016/j.cattod.2023.114124>
- Sheel, A., & Pant, D. (2019). Chemical Depolymerization of PET Bottles via Glycolysis. In *Recycling of Polyethylene Terephthalate Bottles* (pp. 61–84). Elsevier. <https://doi.org/10.1016/b978-0-12-811361-5.00004-3>
- Simoneau, C., & Peltzer, M. A. (2013). *Report of an interlaboratory comparison from the European Reference Laboratory for Food Contact: ILC002 2013-Identification of polymeric materials*. <https://doi.org/10.2788/6233>
-



- Singh, S., Sharma, S., Umar, A., Mehta, S. K., Bhatti, M. S., & Kansal, S. K. (2018). Recycling of Waste Poly(ethylene terephthalate) Bottles by Alkaline Hydrolysis and Recovery of Pure Nanospindle-Shaped Terephthalic Acid. *Journal of Nanoscience and Nanotechnology*, 18(8), 5804–5809. <https://doi.org/10.1166/jnn.2018.15363>
- Stewart, J. A., Pearce, J. I., Cullen, M. J., Kociok-Köhn, G., Ward, B. D., Davidson, M. G., & Jones, M. D. (2025). Zinc {ONO} complexes for the chemical recycling of PET and PLA. *Catalysis Today*, 445. <https://doi.org/10.1016/j.cattod.2024.115037>
- Subramanian, K. S., Janavi, G. J., Marimuthu, S., Kannan, M., Raja, K., Haripriya, S., Sharmila, D. J. S., & Moorthy, P. S. (2018). *Scanning Electron Microscopy: Principle, Components and Applications*. Astra International Pvt.
- Supelco. (2024). *MSDS ASAM KLOORIDA*. 1–13.
- Sutapa, I. W., Palapessya, B. V., Souhoka, F. A., & Bandjar, A. (2024). Synthesis of Cu-1,4-Benzene Dicarboxylate Metal-Organic Frameworks (Cu-BDC MOFs) from Plastic Waste and Its Application as Catalyst in Biodiesel Production. *Trends in Sciences*, 21(1). <https://doi.org/10.48048/tis.2023.7163>
- Teke, S., Saud, S., Bhattarai, R. M., Ali, A., Nguyen, L., Denra, A., Nguyen, D. B., & Mok, Y. S. (2024). Optimization of PET depolymerization for enhanced terephthalic acid recovery from commercial PET and post consumer PET-bottles via low-temperature alkaline hydrolysis. *Chemosphere*, 365. <https://doi.org/10.1016/j.chemosphere.2024.143391>
- Wang, Y., Wang, H., Chen, H., & Liu, H. (2022). Towards recycling purpose: Converting PET plastic waste back to terephthalic acid using pH-responsive phase transfer catalyst. *Chinese Journal of Chemical Engineering*, 51, 53–60. <https://doi.org/10.1016/j.cjche.2021.10.028>
- Yuen, F. K., & Hameed, B. H. (2009). Recent developments in the preparation and regeneration of activated carbons by microwaves. In *Advances in Colloid and Interface Science* (Vol. 149, Numbers 1–2, pp. 19–27). <https://doi.org/10.1016/j.cis.2008.12.005>
-



- Zangana, K. H., Fernandez, A., & Holmes, J. D. (2022). Simplified, fast, and efficient microwave assisted chemical recycling of poly (ethylene terephthalate) waste. *Materials Today Communications*, 33. <https://doi.org/10.1016/j.mtcomm.2022.104588>
- Zhang, S., He, H., Zhou, Q., Zhang, X., Lu, X., & Tian, Y. (2022). Principles and strategies for green process engineering. *Green Chemical Engineering*, 3(1), 1–4. <https://doi.org/10.1016/j.gce.2021.11.008>