

DAFTAR PUSTAKA

- Abdul Rahman, N., Jose Jol, C., Albania Linus, A., Kwong Ming, C., Arif, P., Baharuddin, N., Shahanney Wan Borhan, W. W., Abdul Jalal, N. S., Samsul, S. N. A., Abdul Mutalip, N., Jitai, A. A., & Abang Abdul Hamid, D. F. A. (2023). Treatment of tropical peat water in Sarawak peatlands nature reserve by utilising a batch electrocoagulation system. *Sustainable Chemistry for the Environment*, 4, 100043. <https://doi.org/10.1016/j.scenv.2023.100043>
- Anda, M., Ritung, S., Suryani, E., Sukarman, Hikmat, M., Yatno, E., Mulyani, A., Subandiono, R. E., Suratman, & Husnain. (2021). Revisiting tropical peatlands in Indonesia: Semi-detailed mapping, extent and depth distribution assessment. *Geoderma*, 402, 115235. <https://doi.org/10.1016/j.geoderma.2021.115235>
- Anggriani, U. M. (2020). *Kinetika Adsorpsi Logam Tembaga (Cu) Dan Timbal (Pb) Menggunakan Karbon Aktif Sebagai Adsorben*.
- Apiratikul, R., & Chu, K. H. (2021). Improved fixed bed models for correlating asymmetric adsorption breakthrough curves. *Journal of Water Process Engineering*, 40. <https://doi.org/10.1016/j.jwpe.2020.101810>
- Arif, M., Liu, G., Zia ur Rehman, M., Yousaf, B., Ahmed, R., Mian, M. M., Ashraf, A., Mujtaba Munir, M. A., Rashid, M. S., & Naeem, A. (2022). Carbon dioxide activated biochar-clay mineral composite efficiently removes ciprofloxacin from contaminated water - Reveals an incubation study. *Journal of Cleaner Production*, 332, 130079. <https://doi.org/10.1016/j.jclepro.2021.130079>
- Barloková, D., Ilavský, J., Sedláková, J., & Matis, A. (2023). Removal of Humic Substances from Water with Granular Activated Carbons †. *Engineering Proceedings*, 57(1). <https://doi.org/10.3390/engproc2023057022>

- Bhatnagar, A., & Sillanpää, M. (2017). Removal of natural organic matter (NOM) and its constituents from water by adsorption – A review. *Chemosphere*, 166, 497–510. <https://doi.org/10.1016/j.chemosphere.2016.09.098>
- Bläker, C., Muthmann, J., Pasel, C., & Bathen, D. (2019). Characterization of Activated Carbon Adsorbents – State of the Art and Novel Approaches. In *ChemBioEng Reviews* (Vol. 6, Number 4, pp. 119–138). Wiley-Blackwell. <https://doi.org/10.1002/cben.201900008>
- Chowdhury, Z. Z., Hamid, S. B. A., & Zain, S. M. (2015). *Evaluating Design Parameters for Breakthrough Curve Analysis and Kinetics of Fixed Bed Columns for Cu(II) Cations Using Lignocellulosic Wastes*.
- Cuomo, M., König, R., Zanardini, E., Di Guardo, A., Bianchi, G., Ortona, A., & Principi, P. (2023). Using zeolite filters to reduce activated carbon use in micropollutant removal from wastewater. *Journal of Water Process Engineering*, 56, 104298. <https://doi.org/10.1016/j.jwpe.2023.104298>
- Das, P., Banerjee, P., Rathour, R., & Misra, R. (2015). Assessment on linear and non-linear analysis for the estimation of pseudo-second-order kinetic parameters for removal of dye using graphene nanosheet. *Desalination and Water Treatment*, 56(2), 502–508. <https://doi.org/10.1080/19443994.2014.937759>
- Derbe, T., Temesgen, S., & Bitew, M. (2021). A Short Review on Synthesis, Characterization, and Applications of Zeolites. *Advances in Materials Science and Engineering*, 2021(1). <https://doi.org/10.1155/2021/6637898>
- Diharyo, Damanik, Z., Dohong, S., & Gumiri, S. (2019). Karakteristik Air Gambut Pada Sungai dan Kanal DAS Sebangau Kecamatan Sebangau Kuala Kabupaten Pulang Pisau Provinsi Kalimantan Tengah. *Prosiding Seminar Nasional Hasil-Hasil Penelitian*.

- Dong, L., Xu, Q., Yao, Y., Han, Y., & Zhang, G. (2026). Utilization of Coal-Based Activated Carbon (JA) for the Adsorption of Methyl Orange Azo Dye in Wastewater. *Water (Switzerland)*, 18(2). <https://doi.org/10.3390/w18020289>
- Elystia, S., Hasibuan, N. A. H., & Zultiniar, Z. (2022). Pemanfaatan Bionanomaterial Chitosan dari Limbah Cangkang Kulit Udang Sebagai Adsorben dalam Pengolahan Air Gambut. *Jurnal Ilmu Lingkungan*, 20(3), 570–578. <https://doi.org/10.14710/jil.20.3.570-578>
- Fitria, D., Harianja, Y. A., & Edward. (2025). Utilization of Cowpea Seeds (*Vigna Unguiculata* L.) Compare to Poly Aluminium Chloride (PAC) in the Coagulation-Flocculation Process of Peat Water. *Environmental Research, Engineering and Management*, 81(3), 73–82. <https://doi.org/10.5755/j01.erem.81.3.38507>
- González-López, M. E., Laureano-Anzaldo, C. M., Pérez-Fonseca, A. A., Arellano, M., & Robledo-Ortíz, J. R. (2021). A discussion on linear and non-linear forms of Thomas equation for fixed-bed adsorption column modeling. *Revista Mexicana de Ingeniera Quimica*, 20(2), 875–884. <https://doi.org/10.24275/rmiq/Fen2337>
- Habuda-Stanić, M., Tutić, A., Kučić Grgić, D., Zeko-Pivač, A., Burilo, A., Paixão, S., Teixeira, V., Pagaimo, M., Pala, A., Ergović Ravančić, M., & Šiljeg, M. (2021). Adsorption of humic acid from water using chemically modified bituminous coal-based activated carbons. *Chemical and Biochemical Engineering Quarterly*, 35(2), 189–203. <https://doi.org/10.15255/CABEQ.2021.1933>
- Hamid, A., Nofrifaldi, & Patitis, N. E. (2023). Analisis Warna, Bau, pH, Kekeruhan dan TDS Air Gambut Desa Rimbo Panjang. *Jurnal Sains Dan Ilmu Terapan*, 6.

- Hidayat, N. A., Hudori, I., Environmental, M. T., & Program, E. B. (2025). *The Effect of Heating on the Characteristics of Dissolved Organic Matter (DOM) in Water Using the Spectrofluorometer Method*.
- Hidayat, R., Ariwirdana, M. C., & Sunandar, K. (2022). *Adsorption of Phenol and Iron in Wastewater Using a Mixture of Active Carbon and Zeolite Modified with Chitosan*. 24(1), 2614–087. <https://doi.org/10.17146/jsmi.2022.24.1.6691>
- Kardena, E., & Yusharani, M. S. (2022). *Pemanfaatan Mikroalga Amobil Sebagai Adsorben Pada Penyisihan Zat Warna Reactive Blue 4 (Rb4) Dan Reactive Red 120 (Rr120) Dalam Limbah Cair Tekstil Utilization Of Amobile Microalgae As An Adsorbent To Remove Reactive Blue 4 (Rb4) And Reactive Red 120 (Rr120) From Textile Wastewater*.
- Kumari, U., Mishra, A., Siddiqi, H., & Meikap, B. C. (2021). Effective defluoridation of industrial wastewater by using acid modified alumina in fixed-bed adsorption column: Experimental and breakthrough curves analysis. *Journal of Cleaner Production*, 279. <https://doi.org/10.1016/j.jclepro.2020.123645>
- Lestari, A. W., Marlita, Z., Sefiya, V., & Prasetyo, I. A. (2025). *Analisis Varian (Anova) : Konsep, Langkah-Langkah Dan Penerapannya Dalam Analisis Data Analysis of Variance (ANOVA): Concept, Steps, and Its Application in Data Analysis* (Vol. 6).
- Li, P., Zhang, J., Yu, Y., Jia, W., & Zao, S. (2024). A collaborative coagulation strategy for algae-laden and dye-containing water treatment. *Journal of Cleaner Production*, Volume 442.
- Monson, P. A. (2012). Understanding adsorption/desorption hysteresis for fluids in mesoporous materials using simple molecular models and classical density

- functional theory. *Microporous and Mesoporous Materials*, 160, 47–66.
<https://doi.org/10.1016/j.micromeso.2012.04.043>
- Mulyana, T., Kadaria, U., & Nugraheni, P. W. (2025). Perbandingan Efektivitas Antara Koagulan Lidah Buaya Dan Tawas Dalam Memperbaiki Kualitas Air Gambut. *Jurnal Lingkungan Dan Sumberdaya Alam (JURNALIS)*, 8(1), 28–42. <https://doi.org/10.47080/jls.v8i1.3964>
- Omar, M. S., Ifandi, E., Sukri, R. S., Kalaitzidis, S., Christanis, K., Lai, D. T. C., Bashir, S., & Tsikouras, B. (2022). Peatlands in Southeast Asia: A comprehensive geological review. *Earth-Science Reviews*, 232, 104149. <https://doi.org/10.1016/j.earscirev.2022.104149>
- Othomani, A., Maitlo, H. A., & Hamimed, S. (2023). Chapter 3 - Factors affecting adsorption capabilities of nanoscale materials. *Adsorption through Advanced Nanoscale Materials*.
- Patel, H. (2018). Charcoal as an adsorbent for textile wastewater treatment. *Separation Science and Technology (Philadelphia)*, 53(17), 2797–2812. <https://doi.org/10.1080/01496395.2018.1473880>
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. In *Applied Water Science* (Vol. 9, Number 3). Springer Verlag. <https://doi.org/10.1007/s13201-019-0927-7>
- Patel, H. (2022). Comparison of batch and fixed bed column adsorption: a critical review. In *International Journal of Environmental Science and Technology* (Vol. 19, Number 10, pp. 10409–10426). Springer Nature. <https://doi.org/10.1007/s13762-021-03492-y>
- Piai, L., Dykstra, J. E., Adishakti, M. G., Blokland, M., Langenhoff, A. A. M., & van der Wal, A. (2019). Diffusion of hydrophilic organic micropollutants in granular activated carbon with different pore sizes. *Water Research*, 162, 518–527. <https://doi.org/10.1016/j.watres.2019.06.012>

- Puspitasari, M. (2024). *Identifikasi Kandungan Dissolved Organic Matter (DOM) Pada Sumber Air Minum di Sekitar Kampus UII Yogyakarta*.
- Qadafi, M., Wulan, D. R., Notodarmojo, S., & Zevi, Y. (2023). Characteristics and treatment methods for peat water as clean water sources: A mini review. *Water Cycle*, 4, 60–69. <https://doi.org/10.1016/j.watcyc.2023.02.005>
- Rasidah, Lapanporo, B. P., & Nurhasanah. (2017). *Peningkatan Kualitas Air Tanah Gambut dengan Menggunakan Metode Elektrokoagulasi*. V(2), 77–82.
- Rojas-Valencia, O. G., Estrada-Flores, M., Reza-San-Germán, C. M., Torres-Santillán, E., Hernández-Fuentes, J., & Ledezma-Martínez, J. L. (2020). Effect of thermal treatment of activated carbon fiber felt for reuse in removal of methylene blue from a synthetic wastewater. *Revista Mexicana de Ingeniera Quimica*, 19(3), 1515–1526. <https://doi.org/10.24275/rmiq/Mat1184>
- Said, Y. M., Achnopa, Y., Zahar, W., & Wibowo, Y. G. (2019). Karakteristik Fisika Dan Kimia Air Gambut Kabupaten Tanjung Jabung Barat, Provinsi Jambi. *Jurnal Sains Dan Teknologi Lingkungan*, 11, 132–142.
- Salehi, R., Dadashian, F., Abedi, M., & Eliassi, A. (2025). Adsorption studies of benzene and toluene in gas phase onto activated carbon fabrics in fixed bed column. *Heliyon*, 11(2). <https://doi.org/10.1016/j.heliyon.2025.e42071>
- Setiawan, Y., Mahatmanti, F. W., & Hanis, H. (2018). Preparasi dan Karakterisasi Nanozeolit dari Zeolit Alam Gunungkidul dengan Metode Top-Down. *Indonesian Journal of Chemical Science*, 7.
- Sihombing, F., & Rozi, S. (2025). *Analisis Perbandingan Produktivitas Tandan Buah Segar Menggunakan ANOVA One Way dan Uji Tukey pada Tiga Wilayah Operasional PTPN IV Regional 4*. 8.
- Suherman, D., & Sumawijaya, N. (2013). Menghilangkan Warna Dan Zat Organik Air Gambut Dengan Metode Koagulasi-Flokulasi Suasana Basa. *Jurnal Riset*

- Geologi Dan Pertambangan*, 23(2), 125.
<https://doi.org/10.14203/risetgeotam2013.v23.75>
- Surati, Rijal, M., Mulyawati, N. Y., Hiariej, A., Leasa, M., Nur Allifah Af, A., Samputri, S., Sulastri, Kasman, G., & Mahu, E. (2025). *Air, Kualitas Dan Pengujiannya* (H. Ali, D. Safitri, & L. Ridwan, Eds.; 1st ed.). Anggota IKAPI Jawa Timur.
- Sururi, M. R., Notodarmojo, S., Roosmini, D., Putra, P. S., & Dirgawati, M. (2020). An Investigation of a Conventional Water Treatment Plant in Reducing Dissolved Organic. *Journal of Engineering and Technological Sciences*.
- Susanto, B., Satria Nur Program Studi Biologi Fakultas MIPA Unlam Jl AYani Km, H., & Selatan, K. (2009). Kajian Kualitas Air Sungai Yang Melewati Kecamatan Gambut Dan Aluh Aluh Kalimantan Selatan. In *BIOSCIENTIAE* (Vol. 6). <http://www.unlam.ac.id/bioscientiae>
- Susilawati, S., Padang, S. T., Frida, E., Sinuhaji, P., Andriyani, A., & Irma, M. (2025). Peat Water Purification using Pahae Natural Zeolite and Activated Carbon Derived from Candlenut Shell (*Aleurites moluccana*). *Sains Malaysiana*, 54(2), 517–534. <https://doi.org/10.17576/jsm-2025-5402-17>
- Tan, K. L., & Hameed, B. H. (2017). Insight into the adsorption kinetics models for the removal of contaminants from aqueous solutions. *Journal of the Taiwan Institute of Chemical Engineers*, 74, 25–48.
<https://doi.org/10.1016/j.jtice.2017.01.024>
- Taqieddin, A., Sarrouf, S., Ehsan, M. F., & Alshawabkeh, A. N. (2025). Multiscale Insights into Structure-Porosity Interplay and Water Adsorption in Granular Activated Carbon for Enhanced Electrochemical Water Treatment. *ACS ES and T Water*, 5(6), 3439–3449. <https://doi.org/10.1021/acsestwater.5c00247>
- Tigrine, Z., Benhabiles, O., Merabti, L., Chekir, N., Mellal, M., Aoudj, S., Abdeslam, N. A., Tassalit, D., Lebouachera, S. E. I., & Drouiche, N. (2024).

- Sustainable Activated Carbon from Agricultural Waste: A Study on Adsorption Efficiency for Humic Acid and Methyl Orange Dyes. *Sustainability (Switzerland)*, 16(21). <https://doi.org/10.3390/su16219308>
- Tran, H. N., You, S. J., Hosseini-Bandegharai, A., & Chao, H. P. (2017). Mistakes and inconsistencies regarding adsorption of contaminants from aqueous solutions: A critical review. In *Water Research* (Vol. 120, pp. 88–116). Elsevier Ltd. <https://doi.org/10.1016/j.watres.2017.04.014>
- Wijaya, M. S., Darmayanti, L., & Elistya, S. (2021). Aplikasi Zeolit Sebagai Adsorben Untuk Menyisihkan Logam Fe Pada Air Gambut. *Jurnal Online Mahasiswa (JOM) Bidang Teknik Dan Sains*, 8.
- Yuan, J., Passeport, E., & Hofmann, R. (2022). Understanding adsorption and biodegradation in granular activated carbon for drinking water treatment: A critical review. *Water Research*, 210, 118026. <https://doi.org/10.1016/j.watres.2021.118026>
- Yuliana, R. (2022). Manfaat dan fungsi lahan gambut bagi kehidupan masyarakat. *Prosiding Ilmu Sosial Dan Ilmu Politik (PISIP)*, 2(1), 152–156.
- Zhang, J., Zhan, S., Zhong, L.-B., Wang, X., Qiu, Z., & Zheng, Y.-M. (2023). Adsorption of typical natural organic matter on microplastics in aqueous solution: Kinetics, isotherm, influence factors and mechanism. *Journal of Hazardous Materials*, 443, 130130. <https://doi.org/10.1016/j.jhazmat.2022.130130>
- Zhou, Y., Zhang, X., Deng, J., Li, C., Sun, K., Luo, X., & Yuan, S. (2023). Adsorption and mechanism study for phenol removal by 10% CO₂ activated bio-char after acid or alkali pretreatment. *Journal of Environmental Management*, 348, 119317. <https://doi.org/10.1016/j.jenvman.2023.119317>