

DAFTAR PUSTAKA

- Adachi, T., Kubo, T., Higashiono, K., Terashima, M., & Takahashi, Y. (2018). Correlation of oxygen mass transfer and power consumption in an aeration system by a rotating cone. *Chemical Engineering and Processing - Process Intensification*, 125(July 2017), 105–111. <https://doi.org/10.1016/j.cep.2018.01.013>
- Alvan, S., Aji, A. D. S., Mahendra, I., Arif, Z. Al, Prayogo, W., Azizah, R. N., Awfa, D., Qadafi, M., Suryawan, I. W. K., & Ratnaningsih, W. (2024). Leather Tannery Wastewater Treatment Using Electro-Fenton Process – Effects on Ammonia, Chromium, Total Suspended Solid, Biological Oxygen Demand and Chemical Oxygen Demand Removal. *Journal of Ecological Engineering*, 25(10), 331–338. <https://doi.org/10.12911/22998993/192232>
- Asgari, G., Feradmal, J., Poormohammadi, A., Sadrnourmohamadi, M., & Akbari, S. (2016). Taguchi optimization for the removal of high concentrations of phenol from saline wastewater using electro-Fenton process. *Desalination and Water Treatment*, 57(56), 27331–27338. <https://doi.org/10.1080/19443994.2016.1170635>
- Babuponnusami, A., & Muthukumar, K. (2014). A review on Fenton and improvements to the Fenton process for wastewater treatment. *Journal of Environmental Chemical Engineering*, 2(1), 557–572. <https://doi.org/10.1016/j.jece.2013.10.011>
- Brillas, E., Sirés, I., Oturan, M. A., Cardoso, I. M. F., Cardoso, R. M. F., Esteves da Silva, J. C. G., Daramola, I. O., Ojemaye, M. O., Okoh, A. I., Okoh, O. O., Deng, Y., Zhao, R., Kalderis, D., Gözmen, B., Samarghandi, M. R., Nemattollahi, D., Asgari, G., Shokoohi, R., Ansari, A., ... Wang, Q. (2021). Electro-Fenton Process and Related Electrochemical Technologies Based on Fenton's Reaction Chemistry. *Current Pollution Reports*, 1(12), 6570–6631. <https://doi.org/10.1016/j.chemosphere.2020.129225>

10.1080/01496395.2018.1512618%0Ahttps://doi.org/10.1007/s10653-022-01326-5

- Chafi, M., Gourich, B., Essadki, A. H., Vial, C., & Fabregat, A. (2011a). Comparison of electrocoagulation using iron and aluminium electrodes with chemical coagulation for the removal of a highly soluble acid dye. *Desalination*, 281(1), 285–292. <https://doi.org/10.1016/j.desal.2011.08.004>
- Chafi, M., Gourich, B., Essadki, A. H., Vial, C., & Fabregat, A. (2011b). Comparison of electrocoagulation using iron and aluminium electrodes with chemical coagulation for the removal of a highly soluble acid dye. *Desalination*, 281(1), 285–292. <https://doi.org/10.1016/j.desal.2011.08.004>
- Chen, K. Y., Lu, Y. Y., Yao, W., Zhao, S. Y., Huang, Y. X., Gao, N., Huang, B. C., & Jin, R. C. (2024). Accelerated Fe²⁺ regeneration for efficient electro-Fenton oxidation of refractory pollutants through pore structure engineering. *Chemical Engineering Journal*, 497(July), 2–11. <https://doi.org/10.1016/j.cej.2024.154897>
- Dhamorikar, R. S., Lade, V. G., Kewalramani, P. V., & Bindwal, A. B. (2024). Review on integrated advanced oxidation processes for water and wastewater treatment. *Journal of Industrial and Engineering Chemistry*, 138(April), 104–122. <https://doi.org/10.1016/j.jiec.2024.04.037>
- Ghjair, A. Y., & Abbar, A. H. (2023). Applications of advanced oxidation processes (Electro - Fenton and sono - electro - Fenton) for COD removal from hospital wastewater : Optimization using response surface methodology. *Process Safety and Environmental Protection*, 169(July 2022), 481–492. <https://doi.org/10.1016/j.psep.2022.11.039>
- Gökkuş, Yıldız, N., Koparal, A. S., & Yıldız, Y. (2018). Evaluation of the effect of oxygen on electro-Fenton treatment performance for real textile wastewater using the Taguchi approach. *International Journal of Environmental Science and Technology*, 15(2), 449–460. <https://doi.org/10.1007/s13762-017-1404-1>

- Golder, A. K., Samanta, A. N., & Ray, S. (2007). Removal of trivalent chromium by electrocoagulation. *Separation and Purification Technology*, 53(1), 33–41. <https://doi.org/10.1016/j.seppur.2006.06.010>
- Hao, T. Bin, Balamurugan, S., Zhang, Z. H., Liu, S. F., Wang, X., Li, D. W., Yang, W. D., & Li, H. Y. (2022). Effective bioremediation of tobacco wastewater by microalgae at acidic pH for synergistic biomass and lipid accumulation. *Journal of Hazardous Materials*, 426(October 2021), 127820. <https://doi.org/10.1016/j.jhazmat.2021.127820>
- He, S., Zhao, S., Chen, Z., Li, X., Ma, Y., Ren, Y., & Duan, X. (2024). Enhanced in situ production of Fenton reagent's by nanobubble aeration and sacrificial iron anodes in the electro-Fenton process. *Electrochemistry Communications*, 158(539). <https://doi.org/10.1016/j.elecom.2023.107640>
- Li, D., Zheng, T., Liu, Y., Hou, D., Yao, K. K., Zhang, W., Song, H., He, H., Shi, W., Wang, L., & Ma, J. (2020). A novel Electro-Fenton process characterized by aeration from inside a graphite felt electrode with enhanced electrogeneration of H₂O₂ and cycle of Fe³⁺/Fe²⁺. *Journal of Hazardous Materials*, 396(January), 122591. <https://doi.org/10.1016/j.jhazmat.2020.122591>
- Lin, R., Li, Y., Yong, T., Cao, W., Wu, J., & Shen, Y. (2022). Synergistic effects of oxidation , coagulation and adsorption in the integrated fenton-based process for wastewater treatment : A review. *Journal of Environmental Management*, 306(July 2021), 114460. <https://doi.org/10.1016/j.jenvman.2022.114460>
- Liu, Y., Chen, C., Xue, X., Tang, K., Chen, X., Lai, M., Li, X., & Wu, Z. (2025). Power Generation and Microbial Communities in Microbial Fuel Cell Powered by Tobacco Wastewater. *Water (Switzerland)*, 17(7), 1–12. <https://doi.org/10.3390/w17071101>
- Ma, D., Yi, H., Lai, C., Liu, X., Huo, X., An, Z., Li, L., Fu, Y., Li, B., Zhang, M., Qin, L., Liu, S., & Yang, L. (2021). Critical review of advanced

- oxidation processes in organic wastewater treatment. *Chemosphere*, 275, 130104. <https://doi.org/10.1016/j.chemosphere.2021.130104>
- Mukherjee, J., Lodh, B. K., Sharma, R., Mahata, N., Shah, M. P., Mandal, S., Ghanta, S., & Bhunia, B. (2023). Advanced oxidation process for the treatment of industrial wastewater: A review on strategies, mechanisms, bottlenecks and prospects. *Chemosphere*, 345(October). <https://doi.org/10.1016/j.chemosphere.2023.140473>
- Nabila, M. L., & Yuniarto, A. (2024). Kajian Penerapan Metode Advanced Oxidation Process (AOPS) Pada Pengolahan Limbah Cair Di Indonesia Study Of The Application Of The Advanced Oxidation Process (AOPS) Method in Wastewater. *Jurnal Purifikasi*, 23(2), 53–66.
- Neyens, E., & Baeyens, J. (2003). A review of classic Fenton's peroxidation as an advanced oxidation technique. *Journal of Hazardous Materials*, 98(1–3), 33–50. [https://doi.org/10.1016/S0304-3894\(02\)00282-0](https://doi.org/10.1016/S0304-3894(02)00282-0)
- Nurjanah, A., Yunus, A., Afrahamiryano, Sarfan, E., Hazimah, & Maryam, I. (2021). *Kimia Lingkungan* (Vol. 32, Nomor 3).
- Parra-Orobio, B. A., Rico-Lizcano, Y., Soto-Paz, J., Guerra-Hernández, L. A., Manyoma-Velásquez, P. C., Juan-Garisado, Y. S., Álvarez-Trujillo, J. D., & Ojeda, M. C. (2025). Optimization of electro-fenton parameters for phenol degradation in portable toilet wastewater: Advancing towards sustainability. *Cleaner Waste Systems*, 12(June). <https://doi.org/10.1016/j.clwas.2025.100328>
- Peraturan Menteri Lingkungan Hidup Republik Indonesia Nomor 5 Tahun 2014. (2014). (1815).
- Pi, K., Xia, M., Yang, X., Wu, P., Chen, S., Yang, M., & Gerson, A. R. (2015). Optimization of COD decrease from tobacco wastewater by Ca/Mg/Al coagulant using RSM. *Journal of Water Process Engineering*, 5, 166–171. <https://doi.org/10.1016/j.jwpe.2014.11.002>
- Pignatello, J. J., Oliveros, E., & MacKay, A. (2006). Advanced oxidation processes for organic contaminant destruction based on the fenton reaction and related chemistry. *Critical Reviews in Environmental*

- Science and Technology*, 36(1), 1–84.
<https://doi.org/10.1080/10643380500326564>
- Priyadi, A. R., & Ratni, N. (2019). Penurunan Kadar Cod Dan Warna Limbah Industri Tekstil Dengan Metode Elektro-Fenton. *Jurnal Envirotek*, 1(2), 14–23.
- Putri F.A., Sarto, & A.T., Y. (2020). Pengaruh Variasi Rasio H₂O₂/COD dan Tegangan Terhadap Penurunan COD Air Limbah Rumah Sakit dengan Metode Elektro-Fenton Pengaruh Variasi Rasio H₂O₂/COD dan Tegangan Terhadap Penurunan COD Air Limbah Rumah Sakit dengan Metode Elektro-Fenton The Eff. *Jurnal Chemurgy*, 04(2).
- Qiang, Z., Chang, J. H., & Huang, C. P. (2002). Electrochemical generation of hydrogen peroxide from dissolved oxygen in acidic solutions. *Water Research*, 36(1), 85–94. [https://doi.org/10.1016/S0043-1354\(01\)00235-4](https://doi.org/10.1016/S0043-1354(01)00235-4)
- Rahmani, A., Azami Gilani, R., Dargahi, A., & Faradmal, J. (2023). Electro-Fenton/peracetic acid process for the removal of Rhodamine B dye from aqueous media: effect of operational parameters and optimization with Taguchi method. *Desalination and Water Treatment*, 297, 254–263. <https://doi.org/10.5004/dwt.2023.29635>
- Rahmawati, A. D., Sarto, S., & Azis, M. M. (2020). Pengaruh Variasi Tegangan dan Rasio [H₂O₂]/[COD] terhadap Penurunan COD pada Vinasse dengan Proses Elektro-Fenton. *Jurnal Chemurgy*, 4(2), 1. <https://doi.org/10.30872/cmg.v4i2.4735>
- Ramadeandra, S. A., & Rosariawari, F. (2025). Optimization of the Electro-Fenton Process in Reducing Cod and Tss Levels in Batik Wastewater. *AJARCDE (Asian Journal of Applied Research for Community Development and Empowerment)*, 9(3), 262–268. <https://doi.org/10.29165/ajarcde.v9i3.816>
- Samudro, G., & Mangkoedihardjo, S. (2010). Review on Bod, Cod and Bod/Cod Ratio : a Triangle Zone for Toxic, Biodegradable and Stable Levels. 2(4), 235–239.

- Sobczak, M., Bujnowicz, S., & Bilińska, L. (2024). Fenton and electro-Fenton treatment for industrial textile wastewater recycling. Comparison of by-products removal, biodegradability, toxicity, and re-dyeing. *Water Resources and Industry*, 31(March), 1–14. <https://doi.org/10.1016/j.wri.2024.100256>
- Suwartha, N., Syamzida, D., Priadi, C. R., Moersidik, S. S., & Ali, F. (2020). Effect of size variation on microbubble mass transfer coefficient in flotation and aeration processes. *Heliyon*, 6(4). <https://doi.org/10.1016/j.heliyon.2020.e03748>
- Talinli, & Anderson, G. K. (1992). Interference Of Hydrogen Peroxide On The Standard COD Test. *Water Research*, 26(I), 107–110.
- Tchobanoglous, G., Stensel, D., & Tsuchihashi, R. (2014). *Metcalf and Eddy-Wastewater Engineering Treatment and Resource Recovery - 5th Edition.pdf*.
- Tegladza, I. D., Xu, Q., Xu, K., Lv, G., & Lu, J. (2021). Electrocoagulation processes: A general review about role of electro-generated flocs in pollutant removal. *Process Safety and Environmental Protection*, 146, 169–189. <https://doi.org/10.1016/j.psep.2020.08.048>
- Tong, Y. J., Tan, L. J., Jiang, S. H., Ju, X. H., & Li, W. X. (2023). Ceramic Membrane Aeration Aims to Improve the Efficiency of Converting Oxygen into Dissolved Oxygen in Electro-Fenton Systems: Experiments, Simulations, and Applications. *Industrial and Engineering Chemistry Research*, 62(29), 11527–11535. <https://doi.org/10.1021/acs.iecr.3c01209>
- Tuffahati, & Novembrianto. (2024). Analisis Pengolahan Limbah Industri Rokok dalam Pencapaian Standar Lingkungan Badan Air Permukaan. *Venus: Jurnal Publikasi Rumpun Ilmu Teknik*, 2(6), 32–45. <https://doi.org/10.61132/venus.v2i6.618>
- Wang, C. T., Chou, W. L., Chung, M. H., & Kuo, Y. M. (2010). COD removal from real dyeing wastewater by electro-Fenton technology using an

- activated carbon fiber cathode. *Desalination*, 253(1–3), 129–134. <https://doi.org/10.1016/j.desal.2009.11.020>
- Yin, J., Zhang, H., Luo, M., Zhao, J., Zhou, X., Wang, F., Zhou, H., Yuan, Y., Liu, Y., Shi, Y., Xiong, Z., & Lai, B. (2025). Electro-Fenton process for wastewater treatment: From selective H₂O₂ generation to efficient •OH conversion. *Chemical Engineering Journal*, 507(October 2024). <https://doi.org/10.1016/j.cej.2025.160709>
- Zaidi, S. Z. J., Walsh, F. C., & Harito, C. (2019). Mass transport control of oxygen reduction at graphite felt with subsequent decolourisation of RB-5 dye in a parallel plate flow reactor. *Journal of the Taiwan Institute of Chemical Engineers*, 104, 123–129. <https://doi.org/10.1016/j.jtice.2019.08.020>
- Zhang, H., Zhang, D., & Zhou, J. (2006). Removal of COD from landfill leachate by electro-Fenton method. *Journal of Hazardous Materials*, 135(1–3), 106–111. <https://doi.org/10.1016/j.jhazmat.2005.11.025>
- Zhu, Y., Deng, F., Qiu, S., Ma, F., Zheng, Y., & Gao, L. (2022). A self-sufficient electro-Fenton system with enhanced oxygen transfer for decontamination of pharmaceutical wastewater. *Chemical Engineering Journal*, 429(July 2021). <https://doi.org/10.1016/j.cej.2021.132176>
- Zodi, S., Potier, O., Lapique, F., & Leclerc, J. P. (2009). Treatment of the textile wastewaters by electrocoagulation: Effect of operating parameters on the sludge settling characteristics. *Separation and Purification Technology*, 69(1), 29–36. <https://doi.org/10.1016/j.seppur.2009.06.028>