

DAFTAR PUSTAKA

- Afoakwah, A. N., Owusu, J., Adomako, C., & Teye, E. (2012). Microwave assisted extraction (MAE) of antioxidant constituents in plant materials. *Global Journal of Bioscience and Biotechnology*, 1(2), 132-140.
- Ali H. (2012). Chemical Composition and Antimicrobial Activity of The Crude Extracts Isolated from *Zingiber officinale* by Different Solvents. *Pharm Anal*. 3(2): 92-96.
- Amornlerdpison, D., Mengumphan, K., Thumvijit, S., & Peerapornpisal, Y. (2011). Antioxidant and anti-inflammatory activities of freshwater macroalga, *Cladophora glomerata* Kützinger. *Thai Journal of Agricultural Science*, 44(5), 283–290.
- Andriani, D., & Murtisiwi, L. (2018). Penetapan kadar fenolik total ekstrak etanol bunga telang (*Clitoria ternatea* L.) dengan spektrofotometri UV-Vis. *Cendekia Journal of Pharmacy*, 2(1). <https://doi.org/10.31596/cjp.v2i1.15>
- Aulia, L. P., & Widjanarko, S. B. (2018). Optimasi proses ekstraksi daun sirsak (*Annona muricata* L.) metode MAE (*microwave assisted extraction*) dengan respon aktivitas antioksidan dan total fenol. *Jurnal Agroindustri Halal*, 4(1), 79–87.
- Ávila, M., Hidalgo, M., Sánchez-Moreno, C., Peláez, C., Requena, T., & de Pascual-Teresa, S. (2009). Bioconversion of anthocyanin glycosides by *Bifidobacteria* and *Lactobacillus*. *Food Research International*, 42(10), 1453–1461. <https://doi.org/10.1016/j.foodres.2009.07.026>
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117, 426–436.
- Azwanida, N. N. (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Medicinal & Aromatic Plants*, 4, 2167.
- Bačić, A., Gavrilović, J., & Rajilić-Stojanović, M. (2023). Polyphenols as a new class of prebiotics for gut microbiota manipulation. *Arhiv za farmaciju*, 73(6), 535–553. <https://doi.org/10.5937/arhfarm73-46900>
- Baky, M. H., Elshahed, M., Wessjohann, L., & Farag, M. A. (2022). Interactions between dietary flavonoids and the gut microbiome: A comprehensive review. *British Journal of Nutrition*, 128(4), 577–591.
- Bellumori, M., Innocenti, M., Binello, A., Boffa, L., Mulinacci, N., & Cravotto, G. (2016). Selective recovery of rosmarinic and carnosic acids from rosemary leaves under ultrasound- and microwave-assisted extraction procedures. *Comptes Rendus Chimie*, 19(6), 699–706. <https://doi.org/10.1016/j.crci.2015.12.013>

- Belwal, T., Bhatt, I. D., Rawal, R. S., Pande, V., & Lu, X. (2017). Microwave-assisted extraction (MAE) conditions using polynomial design for improving antioxidant phytochemicals in *Berberis asiatica* Roxb. ex DC. leaves. *Industrial Crops and Products*, 95, 393–403. <https://doi.org/10.1016/j.indcrop.2016.10.049>
- Bhadange, Y. A., Carpenter, J., & Saharan, V. K. (2024). A comprehensive review on advanced extraction techniques for retrieving bioactive components from natural sources. *ACS Omega*, 9, 31274.
- Bintari, Y. R., & Elyani, H. (2017). Ekstraksi senyawa bioaktif dari *Cladophora* sp. dengan metode solvent-free microwave-assisted extraction (SFMAE). *JIMR—Journal of Islamic Medicine Research*, 1(1), 1–11.
- Bravo, L. (1998). Polyphenols: Chemistry, dietary sources, metabolism, and nutritional significance. *Nutrition Reviews*, 56, 317–333.
- Buschmann, A. H., Camus, C., Infante, J., Neori, A., Israel, Á., Hernández-González, M. C., Pereda, S. V., Gomez-Pinchetti, J. L., Golberg, A., Tadmor-Shalev, N., & Critchley, A. T. (2017). Seaweed production: Overview of the global state of exploitation, farming and emerging research activity. *European Journal of Phycology*, 52(4), 391–406. <https://doi.org/10.1080/09670262.2017.1365175>
- Campbell, J. B., & Peerbaye, Y. A. (1992). Saponin. *Research in Immunology*, 143(5), 526–530. [https://doi.org/10.1016/0923-2494\(92\)80064-R](https://doi.org/10.1016/0923-2494(92)80064-R)
- Chadseesuwana, U., Puthong, S., & Deetae, P. (2021). Growth promotion of some lactic acid bacteria by crude extract of *Spirogyra* sp., *Cladophora* sp., *Caulerpa lentillifera*, and *Caulerpa corynephora*. *Food Research*, 4(4), 81–86.
- Chaiwong, K., Kiatsiriroat, T., Vorayos, N., & Thararax, C. (2012). Biochar production from freshwater algae by slow pyrolysis. *Maejo International Journal of Science and Technology*, 6(2), 186–195.
- Cheatham, C. L., Nieman, D. C., Neilson, A. P., & Lila, M. A. (2022). Enhancing the cognitive effects of flavonoids with physical activity: Is there a case for the gut microbiome? *Frontiers in Neuroscience*, 16, Article 833202. <https://doi.org/10.3389/fnins.2022.833202>
- Chemat, F., & Cravotto, G. (Eds.). (2013). *Microwave-assisted extraction for bioactive compounds: Theory and practice*. Springer. <https://doi.org/10.1007/978-1-4614-4830-3>
- Chen, L., Brar, M., Leung, F., & Hsiao, W. (2016). Triterpenoid herbal saponins enhance beneficial bacteria, decrease sulfate-reducing bacteria, modulate inflammatory intestinal microenvironment and exert cancer preventive effects in *ApcMin/+* mice. *Oncotarget*, 7(21), 31226–31242.
- Chen, L., Tai, W. C. S., & Hsiao, W. L. W. (2015). Dietary saponins from four popular herbal tea exert prebiotic-like effects on gut microbiota in C57BL/6 mice. *Journal of Functional Foods*, 17, 892–902.

- Chimsook, W., & Wannalangka, (2015) Withdrawn article-effect of ultrasonic-assisted extraction on phenolic content of freshwater macroalgae in northern Thailand. *MATEC Web of Conferences, EDP Sciences*.
- Choiriyah, N. A. (2020). Inkorporasi tepung garut dan buah pisang kepok pada pembuatan biskuit dengan klaim tinggi serat serta tinjauan nilai cerna pati *in vitro* dan gula total. *Jurnal Gizi Prima (Prime Nutrition Journal)*, 5(2), 81–85. <https://doi.org/10.32807/jgp.v5i2.197>
- Dalimunthe, A., Hasibuan, P. A. Z., Silalahi, J., Sinaga, S. F., & Satria, D. (2018). Antioxidant activity of alkaloid compounds from *Litsea cubeba* Lour. *Oriental Journal of Chemistry*, 34(2). <https://doi.org/10.13005/ojc/340270>
- Damayanthi, E., Kustiyah, L., Khalid, M., & Farizal, H. (2010). Aktivitas antioksidan bekatul lebih tinggi daripada jus tomat dan penurunan aktivitas antioksidan serum setelah intervensi minuman kaya antioksidan. *Jurnal Gizi dan Pangan*, 5(3), 205–210. <https://doi.org/10.25182/jgp.2010.5.3.205-210>
- Dewick, P. M. (2009). *Medicinal natural products: A biosynthetic approach* (3rd ed.). John Wiley & Sons.
- Díaz Carrasco, J. M., Redondo, E. A., Pin Viso, N. D., Redondo, L. M., Farber, M. D., & Fernández Miyakawa, M. E. (2018). Tannins and bacitracin differentially modulate gut microbiota of broiler chickens. *BioMed Research International*, 2018, 1879168. <https://doi.org/10.1155/2018/1879168>
- Duh, P.-D., Tu, Y.-Y., & Yen, G.-C. (1999). Antioxidant activity of water extract of Harnng Jyur (*Chrysanthemum morifolium* Ramat). *Lebensmittel-Wissenschaft und-Technologie*, 32, 269–277.
- Elsa, R., Nuraini, N., & Hamidu, L. (2024). Uji Oligosakarida Ekstrak Tepung Buah Semu Jambu Mete (*Anacardium occidentale* L.) Terhadap Pertumbuhan Bakteri *Lactobacillus casei* Sebagai Alternatif Prebiotik. *Jurnal Fitofarmaka Indonesia*, 11(2), 73-78.
- Espín, J. C., González-Sarrías, A., & Tomás-Barberán, F. A. (2017). The gut microbiota: A key factor in the therapeutic effects of (poly)phenols. *Biochemical Pharmacology*, 139, 82–93.
- Esquivel-Hernández, D. A., Ibarra-Garza, I. P., Rodríguez-Rodríguez, J., Cuéllar-Bermúdez, S. P., Rostro-Alanis, M. D. J., Alemán-Nava, G. S., García-Pérez, J. S., & Parra-Saldívar, R. (2017). Green extraction technologies for high-value metabolites from algae: A review. *Biofuels, Bioproducts and Biorefining*, 11, 215–231.
- Fabrowska, J., Łęska, B., & Schroeder, G. (2015). Freshwater *Cladophora glomerata* as a new potential cosmetic raw material. *Chemik*, 69(8), 491–497.
- Fabrowska, J., Messyas, B., Szyling, J., Walkowiak, J., & Łeska, B. (2018). Isolation of chlorophylls and carotenoids from freshwater algae using different extraction methods. *Phycological Research*, 66, 52–57.

- Farha, A. K., Yang, Q.-Q., Kim, G., Li, H.-B., Zhu, F., Liu, H.-Y., Gan, R.-Y., & Corke, H. (2020). Tannins as an alternative to antibiotics. *Food Bioscience*, 38, 100751. <https://doi.org/10.1016/j.fbio.2020.100751>
- Farida, R., & Nisa, F. C. (2015). Ekstraksi antosianin limbah kulit manggis metode microwave-assisted extraction (lama ekstraksi dan rasio bahan:pelarut). *Jurnal Pangan dan Agroindustri*, 3(2), 362–373.
- Gibson, G. R., Hutkins, R., Sanders, M. E., Prescott, S. L., Reimer, R. A., Salminen, S. J., Scott, K., Stanton, C., Swanson, K. S., Cani, P. D., & Reid, G. (2017). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature Reviews Gastroenterology & Hepatology*, 14, 491–502.
- Güçlü-Ustündağ, Ö., & Mazza, G. (2007). Saponins: Properties, applications and processing. *Critical Reviews in Food Science and Nutrition*, 47(3), 231–258.
- Gude, V. G., Patil, P., Martinez-Guerra, E., Deng, S., & Nirmalakhandan, N. (2013). Microwave energy potential for biodiesel production. *Sustainable Chemical Processes*, 1, Article 5. <https://doi.org/10.1186/2043-7129-1-5>
- Handayani, H., Sriherfyna, F. H., & Yunianta. (2016). Ekstraksi antioksidan daun sirsak metode ultrasonic bath (kajian rasio bahan:pelarut dan lama ekstraksi). *Jurnal Pangan dan Agroindustri*, 4(1), 262–272.
- Hardiningtyas, S. D., Purwaningsih, S., & Handharyani, E. (2014). Aktivitas antioksidan dan efek hepatoprotektif daun bakau api-api putih. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17(1), 80–91. <https://doi.org/10.17844/jphpi.v17i1.8140>
- Hariwan, P., Kholil, M., & Gadissa, A. A. N. (2015). Analisa pengambilan keputusan pada penentuan cairan antiseptik tangan yang terbaik dengan metode analytical hierarchy process (AHP) (Studi kasus: Laboratorium Mikrobiologi PT. Sandoz Indonesia). *Jurnal PASTI*, 9(2), 203–219.
- Hatano, T., Edamatsu, R., Mori, A., Fujita, Y., & Yasuhara, E. (1989). Effects of the interaction of tannins with co-existing substances VI: Effects of tannins and related polyphenols on superoxide anion radical and on DPPH radical. *Chemical and Pharmaceutical Bulletin*, 37, 2016–2021.
- Hendryani, R., Lutfi, M., & Hawa, L. C. (2015). Ekstraksi antioksidan daun sirih merah kering (*Piper crocatum*) dengan metode pra-perlakuan ultrasonic assisted extraction (kajian perbandingan jenis pelarut dan lama ekstraksi). *Jurnal Bioproses Komoditas Tropis*, 3(2), 33–38.
- Hidayah, H., Fatmawati, F., Khairunnisa, J., & Putri, M. H. (2023). Aktivitas triterpenoid sebagai senyawa antikanker. *Innovative: Journal of Social Science Research*, 3(2), 10168–10183.
- Istini, S., Zatnika, A., Suhaimi, & Anggadiredja, J. (1986). *Manfaat dan pengolahan rumput laut*. Jurnal Penelitian BPPT, No. XIV.

- Ivanisova, E., Tokar, M., Mocko, K., Bojnanska., & Mendelova, A. (2013). Antioxidant Activity of Selected Plant Extract. *Journal of Microbiology, Biotechnology and Food Sciences*, 15(1): 1692-1703
- Jimenez, N., Curiel, J. A., Reveron, I., de las Rivas, B., & Muñoz, R. (2013). Uncovering the *Lactobacillus plantarum* WCFS1 gallate decarboxylase involved in tannin degradation. *Applied and Environmental Microbiology*, 79, 4253–4263.
- Kharlamova, T. V., & Praliyev, K. D. (2018). Microwave radiation, its influence on solutions and use for extraction of components of plant material: 1st report. The systems of microwave-assisted extraction and their application for extraction of natural compounds. *Chemical Journal of Kazakhstan*, (4), 76–98.
- Khotimah, K., & Kusnadi, J. (2014). Aktivitas antibakteri minuman probiotik sari kurma (*Phoenix dactilyfera* L.) menggunakan *Lactobacillus plantarum* dan *Lactobacillus casei*. *Jurnal Pangan dan Agroindustri*, 2(3), 110–120.
- Khuantrairong, T., & Traichaiyaporn, S. (2011). The nutritional value of edible freshwater alga *Cladophora* sp. (Chlorophyta) grown under different phosphorus concentrations. *International Journal of Agriculture and Biology*, 13, 297–300.
- Korzeniowska, K., Łęska, B., & Wieczorek, P. P. (2020). Isolation and determination of phenolic compounds from freshwater *Cladophora glomerata*. *Algal Research*, 48, 101912. <https://doi.org/10.1016/j.algal.2020.101912>
- Li, H., Deng, Z., Wu, T., Liu, R., Loewen, S., & Tsao, R. (2012). Microwave-assisted extraction of phenolics with maximal antioxidant activities in tomatoes. *Food Chemistry*, 130(4), 928–936. <https://doi.org/10.1016/j.foodchem.2011.07.045>
- Liu, J., Kandasamy, S., Zhang, J., Kirby, C. W., Karakach, T., Hafting, J., Critchley, A. T., Evans, F., & Prithiviraj, B. (2015). Prebiotic effects of diet supplemented with the cultivated red seaweed *Chondrus crispus* or with fructo-oligo-saccharide on host immunity, colonic microbiota and gut microbial metabolites. *BMC Complementary and Alternative Medicine*, 15, 279. <https://doi.org/10.1186/s12906-015-0802-5>
- Liu, R. H. (2004). Potential synergy of phytochemicals in cancer prevention: Mechanism of action. *The Journal of Nutrition*, 134, 3479S–3485S.
- Lu, J., Zhou, C., Rong, O., Xu, Y., Zhou, B., & Li, Z. (2013). Optimization of microwave-assisted extraction of flavonoids from *Cryptotaenia japonica* Hassk using response surface methodology. *Advance Journal of Food Science and Technology*, 5(3), 310–317.
- Mandal, V., & Mandal, S. C. (2010). Design and performance evaluation of a microwave based low carbon yielding extraction technique for naturally occurring bioactive triterpenoid: Oleanolic acid. *Biochemical Engineering Journal*, 50, 63–70. <https://doi.org/10.1016/j.bej.2010.03.005>

- Messyasz, B., Łęska, B., Fabrowska, J., Pikosz, M., Rój, E., Cieślak, A., & Schroeder, G. (2015). Biomass of freshwater *Cladophora* as a raw material for agriculture and the cosmetic industry. *Open Chemistry*, 13, 1108–1118.
- Michalak, I., & Messyasz, B. (2021). Concise review of *Cladophora* spp.: Macroalgae of commercial interest. *Journal of Applied Phycology*, 33, 133–166. <https://doi.org/10.1007/s10811-020-02211-3>
- Morgan, R. N., & Aboshanab, K. M. (2024). Green biologically synthesized metal nanoparticles: biological applications, optimizations and future prospects. *Future Science OA*, 10(1), FSO935.
- Naczka, M., & Shahidi, F. (2004). Extraction and analysis of phenolics in food. *Journal of Chromatography A*, 1054, 95–111.
- Nami, N., Ebadi, S. F., Otaghsara, S. F. T., Baei, M., & Rahimi, E. S. (2016). GCMS Analysis and Preliminary Test of Phytochemical Screening of Crude Ethanolic Extract of Green Algae, *Cladophora glomerata* (L.) Kütz from Caspian Sea. 1899-1907.
- Navarro del Hierro, J., Herrera, T., Fornari, T., Reglero, G., & Martín, D. (2018). The gastrointestinal behavior of saponins and its significance for their bioavailability and bioactivities. *Journal of Functional Foods*, 40, 484–497.
- Onofrejšová, L., Vašíčková, J., Klejdus, B., Stratil, P., Mišurcová, L., Kráčmar, S., Kopecký, J., & Vacek, J. (2010). Bioactive phenols in algae: The application of pressurized-liquid and solid-phase extraction techniques. *Journal of Pharmaceutical and Biomedical Analysis*, 51, 464–470.
- Pan, L., Ye, H., Pi, X., Liu, W., Wang, Z., Zhang, Y., & Zheng, J. (2023). Effects of several flavonoids on human gut microbiota and its metabolism by *in vitro* simulated fermentation. *Frontiers in Microbiology*, 14, 1092729. <https://doi.org/10.3389/fmicb.2023.1092729>
- Pangestuti, I. E., Sumardianto, & Amalia, U. (2017). Skrining senyawa fitokimia rumput laut *Sargassum* sp. dan aktivitasnya sebagai antibakteri terhadap *Staphylococcus aureus* dan *Escherichia coli*. *Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology*, 12(2), 98–102. <https://doi.org/10.14710/ijfst.12.2.98-102>
- Patel, R., & DuPont, H. L. (2015). New approaches for bacteriotherapy: Prebiotics, new-generation probiotics, and synbiotics. *Clinical Infectious Diseases*, 60(Suppl. 2), S108–S121. <https://doi.org/10.1093/cid/civ177>
- Peng, J., Zheng, T.-T., Li, X., Liang, Y., Wang, L.-J., Huang, Y.-C., & Xiao, H.-T. (2019). Plant-derived alkaloids: The promising disease-modifying agents for inflammatory bowel disease. *Frontiers in Pharmacology*, 10, 351. <https://doi.org/10.3389/fphar.2019.00351>
- Praveen, M. A., Parvathy, K. R. K., Balasubramanian, P., & Jayabalan, R. (2019). An overview of extraction and purification techniques of seaweed dietary fibers for immunomodulation on gut microbiota. *Trends in Food Science & Technology*, 92, 46–64.

- Rahmelia, D., Diah, A. W. M., & Said, I. (2015). Analisis kadar kalium (K) dan kalsium (Ca) dalam kulit dan daging buah terung kopek ungu (*Solanum melongena*) asal Desa Nupa Bomba Kecamatan Tanantovea Kabupaten Donggala. *Jurnal Akademika Kimia*, 4(3), 143–148.
- Razoki., Butar, R. G. S., Neswita, E., Sembiring, N. B., Novriani, E., Simanjuntak, N. J. P., & Pakpahan, E. H. (2023). Phytochemical screening test and measurement of total flavonoid levels in paku (*Nephrolepis biserrata*) extract with n-hexane, ethyl acetate, and water fractions. *Journal of Pharmaceutical and Sciences*, 6(3), 1142-1160.
- Rivai, H., Azizah, Z., & Frizkiah, D. (2019). Analisis kualitatif dan kuantitatif kandungan senyawa kimia dari ekstrak heksan, aseton, etanol dan air daun sambung nyawa (*Gynura procumbens* (Lour.) Merr). *Jurnal Farmasi Higea*.
- Sabaragamuwa, R., & Perera, C. O. (2023). Total triterpenes, polyphenols, flavonoids, and antioxidant activity of bioactive phytochemicals of *Centella asiatica* by different extraction techniques. *Foods*, 12, 3972. <https://doi.org/10.3390/foods12213972>
- Sáez-González, L., Carreño-Díaz, M., Blázquez-Abellán, G., Santander-Ortega, M. J., Martínez-García, R. M., Martínez, L. A., Carbajal, J. A., & Castro-Vázquez, L. (2024). Antioxidant valorization of PLE extracts from macroalgae (*Cladophora glomerata*): In vitro assessment of nanoemulsions against oxidative stress. *Antioxidants*, 13, 1370.
- Santoso, N. F., & Astriani, R. (2022). Perhitungan angka lempeng total (ALT) bakteri pada jamu gendong beras kencur yang beredar di Pasar Tradisional Way Kandis dan Pasar Tempel Way Halim. *Jurnal Analis Farmasi*, 7(2). <https://doi.org/10.33024/jaf.v7i2.8183>
- Sari, D. K., Kustiningsih, I., & Dhamar Lestari, R. S. (2017). Pengaruh suhu dan waktu pengeringan terhadap mutu rumput laut kering. *Teknika: Jurnal Sains dan Teknologi*, 13(1), 43–50. <https://doi.org/10.36055/tjst.v13i1.5850>
- Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects—A review. *Journal of Functional Foods*, 18, 820–897.
- Sharma, V., & Janmeda, P. (2017). Extraction, isolation and identification of flavonoid from *Euphorbia neriiifolia* leaves. *Arabian Journal of Chemistry*, 10(4), 509–514. <https://doi.org/10.1016/j.arabjc.2014.08.019>
- Singh, A., Nair, G. R., Liplap, P., Gariépy, Y., Orsat, V., & Raghavan, V. (2014). Effect of dielectric properties of a solvent-water mixture used in microwave-assisted extraction of antioxidants from potato peels. *Antioxidants*, 3(1), 99–113. <https://doi.org/10.3390/antiox3010099>
- Soltani, S., Saadatmand, S., Khavarinejad, R., & Nejadsattari, T. (2011). Antioxidant and antibacterial activities of *Cladophora glomerata* (L.) Kütz. in Caspian Sea Coast, Iran. *African Journal of Biotechnology*, 10(39), 7684–7689. <https://doi.org/10.5897/AJB11.491>

- Srimaroeng, C., Ontawong, A., Saowakon, N., Vivithanaporn, P., Pongchaidecha, A., Amornlerdpison, D., Soodvilai, S., & Chatsudthipong, V. (2015). Antidiabetic and Renoprotective Effects of *Cladophora glomerata* Kützinger Extract in Experimental Type 2 Diabetic Rats: a Potential Nutraceutical Product for Diabetic Nephropathy. *J Diabetes Res*, 320167-320115.
- Susanti, I., Hartanto, E. S., Mulyani, N., & Chandra, F. (2013). Studi pemanfaatan ekstrak ubi jalar sebagai sumber prebiotik. *Indonesian Journal of Industrial Research*, 30(01), 59-70.
- Susanti, I., Hartanto, E. S., Mulyani, N., & Chandra, F. (2013). Studi pemanfaatan ekstrak ubi jalar sebagai sumber prebiotik. *Indonesian Journal of Industrial Research*, 30(01), 59-70.
- Suzuki, T., Nakai, K., Yoshie, Y., Shirai, T., & Hirano, T. (1993). Changes in dietary fiber in seaweed foods during commercial heat processing. *Nippon Suisan Gakkaishi*, 59(8), 1371–1375.
- Teneva, D., & Denev, P. (2023). Biologically active compounds from probiotic microorganisms and plant extracts used as biopreservatives. *Microorganisms*, 11(8), 1896. <https://doi.org/10.3390/microorganisms11081896>
- Tran, C. H., Khang Le, H. N., Hien Vu, T. T., Le, N. H., Nguyen, T. S., & Phan, V. M. (2026). Microwave-assisted extraction of triterpenoid from *Abelmoschus sagittifolius* (Kurz) Merr roots using deep eutectic solvents. *Asia-Pacific Journal of Science and Technology*, 31(2), APST-31-02-14. <https://doi.org/10.22299/apst.2026.282174>
- Vázquez-Delfín, E., Robledo, D., & Freile-Pelegrín, Y. (2014). Microwave-assisted extraction of the carrageenan from *Hypnea musciformis* (Cystocloniaceae, Rhodophyta). *Journal of Applied Phycology*, 26, 901–907. <https://doi.org/10.1007/s10811-013-0090-8>
- Veggi, P. C., Martinez, J., & Meireles, M. A. A. (2012). Fundamentals of microwave extraction. In F. Chemat & G. Cravotto (Eds.), *Microwave-assisted extraction for bioactive compounds: Theory and practice* (pp. 15–52). Springer. https://doi.org/10.1007/978-1-4614-4830-3_2
- Vo, T. P., Nguyen, D. Q., Ho, T. A. T., Nguyen, T. M., Ha, N. M. H., & Vo, P. H. (2024). Novel extraction of bioactive compounds from algae using green solvent: principles, applications, and future perspectives. *Journal of Agriculture and Food Research*, 18, 101535.
- Wahyuni, D. T., & Widjanarko, S. B. (2015). Pengaruh jenis pelarut dan lama ekstraksi terhadap ekstrak karotenoid labu kuning dengan metode gelombang ultrasonik. *Jurnal Pangan dan Agroindustri*, 3(2), 390–401.
- Wang, L., Qin, P., & Hu, Y. (2010). Study on the microwave-assisted extraction of polyphenols from tea. *Frontiers of Chemical Science and Engineering*, 4(3), 307–313. <https://doi.org/10.1007/s11705-009-0282-6>
- Wells, M. L., Potin, P., Craigie, J. S., Raven, J. A., Merchant, S. S., Helliwell, K. E., Smith, A. G., Camire, M. E., & Brawley, S. H. (2017). Algae as

- nutritional and functional food sources: Revisiting our understanding. *Journal of Applied Phycology*, 29, 949–982.
- Winahyu, D. A., Retnaningsih, A., & Aprillia, M. (2019). Penetapan kadar flavonoid pada kulit batang kayu raru (*Cotylelobium melanoxyton* P.) dengan metode spektrofotometri UV-Vis. *Jurnal Analis Farmasi*, 4(1).
- Xie, J.-H., Xie, M.-Y., Shen, M.-Y., Nie, S.-P., Li, C., & Wang, Y.-X. (2010). Optimisation of microwave-assisted extraction of polysaccharides from *Cyclocarya paliurus* (Batal.) Iljinskaja using response surface methodology. *Journal of the Science of Food and Agriculture*, 90(8), 1353–1360. <https://doi.org/10.1002/jsfa.3935>
- Yamaguchi, T., Takamura, H., Matoba, T., & Terao, J. (1998). HPLC method for evaluation of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl. *Bioscience, Biotechnology, and Biochemistry*, 62, 1201–1204.
- Yudharini, G. A. K. F., Suryawan W., A. A. P. A., & Wartini, N. M. (2016). Pengaruh perbandingan bahan dengan pelarut dan lama ekstraksi terhadap rendemen dan karakteristik ekstrak pewarna dari buah pandan (*Pandanus tectorius*). *Jurnal Rekayasa dan Manajemen Agroindustri*, 4(3), 36–46.
- Yuvarani, M., Kubendran, D., Salma Aathika, A. R., Karthik, P., Premkumar, M. P., Karthikeyan, V., & Sivanesan, S. (2017). Extraction and characterization of oil from macroalgae *Cladophora glomerata*. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 39(23), 2133–2139. <https://doi.org/10.1080/15567036.2017.1400608>
- Zhang, M., Zhao, J., Deng, J., Duan, Z., Zhu, C., & Fan, D. (2019). The protective effect of protopanaxatriol-type saponin on intestinal health in antibiotic-treated mice. *Food Funct*, 10, 4124.
- Zhang, Y., Li, Y., Ren, X., Zhang, X., Wu, Z., & Liu, L. (2023). The positive correlation of antioxidant activity and prebiotic effect about oat phenolic compounds. *Food Chemistry*, 402, 134231. <https://doi.org/10.1016/j.foodchem.2022.134231>