

DAFTAR PUSTAKA

- Ahmad, A., Aiman, N., Ahmad, T., & Kurniawan, S. B. (2025). Frontiers in Water and Environment Effect of the Rapid Mixing Speed on the Coagulation-Flocculation Process Using Natural-Based Coagulant in Domestic Wastewater Treatment. *Frontiers in Water and Environment*, 9, 1–11.
<https://doi.org/10.37934/fwe.9.1.111>
- Andriani, F., Darundiati, Y. H., & Dangiran, H. L. (2017). Efektivitas PAC (*Poly Aluminium Chloride*) Dalam Menurunkan Kadar Fosfat Pada Limbah Cair Rumah Sakit Jiwa Prof. Dr. Soerojo Magelang. *Jurnal Kesehatan Masyarakat (e-Journal)*, 5(5), 659–665.
- Asward, M., Elystia, S., Yenie, E., Program, M., Lingkungan, S. T., Dosen,), Lingkungan, T., Pengendalian, L., Pencegahan, D., & Lingkungan, P. (n.d.). Pengaruh Kecepatan dan Waktu Pengadukan dalam Pengolahan Air Gambut Menggunakan Serbuk Biji Asam Jawa (*Tamarindus Indica* L) sebagai Biokoagulan. In *Jom FTEKNIK* (Vol. 6).
- Aulia Rahmi, B., & Purwanto, E. (n.d.). *Effect Of A Mixture Of Lime, Alum, And Ferrous Chloride With Different Doses To Improve Peat Water Quality*.
- Balqhis, G. D. (2024). *Penurunan Kadar Natural Organic Matter menggunakan Granular Activated Carbon Dievaluasi melalui Metode Spektrofлуorometer* (Doctoral dissertation, Universitas Islam Indonesia).
- Benmoussa, A. (2023). Agitation of Viscoplastic Fluid in a Rotating Vessel Using Close Clearance Agitators. *Eng*, 4(4), 2525–2541. <https://doi.org/10.3390/eng4040144>
- Bouyer, D., Coufort, C., Liné, A., & Do-Quang, Z. (2005). Experimental analysis of floc size distributions in a 1-L jar under different hydrodynamics and physicochemical conditions. *Journal of Colloid and Interface Science*, 292(2), 413–428.
- Brown, G. J., Fletcher, D. F., Leggoe, J. W., & Whyte, D. S. (2022). Impact of *impeller* modelling approaches on SBES simulations of flow and residence time in a draft

- tube reactor. *Chemical Engineering Research and Design*, 178, 157–163.
<https://doi.org/10.1016/j.cherd.2021.12.013>
- Chatila, J. G., & Danageuzian, H. R. (2022). PIV and CFD investigation of paddle flocculation hydrodynamics at low rotational speeds. *Scientific Reports*, 12(1).
<https://doi.org/10.1038/s41598-022-23935-x>
- Darmasetiawan, I. M. (2025). *PENGOLAHAN AIR MINUM SATUAN OPERASI*. PT KIMHSAFI ALUNG CIPTA.
- Delafosse, A., Line, A., Morchain, J., & Guiraud, P. (2022). Scale-up methodologies for stirred tank reactors based on CFD analysis. *Chemical Engineering Journal*, 430, 132845.
- Ein-Mozaffari, F. (2021). Hydrodynamics and mixing of non-Newtonian fluids in stirred tank reactors: A review. *Chemical Engineering Research and Design*, 169, 1–22.
- Fan, K., Xu, Y., Wang, Y., & Huang, T. (2019). Application of potassium permanganate and diatomite in enhanced coagulation treatment of a black-odour water body. *Desalination and Water Treatment*, 151, 66–73.
<https://doi.org/10.5004/dwt.2019.23768>
- FEBRIANA, H. (2020). *Pengaruh Dosis Biokoagulan Ekstrak Belimbing Wuluh (Averrhoa Bilimbi) Dan Kecepatan Pengadukan Terhadap Penyisihan Zat Organik Dan Warna Pada Air Gambut*.
- Febrianti, M., Pramitasari, N., & Kartini, A. M. (2023). Dosis Koagulan Optimum pada Proses Koagulasi Flokulasi Menggunakan Koagulan Serbuk Biji Hanjeli dalam Menurunkan Kekeruhan. *Dampak*, 20(1), 1-7.
- HABIBIE, A. (2024). *UJI PERFORMA ROTOR SAVONIUS BERBASIS BEZIER CURVE MENGGUNAKAN CFD (COMPUTATIONAL FLUID DYNAMICS) PADA TURBIN ARUS LAUT DI SELAT SUNDA* (Doctoral dissertation, Fakultas Teknik Universitas Sultan Ageng Tirtayasa).
- Hamid, A., & Patitis, N. (2023). Analisis Warna, Bau, pH, Kekeruhan dan TDS Air Gambut Desa Rimbo Panjang. *Jurnal Sains dan Ilmu Terapan*, 6(1), 1-5
- Harun, M. K., Anwar, S., Putri, E. I. K., & Arifin, H. S. (2020). Sifat kimia dan tinggi muka air tanah gambut pada tiga tipe penggunaan lahan di fisiografi Kubah

- Gambut dan Rawa Belakang KHG Kahayan-Sebagau. *Jurnal Hutan Tropis*, 8(3), 315-327.
- He, W., Xie, Z., Zhao, Z., Huang, M., & Pan, M. (2019). Effect of impeller clearance on floc growth behaviors in a baffled square stirred-tank reactor: Flocculation-test and CFD-aided studies. *Separation and Purification Technology*, 212, 233–244. <https://doi.org/10.1016/j.seppur.2018.11.020>
- Hoseini, S. S., Najafi, G., Ghobadian, B., & Akbarzadeh, A. H. (2021). *Impeller* shape-optimization of stirred-tank reactor: CFD and fluid structure interaction analyses. *Chemical Engineering Journal*, 413. <https://doi.org/10.1016/j.cej.2020.127497>
- Jarvis, P., Jefferson, B., & Parsons, S. A. (2019). Breakage, regrowth, and fractal nature of natural organic matter flocs. *Water Research*, 153, 45–54. <https://doi.org/10.1016/j.watres.2019.01.027>
- Karcz, J., & Major-Godlewska, M. (2023). Effect of *impeller* position on mixing time and power consumption in stirred vessels. *Processes*, 11(2), 456.
- Khayan, K., Sutomo, A. H., Rasyid, A., Puspita, W. L., Hariyadi, D., Anwar, T., ... & Aziz, A. (2022). Integrated water treatment system for peat water treatment. *CLEAN–Soil, Air, Water*, 50(2), 2100404.
- Kurniawan, S. B., Abdullah, S. R. S., Imron, M. F., Said, N. S. M., Ismail, N. I., Hasan, H. A., ... & Purwanti, I. F. (2020). Challenges and opportunities of biocoagulant/bioflocculant application for drinking water and wastewater treatment and its potential for sludge recovery. *International journal of environmental research and public health*, 17(24), 9312.
- Liu, Z., Li, X., Xu, L., & Liu, R. (2017). A novel combined process of MFPAC coagulation and mineralized refuse adsorption for landfill leachate pretreatment. *Desalination and Water Treatment*, 80, 74–82. <https://doi.org/10.5004/dwt.2017.20961>
- Malkoske, T. A., Bérubé, P. R., & Andrews, R. C. (2020). Coagulation/flocculation prior to low pressure membranes in drinking water treatment: A review. In

- Environmental Science: Water Research and Technology* (Vol. 6, Number 11, pp. 2993–3023). Royal Society of Chemistry. <https://doi.org/10.1039/d0ew00461h>
- Masduqi, A., & Assomadi, A. F. (2016). *Operasi dan Proses Pengolahan Air Edisi Kedua*. Surabaya: ITSPress.
- Masfuri, I., SOLEH, A. P., MUHARTO, B., & TRISAKSONO, B. (2020). Simulasi Homogenitas Pencampuran Air Limbah Pabrik Kelapa Sawit dan Pengaruhnya Terhadap Pengolahan Awal di Kolam Ekualisasi Pilot Plant Biogas Sei Pagar Mixing Homogeneity Simulation of Palm Oil Mill Effluent and Its Effect of Equalization Tank Preatreatment in Sei Pagar Biogas Pilot Plant. *Jurnal Teknologi Lingkungan Vol*, 21(2), 183-189.
- Matilainen, A., Vepsäläinen, M., & Sillanpää, M. (2020). Natural organic matter removal by coagulation during drinking water treatment: A review. *Advances in Colloid and Interface Science*, 159(2), 189–197.
- Maulana Wijayanto, E., Ulfah Farahdiba, A., & Firra Rosariawari, dan. (2019). *PENYISIHAN TOTAL SUSPENDED SOLID (TSS) AIR SUNGAI DENGAN HIDRAULIS KOAGULASI FLOKULASI* (Vol. 1).
- Ministry of Health Republic of Indonesia. (2020). *Regulation of the Minister of Health No. 2 of 2020 concerning water quality standards*. Jakarta.
- Mohammad, R., Dienullah, A., & Hendrasarie, N. (2021). *PENGARUH BENTUK IMPELLER PADA PROSES KOAGULASI-FLOKULASI DALAM MENGOLAH LIMBAH INDUSTRI BATIK ORGANIK*. 2(1).
- Montante, G., Paglianti, A., & Magelli, F. (2020). Hydrodynamics and mixing in stirred tanks: Recent developments. *Chemical Engineering Research and Design*, 160, 106–121.
- Napitupulu, R. T., & Putra, M. H. S. (2024). Pengaruh bod, cod dan do terhadap lingkungan dalam penentuan kualitas air bersih di sungai pesanggrahan. *Civeng: jurnal teknik sipil dan lingkungan*, 5(2), 79-82.
- Nova Putri Maharani, C., & Agung Rachmanto, T. (2026). *Pengaruh Desain Impeller terhadap Perilaku Hidrodinamika dan Efisiensi Penyisihan TSS serta Kekeruhan pada Proses Koagulasi Flokulasi*. XI(1).

- Nur Ramadhan, A. A. (2023). *Optimasi penggunaan dosis koagulan alum dan Poly Aluminium Chloride (PAC) dalam pengelolaan limbah cair batubara* (Doctoral dissertation, Universitas Hasanuddin).
- Oktavianto, P., Ma'ruf, A., Ma'ruf, A., Agus, Y. D. A. Y. D., Rojak, A., ... & Muchsin, A. (2020). Modifikasi Pengaduk Tangki Seksi 200 Pada Fasilitas Pilot Conversion Plant (pcp). *Pengelolaan Instalasi Nuklir*, 13(24), 519345.
- Patel, D., Ein-Mozaffari, F., & Mehrvar, M. (2021). Optimization of mixing in stirred tank reactors using *computational fluid dynamics*. *Chemical Engineering and Processing*, 167, 108538.
- Purwandari, A. R. (2024). Analisis Hubungan Antara pH dan TDS pada Kualitas Air di Kalipait Bondowoso: Analysis of the Relationship Between pH and TDS on Water Quality in Kalipait Bondowoso. *JERNIH: Journal of Environmental Engineering and Hygiene*, 2(01), 68-76.
- Qadafi, M., Notodarmojo, S., & Zevi, Y. (2020). Effects of microbubble pre-ozonation time and pH on trihalomethanes and haloacetic acids formation in pilot-scale tropical peat water treatments for drinking water purposes. *Science of the total environment*, 747, 141540.
- Qasim, S. R. (2017). *Wastewater treatment plants: planning, design, and operation*. Routledge.
- Rahman, N. A., Linus, A. A., Jol, C. J., Jalal, N. S. A., Ming, C. K., Borhan, W. W. S. W., ... & Mutalip, N. A. A. (2023). Kinetic modelling of peat water treatment with continuous electrocoagulation using aluminium electrodes. *Journal of Environmental Chemical Engineering*, 11(3), 109559.
- Ramezani, M., Ein-Mozaffari, F., & Lohi, A. (2021). Investigation of mixing performance of Rushton turbine using CFD. *Chemical Engineering Journal*, 403, 126349.
- Reynolds, R. D. (1964). *Operant response as a function of the premorbid adjustment of schizophrenic subjects*. Purdue Universi
- Said, Y. M., Achnopa, Y., Zahar, W., & Wibowo, Y. G. (2019). Physical And Chemical Characterization Of Peat Water At Tanjung Jabung Barat, Jambi Province. *Jurnal Sains & Teknologi Lingkungan*, 11(2), 132-142.

- Setiawan, B., Djunaedi, T., Hidayat, G., & Rezi, M. T. (2024). ANALISA KEKUATAN SISTEM PENGADUK (AGITATOR) PADA PROSES PEMBUATAN SABUN CAIR DENGAN KAPASITAS 40 LITER/BATCH. *Prosiding Semnastek*.
- Shen, X., Chen, G., & Yue, Q. (2021). Flocculation performance and mechanism in water treatment: A review. *Journal of Environmental Management*, 286, 112212.
- Spicer, P. T., Keller, W., & Pratsinis, S. E. (1996). The Effect of Impeller Type on Floc Size and Structure during Shear-Induced Flocculation. In *JOURNAL OF COLLOID AND INTERFACE SCIENCE* (Vol. 184).
- Sururi, M. R., & Hardika, H. (2024). PENYISIHAN KEKERUHAN DAN NATURAL ORGANIC MATTER (NOM) PADA UNIT KOAGULASI-FLOKULASI INSTALASI PENGOLAHAN AIR MINUM DI ASIA TENGGARA: STUDI LITERATUR. *Jurnal Reka Lingkungan*, 12(1), 63-79.
- Syahputra, M. R. (2025). Kemampuan Unit Koagulasi-Flokulasi untuk Menurunkan Total Fosfat dan COD dalam Pengolahan Air Sungai Menggunakan Koagulan $\text{Fe}_2(\text{SO}_4)_3$ dan $\text{Al}_2(\text{SO}_4)_3$. *Dampak*, 22(2), 147-155.
- SYAM, M. A. (2023). *STUDI TAHANAN KAPAL AKIBAT TRIM MENGGUNAKAN COMPUTATIONAL FLUID DYNAMICS= STUDY OF SHIP RESISTANCE DUE TO TRIM USING COMPUTATIONAL FLUID DYNAMICS* (Doctoral dissertation, Universitas Hasanuddin)
- Utari, K. M. I., & Mirwan, M. (2023). Pengaruh bentuk *impeller* pada proses koagulasi Flokulasi terhadap pola aliran dan penyisihan TSS. *Insologi: Jurnal Sains Dan Teknologi*, 2(4), 824–833.
- Wang, F. H., Hao, H. T., Sun, R. fei, Li, S. yin, Han, R. ming, Papelis, C., & Zhang, Y. (2014). Bench-scale and pilot-scale evaluation of coagulation pre-treatment for wastewater reused by reverse osmosis in a petrochemical circulating cooling water system. *Desalination*, 335(1), 64–69.
<https://doi.org/10.1016/j.desal.2013.12.013>
- Wang, H., Zhang, Q., Bian, J., & Zhang, D. (2023). Synergistic coagulation effect of the cationic coagulant and anionic flocculant on fluorite tailings. *Environmental Technology & Innovation*, 30, 103096.

- World Health Organization. (2022). *Guidelines for drinking-water quality* (4th ed., incorporating the 1st and 2nd addenda). WHO.
- Wu, M., Jurtz, N., Walle, A., & Kraume, M. (2022). Evaluation and application of efficient CFD-based methods for the multi-objective optimization of stirred tanks. *Chemical Engineering Science*, 263. <https://doi.org/10.1016/j.ces.2022.118109>
- Wu, Z., Zhang, X., Pang, J., Zhang, X., Li, J., Li, J., & Zhang, P. (2020). Humic acid removal from water with PAC-Al30: effect of calcium and kaolin and the action mechanisms. *ACS omega*, 5(27), 16413-16420.
- Xin, H., Yang, S., Tang, Y., Wu, M., Deng, Y., Xu, B., & Gao, N. (2020). Mechanisms and performance of calcium peroxide-enhanced Fe(ii) coagulation for treatment of *Microcystis aeruginosa* -laden water. *Environmental Science: Water Research and Technology*, 6(5), 1272–1285. <https://doi.org/10.1039/d0ew00005a>
- Yao, M., Ran, Z., Chen, T., Wu, Q., & Dong, X. (2020). Numerical simulation studies of agitating paddle dependence on characteristics of the flow field in the mechanical-continuous-flow-stirred reactor for flocculation. *Desalination and Water Treatment*, 183, 30–41. <https://doi.org/10.5004/dwt.2020.25181>
- Yu, W. zheng, Gregory, J., Campos, L., & Li, G. (2011). The role of mixing conditions on floc growth, breakage and re-growth. *Chemical Engineering Journal*, 171(2), 425–430. <https://doi.org/10.1016/j.cej.2011.03.098>
- Zaharia, C., Musteret, C. P., & Afrasinei, M. A. (2024). The use of coagulation–flocculation for industrial colored wastewater treatment—I the application of hybrid materials. *Applied Sciences*, 14(5), 2184.
- Zhang, Y., Gao, B., Yue, Q., & Wang, Y. (2022). Application of CFD in water treatment process: A review. *Chemical Engineering Journal*, 430, 132949.
- Zhang, Z., Liu, D., Hu, D., Li, D., Ren, X., Cheng, Y., & Luan, Z. (2013). Effects of slow-mixing on the coagulation performance of polyaluminum chloride (PACI). *Chinese Journal of Chemical Engineering*, 21(3), 318–323. [https://doi.org/10.1016/S1004-9541\(13\)60463-2](https://doi.org/10.1016/S1004-9541(13)60463-2)
- Zhao, Y., Li, X., & Liu, H. (2020). CFD simulation of flow field in coagulation tanks. *Water Science and Technology*, 81(3), 601–610