

## BIBLIOGRAPHY

- [1] S. DI Ketersediaan Lahan Terhadap Pengembangan Pertanian Pangan Berkelanjutan Kecamatan Keera, “STRATEGI KETERSEDIAAN LAHAN TERHADAP PENGEMBANGAN PERTANIAN PANGAN BERKELANJUTAN DI KECAMATAN KEERA,” 2025.
- [2] M. A. Lasaiba, “Pengolahan Data Spasial dalam Perencanaan Penggunaan Lahan yang Berkelanjutan,” *GEOFORUM*, vol. 2, no. 1, pp. 1–12, Jul. 2023, doi: 10.30598/geoforumvol2iss1pp1-12.
- [3] M. T. Metaferia, R. M. Bennett, B. K. Alemie, and M. Koeva, “Fit-for-Purpose Land Administration and the Framework for Effective Land Administration: Synthesis of Contemporary Experiences,” *Land (Basel)*, vol. 12, no. 1, p. 58, Dec. 2022, doi: 10.3390/land12010058.
- [4] M. Koeva *et al.*, “Innovative Remote Sensing Methodologies for Kenyan Land Tenure Mapping,” *Remote Sens. (Basel)*, vol. 12, no. 2, p. 273, Jan. 2020, doi: 10.3390/rs12020273.
- [5] A. Adebayo, “GIS-Based Innovation for Estimating Real Estate Market Location Performance,” *Journal of Real Estate Literature*, pp. 1–17, Oct. 2025, doi: 10.1080/09277544.2025.2563392.
- [6] F. Annisa, J. Firdaus, F. Ramdani, and I. Arwani, “Pemanfaatan Sistem Informasi Geografis berbasis WebGIS terhadap Pemetaan Fasilitas Kota Pasuruan menggunakan Framework CodeIgniter,” 2022. [Online]. Available: <http://j-ptiik.ub.ac.id>
- [7] L. M. Mamai, M. Gachari, and G. Makokha, “Developing a Web-Based Water Distribution Geospatial Information System for Nairobi Northern Region,” *Journal of Geographic Information System*, vol. 09, no. 01, pp. 34–46, 2017, doi: 10.4236/jgis.2017.91003.
- [8] F. Yildirim and F. Kadi, “Determining the area corrections affecting the map areas in GIS applications,” *Reports on Geodesy and Geoinformatics*, vol. 112, no. 1, pp. 9–17, Dec. 2021, doi: 10.2478/rgg-2021-0003.
- [9] R. N. Amrin and A. A. P. Sopyan, “Pemanfaatan Data Spasial Aplikasi Komputerisasi Kantor Pertanahan dalam Peningkatan Informasi Geospasial

- pada Aplikasi Petakita,” *Kadaster: Journal of Land Information Technology*, vol. 1, no. 1, pp. 18–32, May 2023, doi: 10.31292/kadaster.v1i1.3.
- [10] D. F. Ferdiansyah, E. B. Wahyono, and S. Widodo, “Pemanfaatan Augmented Reality Dalam Membangun Sistem Informasi Pertanahan Pasca Pendaftaran Tanah Sistematis Lengkap,” *Tunas Agraria*, vol. 5, no. 1, pp. 47–64, Feb. 2022, doi: 10.31292/jta.v5i1.172.
  - [11] E. Alfonsius and R. Kasim, “Pengembangan Sistem Informasi Geografis Berbasis Website untuk Optimalisasi Pengelolaan Kepemilikan Tanah,” *Riau Jurnal Teknik Informatika*, vol. 4, no. 1, Mar. 2025, doi: 10.30606/rjti.v4i1.3258.
  - [12] S. K. Madarasinghe, K. K. A. S. Yapa, and L. P. Jayatissa, “Google Earth imagery coupled with on-screen digitization for urban land use mapping: case study of Hambantota, Sri Lanka,” *J. Natl. Sci. Found.*, vol. 48, no. 4, p. 357, Dec. 2020, doi: 10.4038/jnsfsr.v48i4.9795.
  - [13] L. Juhász, Á. Podolcsák, and J. Doleschall, “Open Source Web GIS Solutions in Disaster Management – with Special Emphasis on Inland Excess Water Modeling,” *Journal of Environmental Geography*, vol. 9, no. 1–2, pp. 15–21, Jun. 2016, doi: 10.1515/jengeo-2016-0003.
  - [14] A. Turnip, A. P. Ajuntira, K. Oleisan, D. Hidayat, A. D. Rahajoe, and E. Joelianto, “Monitoring System for Autonomous Farming Drone based on Convolutional Neural Network,” in *2023 IEEE 9th Information Technology International Seminar (ITIS)*, IEEE, Oct. 2023, pp. 1–7. doi: 10.1109/ITIS59651.2023.10419912.
  - [15] S. De Petris, F. Sarvia, and E. Borgogno-Mondino, “About polygon area uncertainty in GIS and its implications on agro-forestry estimates,” *Ecol. Inform.*, vol. 81, p. 102617, Jul. 2024, doi: 10.1016/j.ecoinf.2024.102617.
  - [16] G. Dawod and A. Amin, “Enhancing Vertical Accuracy of Global Digital Elevation Models for Coastal and Environmental Applications: A Case Study in Egypt,” Jan. 2022, doi: 10.5923/j.ajgis.20221101.01.
  - [17] R. Theresia, M. D. Irawan, and A. B. Nasution, “Pemetaan Lokasi Tanah Dijual Berbasis Web Menggunakan Metode Haversine untuk Meningkatkan

- Akses Informasi bagi Masyarakat,” *Jurnal IPTEK Bagi Masyarakat*, vol. 4, no. 2, pp. 106–120, Dec. 2024, doi: 10.55537/jibm.v4i2.1002.
- [18] V. A. Windarni and A. Setiawan, “COMPARATIVE ANALYSIS OF VINCENTY AND GEODESIC METHOD APPROACHES IN MEASURING THE DISTANCE BETWEEN SUBDISTRICT OFFICES IN SALATIGA CITY,” *BAREKENG: Jurnal Ilmu Matematika dan Terapan*, vol. 16, no. 4, pp. 1207–1220, Dec. 2022, doi: 10.30598/barekengvol16iss4pp1207-1220.
- [19] C. F. F. Karney, “Geodesics on an arbitrary ellipsoid of revolution,” *J. Geod.*, vol. 98, no. 1, p. 4, Jan. 2024, doi: 10.1007/s00190-023-01813-2.
- [20] J. C. Martínez-Llario, S. Baselga, and E. Coll, “Accurate algorithms for spatial operations on the spheroid in a spatial database management system,” *Applied Sciences (Switzerland)*, vol. 11, no. 11, Jun. 2021, doi: 10.3390/app11115129.
- [21] V. A. Windarni, A. Setiawan, and A. Rahmatalia, “Comparison of the Karney Polygon Method and the Shoelace Method for Calculating Area,” *MATRIK : Jurnal Manajemen, Teknik Informatika dan Rekayasa Komputer*, vol. 23, no. 1, pp. 39–52, Nov. 2023, doi: 10.30812/matrik.v23i1.2929.
- [22] N. R. Anaraki, M. Tahmasbi, and S. R. Kheradpisheh, “Detecting Cadastral Boundary from Satellite Images Using U-Net model,” Feb. 2025, doi: 10.48550/arXiv.2502.11044.
- [23] E. A. Dharmawan, “PERANCANGAN SISTEM INFORMASI GEOGRAFIS PENYEBARAN DAERAH ZONASI MANGROVE DI PULAU AMBON,” *Jurnal ELKO (Elektrikal dan Komputer)*, vol. 4, no. 1, Aug. 2023, doi: 10.54463/je.v4i1.75.
- [24] H. R. Sari, M. Y. N. Khakim, and E. S, “Penggunaan Sistem Informasi Geografis (Sig) Dalam Analisis Daya Dukung Lahan Berbasis Kemampuan Lahan (Studi Kasus: Wilayah Lahan Kabupaten Banyuasin Tahun 2023),” *Jurnal Pendidikan Indonesia*, vol. 6, no. 7, pp. 3218–3237, Jul. 2025, doi: 10.59141/japendi.v6i7.8358.
- [25] S. Zhang, H. A. Barrett, S. V. Baros, P. R. H. Neville, S. Talasila, and L. L. Sinclair, “Georeferencing Accuracy Assessment of Historical Aerial Photos

- Using a Custom-Built Online Georeferencing Tool,” *ISPRS Int. J. Geoinf.*, vol. 11, no. 12, p. 582, Nov. 2022, doi: 10.3390/ijgi11120582.
- [26] M. Prabandaru, “Proses Georeferencing Citra Sentinel-2 dengan Menggunakan Software ArcGIS,” *Jurnal Ilmiah Geomatika*, vol. 2, no. 1, p. 12, Apr. 2022, doi: 10.31315/imagi.v2i1.7481.
- [27] P. Mohammed, A. Behan, D. O’Sullivan, and B. McAuley, “Evaluating and Enhancing Georeferencing Accuracy in BIM and 3D GIS Models for Built Environment Digital Twins,” *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, vol. X-4/W6-2025, pp. 161–168, Sep. 2025, doi: 10.5194/isprs-annals-X-4-W6-2025-161-2025.
- [28] F. Troya, P. N. Bernardino, and B. Somers, “Inter-Annual Climate Variability Impact on Oil Palm Mapping,” *Remote Sens. (Basel)*, vol. 14, no. 13, p. 3104, Jun. 2022, doi: 10.3390/rs14133104.
- [29] E. Manos, C. Witharana, M. R. Udawalpola, A. Hasan, and A. K. Liljedahl, “Convolutional Neural Networks for Automated Built Infrastructure Detection in the Arctic Using Sub-Meter Spatial Resolution Satellite Imagery,” *Remote Sens. (Basel)*, vol. 14, no. 11, p. 2719, Jun. 2022, doi: 10.3390/rs14112719.
- [30] C. Wang, J. Johnston, D. Vail, J. Dickinson, and D. Putnam, “High-Precision Land-Cover-Land-Use GIS Mapping and Land Availability and Suitability Analysis for Grass Biomass Production in the Aroostook River Valley, Maine, USA,” *Land (Basel)*, vol. 4, no. 1, pp. 231–254, Mar. 2015, doi: 10.3390/land4010231.
- [31] M. Foto Udara dalam Pemetaan Bidang Tanah Kawasan Permukiman Studi Kasus di Desa Ciwaruga, K. Parongpong, K. Bandung Barat, N. Putri, and N. Trianawati Sugito, “Analisis Efektivitas Metode Digitasi On-Screen dan Object-Based Image Analysis (OBIA) The Effectiveness Analysis of On-Screen Digitizing and Object-Based Image Analysis Method from Unmanned Aerial Vehicle Data for Cadastral Boundary Mapping In Settlement Area (Case Study in Ciwaruga Village, Parongpong Subdistrict, West Bandung Regency),” vol. 19, no. 1, p. 73, 2023.

- [32] S. Fournier and T. Lee, "Seasonal and Interannual Variability of Sea Surface Salinity Near Major River Mouths of the World Ocean Inferred from Gridded Satellite and In-Situ Salinity Products," *Remote Sens. (Basel)*, vol. 13, no. 4, p. 728, Feb. 2021, doi: 10.3390/rs13040728.
- [33] W. Xu, J. Wang, Z. Wei, M. Peng, and Y. Wu, "Deep Semantic-Visual Alignment for zero-shot remote sensing image scene classification," *ISPRS Journal of Photogrammetry and Remote Sensing*, vol. 198, pp. 140–152, Apr. 2023, doi: 10.1016/j.isprsjprs.2023.02.012.
- [34] Kementerian Agraria dan Tata Ruang/Badan Pertanahan Nasional, "Petunjuk Teknis Nomor 1/Juknis-100.HK.02.01/I/2022 tentang Pendaftaran Tanah Sistematis Lengkap," Jan. 2022, *Jakarta, Indonesia*. [Online]. Available: <https://jdih.atrbpn.go.id>
- [35] Fahmi Charish Mustofa, "Evaluation of Land Information System Development in The National Land Agency," *Bhumi, Jurnal Agraria dan Pertanahan*, Aug. 2020, doi: <https://doi.org/10.31292/bhumi.v6i2.412>.
- [36] S. De Petris, F. Sarvia, and E. Borgogno-Mondino, "About polygon area uncertainty in GIS and its implications on agro-forestry estimates," *Ecol. Inform.*, vol. 81, p. 102617, Jul. 2024, doi: 10.1016/j.ecoinf.2024.102617.
- [37] T. Yamane, "Elementary\_Sampling\_Theory," 1967, Accessed: May 25, 2026. [Online]. Available: <https://books.google.co.id/books?id=RuFLAAAAMAAJ>
- [38] P. Kanah Arieska, N. Herdiani, P. Studi Ilmu Kesehatan Masyarakat, F. Kesehatan, and U. Nahdlatul Ulama Surabaya Alamat, "PEMILIHAN TEKNIK SAMPLING BERDASARKAN PERHITUNGAN EFISIENSI RELATIF," 2018. [Online]. Available: <http://jurnal.unimus.ac.id>
- [39] W. Li, M. F. Goodchild, and R. Church, "An efficient measure of compactness for two-dimensional shapes and its application in regionalization problems," *International Journal of Geographical Information Science*, vol. 27, no. 6, pp. 1227–1250, Jun. 2013, doi: 10.1080/13658816.2012.752093.
- [40] M. H. Rahman, M. H. Islam, and M. N. Neema, "GIS-based compactness measurement of urban form at neighborhood scale: The case of Dhaka,

- Bangladesh,” *Journal of Urban Management*, vol. 11, no. 1, pp. 6–22, Mar. 2022, doi: 10.1016/j.jum.2021.08.005.
- [41] M. Kuhn and K. Johnson, *Applied Predictive Modeling*. New York: Springer, 2013. doi: 10.1007/978-1-4614-6849-3.
- [42] A. Setiawan, E. Sedyono, and T. Mahatma, “CALCULATION OF CENTRAL JAVA PROVINCE REGION AREA USING SHOELACE FORMULA BASED ON THE GADM DATABASE,” *BAREKENG: Jurnal Ilmu Matematika dan Terapan*, vol. 16, no. 2, pp. 597–606, Jun. 2022, doi: 10.30598/barekengvol16iss2pp597-606.
- [43] P. Dumka and D. R. Mishra, “THE SHOELACE ALGORITHM IN ENGINEERING: PYTHON APPLICATIONS FOR AREA AND INERTIAL ANALYSIS,” *BAREKENG: Jurnal Ilmu Matematika dan Terapan*, vol. 19, no. 3, pp. 1637–1648, Jul. 2025, doi: 10.30598/barekengvol19iss3pp1637-1648.
- [44] S. Baselga and M. J. Olsen, “Approximations, Errors, and Misconceptions in the Use of Map Projections,” *Math. Probl. Eng.*, vol. 2021, pp. 1–12, Aug. 2021, doi: 10.1155/2021/1094602.
- [45] V. A. Windarni and A. Setiawan, “The Determination of Village Area in Semarang Regency Using The Circle Method,” vol. 6, no. 1, pp. 33–44, 2021, doi: 10.26486/jm.v6i1.1876.
- [46] C. F. F. Karney, “Algorithms for geodesics,” *J. Geod.*, vol. 87, no. 1, pp. 43–55, Jan. 2013, doi: 10.1007/s00190-012-0578-z.
- [47] C. F. F. Karney, “GeographicLib: Geodesic and Geographic Coordinate Library,” 2025. [Online]. Available: <https://geographiclib.sourceforge.io/>
- [48] A.-L. Balogun *et al.*, “Spatial prediction of landslide susceptibility in western Serbia using hybrid support vector regression (SVR) with GWO, BAT and COA algorithms,” *Geoscience Frontiers*, vol. 12, no. 3, p. 101104, May 2021, doi: 10.1016/j.gsf.2020.10.009.
- [49] X. Zhao, W. Chen, P. Tsangaratos, I. Ilia, and Q. He, “Landslide spatial prediction using data-driven based statistical and hybrid computational intelligence algorithms,” *Geocarto Int.*, vol. 40, no. 1, Dec. 2025, doi: 10.1080/10106049.2025.2507919.

- [50] X. Zhou, H. Wen, Y. Zhang, J. Xu, and W. Zhang, "Landslide susceptibility mapping using hybrid random forest with GeoDetector and RFE for factor optimization," *Geoscience Frontiers*, vol. 12, no. 5, p. 101211, Sep. 2021, doi: 10.1016/j.gsf.2021.101211.
- [51] P. Wang, S. Tan, G. Zhang, S. Wang, and X. Wu, "Remote Sensing Estimation of Forest Aboveground Biomass Based on Lasso-SVR," *Forests*, vol. 13, no. 10, Oct. 2022, doi: 10.3390/f13101597.
- [52] J. Murel and E. Kavlakoglu, "What Is Ridge Regression?," 2026. [Online]. Available: <https://www.ibm.com/think/topics/ridge-regression>
- [53] J. Friedman, T. Hastie, and R. Tibshirani, "Regularization Paths for Generalized Linear Models via Coordinate Descent," *J. Stat. Softw.*, vol. 33, no. 1, 2010, doi: 10.18637/jss.v033.i01.
- [54] M. Belgiu and L. Drăguț, "Random forest in remote sensing: A review of applications and future directions," *ISPRS Journal of Photogrammetry and Remote Sensing*, vol. 114, pp. 24–31, Apr. 2016, doi: 10.1016/j.isprsjprs.2016.01.011.
- [55] R. Costache and D. Tien Bui, "Spatial prediction of flood potential using new ensembles of bivariate statistics and artificial intelligence: A case study at the Putna river catchment of Romania," *Science of The Total Environment*, vol. 691, pp. 1098–1118, Nov. 2019, doi: 10.1016/j.scitotenv.2019.07.197.
- [56] D. Chicco, M. J. Warrens, and G. Jurman, "The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation," *PeerJ Comput. Sci.*, vol. 7, p. e623, Jul. 2021, doi: 10.7717/peerj-cs.623.
- [57] P. A. Adams, T. Adrian, N. Boyarchenko, and D. Giannone, "Forecasting macroeconomic risks," *Int. J. Forecast.*, vol. 37, no. 3, pp. 1173–1191, Jul. 2021, doi: 10.1016/j.ijforecast.2021.01.003.
- [58] T. Chai and R. R. Draxler, "Root mean square error (RMSE) or mean absolute error (MAE)? – Arguments against avoiding RMSE in the literature," *Geosci. Model Dev.*, vol. 7, no. 3, pp. 1247–1250, Jun. 2014, doi: 10.5194/gmd-7-1247-2014.

- [59] E. González-Estrada, J. A. Villaseñor, and R. Acosta-Pech, “Shapiro-Wilk test for multivariate skew-normality,” *Comput. Stat.*, vol. 37, no. 4, pp. 1985–2001, Sep. 2022, doi: 10.1007/s00180-021-01188-y.
- [60] A. A’aqoulah, S. Albalas, M. Albalas, R. Alherbish, and N. Innab, “Comparative Analysis and Spatial Distribution of the Primary Health Care Centers and Health Manpower Across Saudi Arabia Using Shapiro–Wilk Test,” *J. Multidiscip. Healthc.*, vol. Volume 17, pp. 4851–4861, Oct. 2024, doi: 10.2147/JMDH.S490128.
- [61] D. A. Griffith and R. E. Plant, “Statistical Analysis in the Presence of Spatial Autocorrelation: Selected Sampling Strategy Effects,” *Stats (Basel)*., vol. 5, no. 4, pp. 1334–1353, Dec. 2022, doi: 10.3390/stats5040081.
- [62] Z. Smida, L. Cucala, A. Gannoun, and G. Durif, “A Wilcoxon-Mann-Whitney spatial scan statistic for functional data,” *Comput. Stat. Data Anal.*, vol. 167, p. 107378, Mar. 2022, doi: 10.1016/j.csda.2021.107378.
- [63] R. R. Wilcox, “Some Results on Estimating a Wilcoxon–Mann–Whitney Measure of Effect Size When There are two Covariates,” *Sankhya B*, vol. 86, no. 1, pp. 41–54, May 2024, doi: 10.1007/s13571-023-00319-3.
- [64] I. Jung and H. J. Cho, “A nonparametric spatial scan statistic for continuous data,” *Int. J. Health Geogr.*, vol. 14, no. 1, p. 30, Dec. 2015, doi: 10.1186/s12942-015-0024-6.
- [65] M. R. Nugraha, “Batas Luas Tanah Hak Milik di Indonesia,” 2025, *Hukumonline*. [Online]. Available: <https://www.hukumonline.com/klinik/a/batas-luas-tanah-hak-milik-di-indonesia-lt60484dde630a8/>
- [66] W. G. Cochran, *Sampling techniques*. John Wiley & Sons, 1977.