

REFERENCES

- [1] “World Pneumonia Day 2024,” Every Breath Counts. Accessed: Jan. 20, 2026. [Online]. Available: <https://stopppneumonia.org/latest/world-pneumonia-day-2024/>
- [2] “Pneumonia in children.” Accessed: Jan. 20, 2026. [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/pneumonia>
- [3] S. Momtazmanesh *et al.*, “Global burden of chronic respiratory diseases and risk factors, 1990–2019: an update from the Global Burden of Disease Study 2019,” *eClinicalMedicine*, vol. 59, p. 101936, May 2023, doi: 10.1016/j.eclinm.2023.101936.
- [4] T. B. Purnama, K. Wagatsuma, and R. Saito, “Prevalence and risk factors of acute respiratory infection and diarrhea among children under 5 years of age in low- to middle-income households in Indonesia,” *Infect Dis Poverty*, vol. 14, no. 1, p. 13, Feb. 2025, doi: 10.1186/s40249-025-01286-9.
- [5] D. Agustina, A. Pramudianto, and D. Novitasari, “Implementation of Effective Coughing Techniques in Pneumonia Patients with Oxygenation Disorders,” *j.keperawatan.merdeka*, vol. 2, no. 1, pp. 30–35, May 2022, doi: 10.36086/jkm.v2i1.1153.
- [6] N. K. Chowdhury, M. A. Kabir, Md. M. Rahman, and S. M. S. Islam, “Machine Learning for Detecting COVID-19 from Cough Sounds: An Ensemble-Based MCDM Method,” *Computers in Biology and Medicine*, vol. 145, p. 105405, Jun. 2022, doi: 10.1016/j.compbio.2022.105405.
- [7] K. M. Rezaul, “Enhancing Audio Classification Through MFCC Feature Extraction and Data Augmentation with CNN and RNN Models,” *International Journal of Advanced Computer Science and Applications*, vol. 15, no. 7, 2024.
- [8] R. Jain, “Improving performance and inference on audio classification tasks using capsule networks,” Feb. 13, 2019, *arXiv*: arXiv:1902.05069. doi: 10.48550/arXiv.1902.05069.
- [9] G. Ajinurseto, L. O. Bakrim, and N. Islamuddin, “Application of the Mel-Frequency Cepstral Coefficients Method in a Desktop-Based Speech Recognition System,” *Journal of Informatics, Management, and Technology*, vol. 25, no. 1, pp. 11–20, June 2023, doi: 10.23969/infomatek.v25i1.6109.
- [10] B. T. Balamurali *et al.*, “Deep Neural Network-Based Respiratory Pathology Classification Using Cough Sounds,” *Sensors*, vol. 21, no. 16, p. 5555, Aug. 2021, doi: 10.3390/s21165555.
- [11] I. Nurfiani, J. Jumadi, and M. Deden Firdaus, “THE USE OF STFT AND CNN IN SPEECH DATA PROCESSING TO CLASSIFY COUGH SOUNDS,” *rabit*, vol. 9, no. 2, pp. 184–190, Jul. 2024, doi: 10.36341/rabit.v9i2.4729.
- [12] S. A. Alzanbagi, A. Ahmed, and S. Rasheed, “Real-Time Cough Detection and Classification of COVID-19 Using LSTM-Based Sound Separation and Lightweight CNN Models,” 2025.
- [13] A. Ö. Türkçetin, T. Koç, and Ş. Çilekar, “COUGH SOUND ANALYSIS WITH DEEP LEARNING: THE IMPACT OF DATA AUGMENTATION ON RESPIRATORY DISEASE CLASSIFICATION.”

- [14] M. Septiyanto, E. B. Susanto, and D. Sugianti, "Improving Indonesian Speech Emotion Classification Using MFCC and BiLSTM with Audio Augmentation," *jiko*, vol. 8, no. 3, pp. 244–251, Dec. 2025, doi: 10.33387/jiko.v8i3.10820.
- [15] B. Kanata, S. M. A. Sasongko, and M. A. Ali, "Enhancing Music Genres Classification with MFCC and CNN."
- [16] K. Meissel and G. Brown, "Quantitative Research Methods," 2023.
- [17] L. Orlandic, T. Teijeiro, and D. Atienza, "The COUGHVID crowdsourcing dataset, a corpus for the study of large-scale cough analysis algorithms," *Sci Data*, vol. 8, no. 1, p. 156, June 2021, doi: 10.1038/s41597-021-00937-4.
- [18] S. J. S. Rajasekar *et al.*, "Detection of tuberculosis using cough audio analysis: a deep learning approach with capsule networks," *Discov Artif Intell*, vol. 4, no. 1, p. 77, Nov. 2024, doi: 10.1007/s44163-024-00179-4.
- [19] A. Muhammad, M. A. Arserim, and Ö. Türk, "Comparison of the classification performances of convolutional neural networks and capsule networks on the Coswara dataset," 2023.
- [20] M. Pahar *et al.*, "Automatic Tuberculosis and COVID-19 Cough Classification Using Deep Learning," in *2022 International Conference on Electrical, Computer, and Energy Technologies (ICECET)*, July 2022, pp. 1–9. doi: 10.1109/ICECET55527.2022.9873469.
- [21] T. Bikku, R. K. Batchu, P. Mortezaagha, M. K. Kumar, and R. Anitha, "OPEN Deep Learning-Driven Early," *Scientific Reports*.
- [22] M. Loey and S. Mirjalili, "COVID-19 cough sound symptom classification from scalogram image representation using deep learning models," *Computers in Biology and Medicine*, vol. 139, p. 105020, Dec. 2021, doi: 10.1016/j.compbiomed.2021.105020.
- [23] S. Han *et al.*, "Deep learning-based cough classification using application-recorded sounds: a transfer learning approach with VGGish," *BMC Medical Informatics and Decision Making*, vol. 25, no. 1, p. 228, July 2025, doi: 10.1186/s12911-025-03065-w.
- [24] M. Awais, A. Bhuva, D. Bhuva, S. Fatima, and T. Sadiq, "Optimized DEC: An effective cough detection framework using an optimal weighted features-aided deep ensemble classifier for COVID-19," *Biomedical Signal Processing and Control*, vol. 86, p. 105026, Sep. 2023, doi: 10.1016/j.bspc.2023.105026.
- [25] A. H. Morice *et al.*, "ERS guidelines on the diagnosis and treatment of chronic cough in adults and children," *Eur Respir J*, vol. 55, no. 1, p. 1901136, Jan. 2020, doi: 10.1183/13993003.01136-2019.
- [26] "Mechanisms of Productive Cough and Its Phases | PDF," Scribd. Accessed: Feb. 15, 2026. [Online]. Available: <https://id.scribd.com/doc/100397072/P2-Mekanisme-Batuk-Berdahak>
- [27] T. Kumar Vashishth, V. Sharma, K. Krishan Sharma, B. Kumar, S. Chaudhary, and R. Panwar, "Chapter 10 Enhancing Biomedical Signal Processing with Machine Learning: A Comprehensive Review," in *Digital Transformation in Healthcare 5.0*, R. Malviya, S. Sundram, R. Kumar Dhanaraj, and S. Kadry, eds., De Gruyter, 2024, pp. 277–306. doi: 10.1515/9783111327853-010.

- [28] “Dry Cough,” Alodokter. Accessed: Feb. 15, 2026. [Online]. Available: <https://www.alodokter.com/batuk-kering>
- [29] H. Wiltingh, J. M. Marchant, and V. Goyal, “Cough in Protracted Bacterial Bronchitis and Bronchiectasis,” *JCM*, vol. 13, no. 11, p. 3305, June 2024, doi: 10.3390/jcm13113305.
- [30] M. Carandell, D. M. Toma, J. P. Pinto, M. Gasulla, and J. Del Rio, “Impact on the Estimation of Wave Parameters by a Kinetic Energy Harvester Embedded in a Drifter,” in *Global Oceans 2020: Singapore – U.S. Gulf Coast*, Biloxi, MS, USA: IEEE, Oct. 2020, pp. 1–6. doi: 10.1109/IEEECONF38699.2020.9389127.
- [31] B. Bouzammour, G. Zaz, M. A. Marktani, H. Chougrad, A. Touhafi, and M. Jorio, “Ensemble deep learning models for respiratory disease detection using cough analysis,” *Journal of Engineering Research*, p. S2307187725001154, Aug. 2025, doi: 10.1016/j.jer.2025.08.017.
- [32] R. V. Sharan and H. Xiong, “Wet and dry cough classification using cough sound characteristics and machine learning: A systematic review,” *International Journal of Medical Informatics*, vol. 199, p. 105912, July 2025, doi: 10.1016/j.ijmedinf.2025.105912.
- [33] A. Posunko, M. Chavarha, L. Bashkirova, S. Vasylyuk-Zaitseva, and O. Abramchuk, “Machine Learning in Medicine: A New Paradigm for Diagnosis and Treatment,” *Futur Med*, vol. 4, no. 3, Aug. 2025, doi: 10.57125/FEM.2025.09.30.01.
- [34] K. S. Alqudaihi *et al.*, “Cough Sound Detection and Diagnosis Using Artificial Intelligence Techniques: Challenges and Opportunities,” *IEEE Access*, vol. 9, pp. 102327–102344, 2021, doi: 10.1109/ACCESS.2021.3097559.
- [35] N. Sharma *et al.*, “Coswara — A Database of Breathing, Cough, and Voice Sounds for COVID-19 Diagnosis,” in *Interspeech 2020*, Oct. 2020, pp. 4811–4815. doi: 10.21437/Interspeech.2020-2768.
- [36] C. Janiesch, P. Zschech, and K. Heinrich, “Machine Learning and Deep Learning,” *Electron Markets*, vol. 31, no. 3, pp. 685–695, Sep. 2021, doi: 10.1007/s12525-021-00475-2.
- [37] K. Zaman, M. Sah, C. Direkoglu, and M. Unoki, “A Survey of Audio Classification Using Deep Learning,” *IEEE Access*, vol. 11, pp. 106620–106649, 2023, doi: 10.1109/ACCESS.2023.3318015.
- [38] S. Khosasih, R. Antoni, R. Irnanda, Iswanto, and R. H. P. Hasibuan, “A Comparative Analysis of CNN, SVM, and Hybrid CNN-SVM for Network Traffic Anomaly Detection,” *JUKTISI*, vol. 4, no. 3, pp. 1923–1932, Jan. 2026, doi: 10.62712/juktisi.v4i3.748.
- [39] A. M. Rugină, “The Use of Recurrent Neural Networks (S-RNN, LSTM, GRU) for Flood Forecasting Based on Data Extracted from Classical Hydraulic Modeling,” *Modeling in Civil and Environmental Engineering*, vol. 18, no. 3, pp. 1–18, Sep. 2023, doi: 10.2478/mmce-2023-0011.
- [40] W. Furqoni, I. P. Sindura, I. P. Rahayuningtyas, A. Paunturi, and K. R. Setiani, “Sentiment Analysis of Reviews for the Movie ‘Moana 2’ on the Letterboxd Website Using CNN and RNN Algorithms,” *JiITE*, vol. 2, no. 1, pp. 284–290, Apr. 2025, doi: 10.63547/jiite.v2i1.56.

- [41] A. Okafor, M.-L. Zhang, C. Fernández, A. Rao, and L. Bianchi, “Hybrid CNN–RNN Models for Temporal Medical Image Analysis.”
- [42] S. Sabour, N. Frosst, and G. E. Hinton, “Dynamic Routing Between Capsules,” Nov. 7, 2017, *arXiv*: arXiv:1710.09829. doi: 10.48550/arXiv.1710.09829.
- [43] M. Liu, X. He, and M. Salzmann, “Geometry-Aware Deep Network for Single-Image Novel View Synthesis,” Apr. 17, 2018, *arXiv*: arXiv:1804.06008. doi: 10.48550/arXiv.1804.06008.
- [44] K. Li, S. Yang, L. Zhao, and W. Wang, “Weakly Labeled Sound Event Detection with a Capsule-Transformer Model,” *Digital Signal Processing*, vol. 146, p. 104347, Mar. 2024, doi: 10.1016/j.dsp.2023.104347.
- [45] E. Firdaus, “IMPLEMENTATION OF ARTIFICIAL INTELLIGENCE THROUGH SPEECH-TO-TEXT AS A COMMUNICATION AID FOR THE DEAF,” *jet*, vol. 5, no. 2, pp. 273–285, Dec. 2024, doi: 10.31932/jutech.v5i2.3675.
- [46] M. You, W. Wang, Y. Li, J. Liu, X. Xu, and Z. Qiu, “Automatic Cough Detection from Realistic Audio Recordings Using C-BiLSTM with Boundary Regression,” *Biomedical Signal Processing and Control*, vol. 72, p. 103304, Feb. 2022, doi: 10.1016/j.bspc.2021.103304.
- [47] K. Tan, J. Smith, and P. Gaydecki, “Cough sound spectro-temporal analysis and automated detection using Vision Transformers,” *DIGITAL HEALTH*, vol. 11, p. 20552076251394623, May 2025, doi: 10.1177/20552076251394623.
- [48] Z. Kh. Abdul and A. K. Al-Talabani, “Mel Frequency Cepstral Coefficient and Its Applications: A Review,” *IEEE Access*, vol. 10, pp. 122136–122158, 2022, doi: 10.1109/ACCESS.2022.3223444.
- [49] A. A. Kasim, M. Bakri, I. Mahmudi, R. Rahmawati, and Z. Zulnabil, “Artificial Intelligence for Human Emotion Detection Using the Mel-Frequency Cepstral Coefficient (MFCC),” *JUITA*, vol. 11, no. 1, p. 47, May 2023, doi: 10.30595/juita.v11i1.15435.
- [50] A. J. S. Marbun and F. R. Kodong, “Implementation of Mel-Frequency Cepstral Coefficients as a Feature Extraction Method for Speech Audio Data,” vol. 21, no. 3, 2024.
- [51] “Mel-frequency Cepstral Coefficients (MFCC) for Speech Recognition - GeeksforGeeks.” Accessed: Jan. 21, 2026. [Online]. Available: <https://www.geeksforgeeks.org/nlp/mel-frequency-cepstral-coefficients-mfcc-for-speech-recognition/>
- [52] E. Loweimi, S. M. Ahadi, T. Drugman, and S. Loveymi, “On the Importance of Pre-emphasis and Window Shape in Phase-Based Speech Recognition,” in *Advances in Nonlinear Speech Processing*, vol. 7911, T. Drugman and T. Dutoit, eds., in Lecture Notes in Computer Science, vol. 7911, Berlin, Heidelberg: Springer Berlin Heidelberg, 2013, pp. 160–167. doi: 10.1007/978-3-642-38847-7_21.
- [53] Q. Li *et al.*, “MSP-MFCC: An Energy-Efficient MFCC Feature Extraction Method with a Mixed-Signal Processing Architecture for Wearable Speech Recognition Applications,” *IEEE Access*, vol. 8, pp. 48720–48730, 2020, doi: 10.1109/ACCESS.2020.2979799.

- [54] “12-2 MFCC.” Accessed: Feb. 15, 2026. [Online]. Available: <http://mirlab.org/jang/books/audiosignalprocessing/speechFeatureMfcc.asp?title=12-2%20MFCC>
- [55] A. K. Zhantleuova, Y. K. Makashev, and N. T. Duzbayev, “Optimizing MFCC Parameters for Breathing Phase Detection,” *Sensors*, vol. 25, no. 16, p. 5002, Aug. 2025, doi: 10.3390/s25165002.
- [56] Gadjah Mada University, R. Hidayat, A. Winursito, and Gadjah Mada University, “A Modified MFCC for Improved Wavelet-Based Denoising in Robust Speech Recognition,” *IJIES*, vol. 14, no. 1, pp. 12–21, Feb. 2021, doi: 10.22266/ijies2021.0228.02.
- [57] Y. Yan, S. O. Simons, L. Van Bemmelen, L. G. Reinders, F. M. E. Franssen, and V. Urovi, “Optimizing MFCC Parameters for the Automatic Detection of Respiratory Diseases,” *Applied Acoustics*, vol. 228, p. 110299, Jan. 2025, doi: 10.1016/j.apacoust.2024.110299.
- [58] H. Heriyanto, S. Hartati, and A. E. Putra, “Extraction of Mel-Frequency Cepstral Coefficient (MFCC) and Average Coefficient Features for Evaluating the Recitation of the Qur’an,” *Telematika*, vol. 15, no. 2, p. 99, Oct. 2018, doi: 10.31315/telematika.v15i2.3123.
- [59] R. Hidayat, “Frequency-Domain Analysis of MFCC Feature Extraction in a Children’s Speech Recognition System,” *J.INFOTEL*, vol. 14, no. 1, pp. 30–36, Feb. 2022, doi: 10.20895/infotel.v14i1.740.
- [60] R. Avilés, D. B. Souza, J. Pino-Ortega, and J. Castellano, “Assessment of a New Change of Direction Detection Algorithm Based on Inertial Data,” *Sensors*, vol. 23, no. 6, p. 3095, Mar. 2023, doi: 10.3390/s23063095.
- [61] R. G. Prejbeanu, “A Sensor-Based System for Fault Detection and Prediction for EV Multi-Level Converters,” *Sensors*, vol. 23, no. 9, p. 4205, Apr. 2023, doi: 10.3390/s23094205.
- [62] L. N. M. and S. K. Kopparapu, “Choice of Mel Filter Bank in Computing MFCC of a Resampled Speech,” Oct. 25, 2014, *arXiv*: arXiv:1410.6903. doi: 10.48550/arXiv.1410.6903.
- [63] M. Wang *et al.*, “Reflection Characteristics Measurements of Indoor Wireless Links in the D-Band,” *Sensors*, vol. 22, no. 18, p. 6908, Sep. 2022, doi: 10.3390/s22186908.
- [64] A. Sharif, O. S. Sitompul, and E. B. Nababan, “Analysis of Variation in the Number of MFCC Features Compared to LSTM in the Classification of English Accent Sounds,” *JITE*, vol. 6, no. 2, pp. 587–601, Jan. 2023, doi: 10.31289/jite.v6i2.8566.
- [65] M. Ramashini, P. E. Abas, K. Mohanchandra, and L. C. De Silva, “Robust Cepstral Features for Bird Sound Classification,” *IJECE*, vol. 12, no. 2, p. 1477, Apr. 2022, doi: 10.11591/ijece.v12i2.pp1477-1487.
- [66] N.-T. Phan, A.-D. Nguyen, Y.-C. Liu, and H.-J. Chiu, “An Investigation of Zero-Voltage-Switching Conditions in a High-Voltage-Gain Bidirectional DC–DC Converter,” *Electronics*, vol. 10, no. 16, p. 1940, Aug. 2021, doi: 10.3390/electronics10161940.
- [67] A. Ruiz, A. Agudo, and F. Moreno-Noguer, “Generating Attribution Maps with Disentangled Masked Backpropagation,” in *the 2021 IEEE/CVF International Conference on Computer Vision (ICCV)*, Montreal, QC, Canada: IEEE, Oct. 2021, pp. 885–894. doi: 10.1109/ICCV48922.2021.00094.

- [68] P. Shiri and A. Baniasadi, "Convolutional Fully-Connected Capsule Network (CFC-CapsNet): A Novel and Fast Capsule Network," *J. Signal Process. Syst.*, vol. 94, no. 7, pp. 645–658, July 2022, doi: 10.1007/s11265-021-01731-6.
- [69] B. Amin *et al.*, "Optimizing Cardiac Wireless Implant Communication: A Feasibility Study on Selecting the Frequency and Matching Medium," *Sensors*, vol. 23, no. 7, p. 3411, Mar. 2023, doi: 10.3390/s23073411.
- [70] Y. Wang *et al.*, "An Improved Modulation Recognition Algorithm Based on Fine-Tuning and Feature Re-Extraction," *Electronics*, vol. 12, no. 9, p. 2134, May 2023, doi: 10.3390/electronics12092134.
- [71] S. Toraman, T. B. Alakus, and I. Turkoglu, "Convolutional Capsnet: A Novel Artificial Neural Network Approach to Detect COVID-19 from X-ray Images Using Capsule Networks," *Chaos, Solitons & Fractals*, vol. 140, p. 110122, Nov. 2020, doi: 10.1016/j.chaos.2020.110122.
- [72] D. Suharyanto, C. Lubis, and A. B. Dharmawan, "APPLICATION OF CONVOLUTIONAL NEURAL NETWORKS AND CAPSULE NETWORKS IN DETECTING DEEPPAKES."
- [73] D. Powers, "Evaluation: From Precision, Recall, and F-Factor to ROC, Informedness, Markedness, and Correlation."
- [74] M. Sokolova and G. Lapalme, "A Systematic Analysis of Performance Measures for Classification Tasks," *Information Processing & Management*, vol. 45, no. 4, pp. 427–437, July 2009, doi: 10.1016/j.ipm.2009.03.002.
- [75] R. E. Pambudi, H. Purnomo, and A. Aglasia, "Analysis of MyPertamina User Sentiment Classification Using Precision, Recall, and F1-Score Evaluation Methods," vol. 07, no. 02, 2025.
- [76] K. H. Brodersen, C. S. Ong, K. E. Stephan, and J. M. Buhmann, "The Balanced Accuracy and Its Posterior Distribution," in *Proceedings of the 20th International Conference on Pattern Recognition*, Istanbul, Turkey: IEEE, Aug. 2010, pp. 3121–3124. doi: 10.1109/ICPR.2010.764.
- [77] D. Chicco and G. Jurman, "The Advantages of the Matthews Correlation Coefficient (MCC) Over F1 Score and Accuracy in Binary Classification Evaluation," *BMC Genomics*, vol. 21, no. 1, p. 6, Dec. 2020, doi: 10.1186/s12864-019-6413-7.
- [78] A. Géron, **Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow**, 2nd Edition. Accessed: Feb. 1, 2026. [Online]. Available: <https://www.oreilly.com/library/view/hands-on-machine-learning/9781492032632/>
- [79] "What Is the Nyquist Theorem." Accessed: Jan. 25, 2026. [Online]. Available: <https://www.mathworks.com/discovery/nyquist-theorem.html>