

DAFTAR PUSTAKA

- [1] World Stroke Organization, "The global burden of stroke." Accessed: Jun. 12, 2025. [Online]. Available: <https://www.world-stroke.org/>
- [2] B. Kebijakan Pembangunan, K. Kementerian, and K. Ri, "DALAM ANGKA TIM PENYUSUN SKI 2023 DALAM ANGKA KEMENTERIAN KESEHATAN REPUBLIK INDONESIA," 2023.
- [3] V. L. Feigin *et al.*, "World Stroke Organization: Global Stroke Fact Sheet 2025," *International Journal of Stroke*, vol. 20, no. 2, pp. 132–144, Feb. 2025, doi: 10.1177/17474930241308142.
- [4] V. L. Feigin *et al.*, "Global, regional, and national burden of stroke and its risk factors, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021," *Lancet Neurol.*, vol. 23, no. 10, pp. 973–1003, Oct. 2024, doi: 10.1016/S1474-4422(24)00369-7.
- [5] F. Aboudi, C. Drissi, T. Kraiem, and E. Manar, "A Hybrid Model for Ischemic Stroke Brain Segmentation from MRI Images using CBAM and ResNet50-UNet," 2024. [Online]. Available: www.ijacsa.thesai.org
- [6] W. Putra Pratama, D. Arman Prasetya, and A. F. Adziima, "KLASIFIKASI KATARAK MENGGUNAKAN CONVOLUTIONAL NEURAL NETWORK DENGAN ARSITEKTUR EFFICIENTNETB5 PADA CITRA FUNDUS RETINA," vol. 3, no. 1, 2026.
- [7] Z. Ullah, M. Hong, T. Mahmood, and J. Kim, "Systematic Integration of Attention Modules into CNNs for Accurate and Generalizable Medical Image Classification," *Mathematics*, vol. 13, no. 22, p. 3728, Nov. 2025, doi: 10.3390/math13223728.
- [8] Md. Ferdous, S. Mahmud, and Md. E. Z. Shimul, "MedNet: a lightweight attention-augmented CNN for medical image classification," *Sci. Rep.*, vol. 15, no. 1, p. 41936, Nov. 2025, doi: 10.1038/s41598-025-25857-w.
- [9] L. Xu, J. Huang, A. Nitanda, R. Asaoka, and K. Yamanishi, "A Novel Global Spatial Attention Mechanism in Convolutional Neural Network for Medical Image Classification," 2020.
- [10] G. Huang, Z. Liu, L. van der Maaten, and K. Q. Weinberger, "Densely Connected Convolutional Networks," Jan. 2018, [Online]. Available: <http://arxiv.org/abs/1608.06993>
- [11] Y. Yang *et al.*, "A comparative analysis of eleven neural networks architectures for small datasets of lung images of COVID-19 patients toward improved clinical decisions," *Comput. Biol. Med.*, vol. 139, p. 104887, Dec. 2021, doi: 10.1016/j.combiomed.2021.104887.
- [12] D. S. Alhamda, W. Syaifullah J, P. E. Pratiwi, S. Hadi, W. S. Wan Awang, and I. G. S. Mas Diyasa, "Optimization EfficientNetV2 model variant using Grad-CAM for multiple MRI brain tumor classification," *Jurnal Ilmiah Kursor*, vol. 13, no. 3, pp. 111–124, Jul. 2026, doi: 10.21107/kursor.v13i3.428.
- [13] Revathi S A, B. Sathish Babu, and S. Hiremath, "International Journal of INTELLIGENT SYSTEMS AND APPLICATIONS IN ENGINEERING Predicting Knee Osteoarthritis Progression Using DenseNet121 with

- Channel and Spatial Attention,” Jun. 2024. [Online]. Available: www.ijisae.org
- [14] A. F. Adziima, S. S. M. Wara, A. R. Pratama, and M. Nasrudin, “Optimizing Urban Farming Potential Using Google Street View and Machine Learning,” in *2024 IEEE 10th Information Technology International Seminar (ITIS)*, IEEE, Nov. 2024, pp. 68–72. doi: 10.1109/ITIS64716.2024.10845695.
 - [15] K. Wang, P. Jiang, D. Kong, B. Sun, and T. Shen, “Improving Accuracy of Pneumonia Classification Using Modified DenseNet,” Aug. 01, 2023, *Institute for Ionics*. doi: 10.1007/s10278-023-00841-w.
 - [16] S. Chakraborty, A. Roy, P. Pramanik, D. Valenkova, and R. Sarkar, “A Dual Attention-aided DenseNet-121 for Classification of Glaucoma from Fundus Images,” Jun. 2024, [Online]. Available: <http://arxiv.org/abs/2406.15113>
 - [17] A. Abumihsan, A. Y. Owda, M. Owda, M. Abumohsen, L. Stergioulas, and M. A. A. Amer, “A Novel Hybrid Model for Brain Ischemic Stroke Detection Using Feature Fusion and Convolutional Block Attention Module,” *IEEE Access*, 2025, doi: 10.1109/ACCESS.2025.3549269.
 - [18] I. G. S. M. Diyasa, V. I. Sunarko, E. Y. Puspaningrum, V. Asy’ari, and M. Z. Ibrahim, “Optimization of Multi-Section and Partially Augmented Magnetic Resonance Imaging (MRI) Images for Brain Tumor Classification Using ResNet-50,” *CommIT (Communication and Information Technology) Journal*, vol. 19, no. 1, pp. 115–128, May 2025, doi: 10.21512/commit.v19i1.12467.
 - [19] M. I. Basori, I. Gede, S. Mas Diyasa, and H. Maulana, “Deteksi Tingkat Keparahan Retinopati Diabetik Menggunakan EfficientNet V2-S,” *Seminar Nasional Informatika Bela Negara (SANTIKA)*, vol. 5, no. Vol. 5 No. 2 (2025): Santika 2025, Dec. 2025.
 - [20] O. Ronneberger, P. Fischer, and T. Brox, “U-Net: Convolutional Networks for Biomedical Image Segmentation,” May 2015, [Online]. Available: <http://arxiv.org/abs/1505.04597>
 - [21] Y. Zhang, Q. Liao, L. Ding, and J. Zhang, “Bridging 2D and 3D segmentation networks for computation-efficient volumetric medical image segmentation: An empirical study of 2.5D solutions,” *Computerized Medical Imaging and Graphics*, vol. 99, p. 102088, Jul. 2022, doi: 10.1016/j.compmedimag.2022.102088.
 - [22] I. G. S. M. Diyasa, H. A. C. Kuswardhani, M. Idhom, P. A. Riyantoko, and D. A. Dewi, “Data Augmentation of Sperm Images Using Generative Adversarial Networks (WGAN-GP),” *Register: Jurnal Ilmiah Teknologi Sistem Informasi*, vol. 12, no. 1, pp. 1–11, Feb. 2026, doi: 10.26594/register.v12i1.5954.
 - [23] J. Tan, W. Zhou, L. Lin, and H. Jumahong, “A Review of Semantic Medical Image Segmentation Based on Different Paradigms,” *Int. J. Semant. Web Inf. Syst.*, vol. 20, no. 1, pp. 1–25, Jun. 2024, doi: 10.4018/IJSWIS.345246.
 - [24] E. de la Rosa *et al.*, “DeepISLES: a clinically validated ischemic stroke segmentation model from the ISLES’22 challenge,” *Nat. Commun.*, vol. 16, no. 1, p. 7357, Aug. 2025, doi: 10.1038/s41467-025-62373-x.

- [25] M. R. Hernandez Petzsche *et al.*, “ISLES 2022: A multi-center magnetic resonance imaging stroke lesion segmentation dataset,” *Sci. Data*, vol. 9, no. 1, Dec. 2022, doi: 10.1038/s41597-022-01875-5.
- [26] B. P. Garcia-Salgado *et al.*, “Enhanced Ischemic Stroke Lesion Segmentation in MRI Using Attention U-Net with Generalized Dice Focal Loss,” *Applied Sciences*, vol. 14, no. 18, p. 8183, Sep. 2024, doi: 10.3390/app14188183.
- [27] B. P. Garcia-Salgado *et al.*, “Enhanced Ischemic Stroke Lesion Segmentation in MRI Using Attention U-Net with Generalized Dice Focal Loss,” *Applied Sciences*, vol. 14, no. 18, p. 8183, Sep. 2024, doi: 10.3390/app14188183.
- [28] E. H. Tedyanto, K. Tini, and N. A. K. Pramana, “Magnetic Resonance Imaging in Acute Ischemic Stroke,” *Cureus*, Jul. 2022, doi: 10.7759/cureus.27224.
- [29] M. P. Pratama, M. E. Rachman, S. Wahyu, A. H. Muchsin, and A. K. Eka, “Gambaran Kadar Profil Lipid dengan Derajat Keparahan pada Penderita Stroke Iskemik di Rumah Sakit Ibnu Sina Makassar Tahun 2021-2023,” *Jurnal Ilmiah Universitas Batanghari Jambi*, vol. 24, no. 3, p. 2049, Oct. 2024, doi: 10.33087/jiubj.v24i3.5601.
- [30] M. Akbar *et al.*, “Clinical features of transient ischemic attack or ischemic stroke patients at high recurrence risk in Indonesia.”
- [31] A. W. Astuti, “Teknik Pemeriksaan Magnetic Resonance Imaging (MRI) Brain Dengan Penambahan Sequence Axial 3D-Fiesta Pada Kasus Facial Tic,” *Compromise Journal : Community Proffesional Service Journal*, vol. 1, no. 4, 2023.
- [32] M. G. Lansberg, G. W. Albers, C. Beaulieu, and M. P. Marks, “Comparison of diffusion-weighted MRI and CT in acute stroke,” *Neurology*, vol. 54, no. 8, pp. 1557–1561, Apr. 2000, doi: 10.1212/WNL.54.8.1557.
- [33] H. S. Moon *et al.*, “Automated multimodal segmentation of acute ischemic stroke lesions on clinical MR images,” *Magn. Reson. Imaging*, vol. 92, pp. 45–57, Oct. 2022, doi: 10.1016/j.mri.2022.06.001.
- [34] O. I. Alirr, “A Large-Kernel and Scale-Aware 2D CNN with Boundary Refinement for Multimodal Ischemic Stroke Lesion Segmentation,” *Eng*, vol. 7, no. 2, p. 59, Jan. 2026, doi: 10.3390/eng7020059.
- [35] S. Felehgari, P. Sariaslani, S. Shamsizadeh, S. Felehgari, A. Rajabi, and H. Mohammadi, “Multi-classification Deep Learning Approach for Diagnosing Stroke Type and Severity Using Multimodal Magnetic Resonance Images,” *J. Med. Signals Sens.*, vol. 15, no. 4, Apr. 2025, doi: 10.4103/jmss.jmss_37_24.
- [36] D. Putri Ayuni, Jasril, M. Irsyad, F. Yanto, and S. Sanjaya, “AUGMENTASI DATA PADA IMPLEMENTASI CONVOLUTIONAL NEURAL NETWORK ARSITEKTUR EFFICIENTNET-B3 UNTUK KLASIFIKASI PENYAKIT DAUN PADI,” *ZONAsi: Jurnal Sistem Informasi*, vol. 5, no. 2, pp. 239–249, May 2023, doi: 10.31849/zn.v5i2.13874.
- [37] Dede Husen, “EVALUASI TEKNIK AUGMENTASI DATA UNTUK KLASIFIKASI TUMOR OTAK MENGGUNAKAN CNN PADA CITRA

- MRI,” *TEKNIMEDIA: Teknologi Informasi dan Multimedia*, vol. 5, no. 2, Dec. 2024, doi: 10.46764/teknimedia.v5i2.220.
- [38] L. Yao *et al.*, “Radiomics Boosts Deep Learning Model for IPMN Classification,” Sep. 2023.
 - [39] R. Zhen, “Cardiac MRI Orientation Recognition and Standardization using Deep Neural Networks,” Jul. 2023.
 - [40] S. Ali, A. Alhothali, S. Albasri, O. Alzamzami, A. Abduljabbar, and M. Alwazzan, “Placenta Accreta Spectrum Detection using Multimodal Deep Learning,” Dec. 2025.
 - [41] K. Kumar Napa, S. Murugan, J. S. Murugan, and A. Jayanthi, “BRAIN-META: A reproducible CNN–vision transformer meta-ensemble pipeline for explainable brain tumor classification,” *MethodsX*, vol. 16, p. 103769, Jun. 2026, doi: 10.1016/j.mex.2025.103769.
 - [42] S. Guha, V. Bhandage, and A. Agarwal, “Automated detection of polymicrogyria in pediatric patients using deep learning,” *Sci. Rep.*, vol. 15, no. 1, p. 41662, Nov. 2025, doi: 10.1038/s41598-025-25572-6.
 - [43] K. El Asnaoui, Y. Chawki, and A. Idri, “Automated Methods for Detection and Classification Pneumonia based on X-Ray Images Using Deep Learning,” Mar. 2020.
 - [44] R. Azad *et al.*, “Medical Image Segmentation Review: The success of U-Net,” Nov. 2022.
 - [45] K. Halloum and H. Ez-Zahraouy, “Enhancing Medical Image Classification through Transfer Learning and CLAHE Optimization,” *Current Medical Imaging Formerly Current Medical Imaging Reviews*, vol. 21, Jan. 2025, doi: 10.2174/0115734056342623241119061744.
 - [46] Sonali, S. Sahu, A. K. Singh, S. P. Ghrera, and M. Elhoseny, “An approach for de-noising and contrast enhancement of retinal fundus image using CLAHE,” *Opt. Laser Technol.*, vol. 110, pp. 87–98, Feb. 2019, doi: 10.1016/j.optlastec.2018.06.061.
 - [47] A. Abduvaitov *et al.*, “Enhancing Medical Image Segmentation and Classification Using a Fuzzy-Driven Method,” *Sensors*, vol. 25, no. 18, p. 5931, Sep. 2025, doi: 10.3390/s25185931.
 - [48] C. Rubini and N. Pavithra, “Contrast Enhancement of MRI Images using AHE and CLAHE Techniques,” *International Journal of Innovative Technology and Exploring Engineering*, 2019, doi: 10.35940/ijitee.B7017.129219.
 - [49] H.-J. Park *et al.*, “Semi-automated method for estimating lesion volumes,” *J. Neurosci. Methods*, vol. 213, no. 1, pp. 76–83, Feb. 2013, doi: 10.1016/j.jneumeth.2012.12.010.
 - [50] W. Barreh, I. Ben Alaya, R. Ben Amor, I. Riahi, and R. Ben Salah, “Volumetric Quantification of Stroke Lesions Using DW-MRI and 3D U-Net Approach,” 2025, pp. 93–102. doi: 10.2991/978-94-6463-654-3_8.
 - [51] K. R. Wardani and L. Leonardi, “Klasifikasi Penyakit pada Daun Anggur menggunakan Metode Convolutional Neural Network,” *Jurnal Tekno Insentif*, vol. 17, no. 2, pp. 112–126, Oct. 2023, doi: 10.36787/jti.v17i2.1130.

- [52] A. ANHAR and R. A. PUTRA, “Perancangan dan Implementasi Self-Checkout System pada Toko Ritel menggunakan Convolutional Neural Network (CNN),” *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, vol. 11, no. 2, p. 466, Apr. 2023, doi: 10.26760/elkomika.v11i2.466.
- [53] S. Albawi, T. A. Mohammed, and S. Al-Zawi, “Understanding of a convolutional neural network,” in *2017 International Conference on Engineering and Technology (ICET)*, IEEE, Aug. 2017, pp. 1–6. doi: 10.1109/ICEngTechnol.2017.8308186.
- [54] K. O’Shea and R. Nash, “An Introduction to Convolutional Neural Networks,” Dec. 2015, [Online]. Available: <http://arxiv.org/abs/1511.08458>
- [55] K. Simonyan and A. Zisserman, “Very Deep Convolutional Networks for Large-Scale Image Recognition,” Apr. 2015, [Online]. Available: <http://arxiv.org/abs/1409.1556>
- [56] G. Litjens *et al.*, “A survey on deep learning in medical image analysis,” *Med. Image Anal.*, vol. 42, pp. 60–88, Dec. 2017, doi: 10.1016/j.media.2017.07.005.
- [57] G. Elavel Visuvanathan, H. Kuresan, A. Yogadharshini, S. Sureya, and V. Surendra, “Brain Tumor Identification Utilizing Convolutional Deep Learning Approaches Based on MRI Imaging,” 2025, pp. 75–84. doi: 10.1007/978-981-96-3358-6_6.
- [58] F. Sultana, A. Sufian, and P. Dutta, “A Review of Object Detection Models based on Convolutional Neural Network,” Oct. 2019, doi: 10.1007/978-981-15-4288-6_1.
- [59] Z. Gu *et al.*, “CE-Net: Context Encoder Network for 2D Medical Image Segmentation,” Mar. 2019, doi: 10.1109/TMI.2019.2903562.
- [60] F. Milletari, N. Navab, and S.-A. Ahmadi, “V-Net: Fully Convolutional Neural Networks for Volumetric Medical Image Segmentation,” Jun. 2016, [Online]. Available: <http://arxiv.org/abs/1606.04797>
- [61] Ian. Goodfellow, Yoshua. Bengio, and Aaron. Courville, *Deep learning*. The MIT Press, 2017.
- [62] D. P. Kingma and J. Ba, “Adam: A Method for Stochastic Optimization,” Jan. 2017, [Online]. Available: <http://arxiv.org/abs/1412.6980>
- [63] J. Heaton, “Ian Goodfellow, Yoshua Bengio, and Aaron Courville: Deep learning,” *Genet. Program. Evolvable Mach.*, vol. 19, no. 1–2, pp. 305–307, Jun. 2018, doi: 10.1007/s10710-017-9314-z.
- [64] S. A. Albelwi, “Deep Architecture based on DenseNet-121 Model for Weather Image Recognition,” *International Journal of Advanced Computer Science and Applications*, vol. 13, no. 10, 2022, doi: 10.14569/IJACSA.2022.0131065.
- [65] G. Huang, Z. Liu, L. van der Maaten, and K. Q. Weinberger, “Densely Connected Convolutional Networks,” Jan. 2018, [Online]. Available: <http://arxiv.org/abs/1608.06993>
- [66] S. Kumar, S. Mishra, and S. K. Singh, “Deep Transfer Learning-based COVID-19 prediction using Chest X-rays,” May 14, 2020. doi: 10.1101/2020.05.12.20099937.

- [67] N. Aziz, N. Minallah, J. Frnda, M. Sher, M. Zeeshan, and A. H. Durrani, "Precision meets generalization: Enhancing brain tumor classification via pretrained DenseNet with global average pooling and hyperparameter tuning," *PLoS One*, vol. 19, no. 9, p. e0307825, Sep. 2024, doi: 10.1371/journal.pone.0307825.
- [68] Z. D. Eka Putra and D. W. Utomo, "Penerapan Deep Learning dengan Mekanisme Attention untuk Meningkatkan Performa Segmentasi Liver dan Tumor pada Citra CT Menggunakan ResUnet," *Jurnal Nasional Teknologi dan Sistem Informasi*, vol. 10, no. 3, pp. 231–239, Jan. 2025, doi: 10.25077/TEKNOSI.v10i3.2024.231-239.
- [69] J. An and I. Joe, "Attention Map-Guided Visual Explanations for Deep Neural Networks," *Applied Sciences*, vol. 12, no. 8, p. 3846, Apr. 2022, doi: 10.3390/app12083846.
- [70] S. Woo, J. Park, J.-Y. Lee, and I. S. Kweon, "CBAM: Convolutional Block Attention Module," Jul. 2018.
- [71] D. Sun, J. Wang, Z. Zuo, Y. Jia, and Y. Wang, "STS-TransUNet: Semi-supervised Tooth Segmentation Transformer U-Net for dental panoramic image," *Mathematical Biosciences and Engineering*, vol. 21, no. 2, pp. 2366–2384, 2024, doi: 10.3934/mbe.2024104.
- [72] M. M. R. Siddique, D. Yang, Y. He, D. Xu, and A. Myronenko, "Automated ischemic stroke lesion segmentation from 3D MRI," Sep. 2022.
- [73] A. Diaz-Pinto *et al.*, "MONAI Label: A framework for AI-assisted interactive labeling of 3D medical images," *Med. Image Anal.*, vol. 95, p. 103207, Jul. 2024, doi: 10.1016/j.media.2024.103207.
- [74] A. Myronenko, D. Yang, Y. He, and D. Xu, "Automated 3D Segmentation of Kidneys and Tumors in MICCAI KiTS 2023 Challenge," Oct. 2023, [Online]. Available: <http://arxiv.org/abs/2310.04110>
- [75] Dede Kurniadi, Rifky Muhammad Shidiq, and Asri Mulyani, "Perbandingan Penggunaan Optimizer dalam Klasifikasi Sel Darah Putih Menggunakan Convolutional Neural Network," *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, vol. 14, no. 1, pp. 77–86, Mar. 2025, doi: 10.22146/jnteti.v14i1.17162.
- [76] S. R. Polamuri, "Stroke detection in the brain using MRI and deep learning models," *Multimed. Tools Appl.*, vol. 84, no. 12, pp. 10489–10506, May 2024, doi: 10.1007/s11042-024-19318-1.
- [77] C. Alkahfi, "Metrik Evaluasi untuk Model Klasifikasi," sainsdata.id.
- [78] J. Davis and M. Goadrich, "The relationship between Precision-Recall and ROC curves," in *Proceedings of the 23rd international conference on Machine learning - ICML '06*, New York, New York, USA: ACM Press, 2006, pp. 233–240. doi: 10.1145/1143844.1143874.
- [79] I. Gümüşsoy *et al.*, "Automated 3D segmentation of the hyoid bone in CBCT using nnU-Net v2: a retrospective study on model performance and potential clinical utility," *BMC Med. Imaging*, vol. 25, no. 1, Dec. 2025, doi: 10.1186/s12880-025-01797-9.
- [80] M. P. Keerthi, G. S. Reddy, V. S. Raghava, and K. B. Reddy, "Streamlit Interface for Multiple Disease Diagnosis," *Int. J. Res. Appl. Sci. Eng.*

- Technol.*, vol. 11, no. 2, pp. 1159–1164, Feb. 2023, doi: 10.22214/ijraset.2023.49166.
- [81] M. Dhankar, “Streamlit Powered Multi-Disease Prediction with Machine Learning.”
- [82] R. Buga *et al.*, “Streamlit Application and Deep Learning Model for Brain Metastasis Monitoring After Gamma Knife Treatment,” *Biomedicines*, vol. 13, no. 2, p. 423, Feb. 2025, doi: 10.3390/biomedicines13020423.