



DAFTAR PUSTAKA

- Abdullah, R., & Saka, S. (2014). Hydrolysis behavior of various crystalline celluloses treated by cellulase of *Tricoderma viride*. *Cellulose*, 21, 4049-4058.
- Cichosz, S., & Masek, A. (2019). Cellulose structure and property changes indicated via wetting-drying cycles. *Polymer Degradation and Stability*, 167, 33-43.
- Chaiwarit, T., Chanabodeechalermrung, B., Kantrong, N., Chittasupho, C., & Jantrawut, P. (2022). Fabrication and evaluation of water hyacinth cellulose-composited hydrogel containing quercetin for topical antibacterial applications. *Gels*, 8(12), 767.
- Fatriasari, W., Masruchin, N., Hermiati, E. (2019). *Selulosa: Karakteristik dan Pemanfaatannya*, Lembaga Ilmu Pengetahuan Indonesia (LIPI).
- French, A. D. (2014). Idealized powder diffraction patterns for cellulose polymorphs. *Cellulose*, 21(2), 885-896.
- Gao, A. H., Bule, M. V., Laskar, D. D., & Chen, S. (2012). Structural and thermal characterization of wheat straw pretreated with aqueous ammonia soaking. *Journal of agricultural and food chemistry*, 60(35), 8632-8639.
- Gea, S., Harahap, M. (2018). *SELULOSA KARAKTERISTIK DAN PEMANFAATANNYA SEBAGAI BIOMATERIAL*. USU Press.
- Goldberg, R. N., Schliesser, J., Mittal, A., Decker, S. R., Santos, A. F. L., Freitas, V. L., ... & Johnson, D. K. (2015). A thermodynamic investigation of the cellulose allomorphs: Cellulose (am), cellulose I β (cr), cellulose II (cr), and cellulose III (cr). *The Journal of Chemical Thermodynamics*, 81, 184-226.
- Gong, J., Li, J., Xu, J., Xiang, Z., & Mo, L. (2017). Research on cellulose nanocrystals produced from cellulose sources with various polymorphs. *RSC advances*, 7(53), 33486-33493.
- Hartati, N., Kurniawan, E., Trisna, M., & Noviarni, I. (2023). Isolasi, Karakterisasi, Dan Aplikasi Nanokristal Selulosa. *JSSIT: Jurnal Sains dan Sains Terapan*, 1(2), 29-38.



- Heinze, T. (2016). Cellulose: structure and properties. *Cellulose chemistry and properties: fibers, nanocelluloses and advanced materials*, 1-52.
- Hikmah, N. (2021). Analisis Kadar Ammonia (NH₃) Di Perairan Sekitar Pabrik Karet Daerah Banjarmasin Menggunakan Spektrofotometri Visible. *Journal of Pharmaceutical Care Anwar Medika (J-PhAM)*, 4(1), 20-30.
- Hubbe, M. A., Gardner, D. J., & Shen, W. (2015). Contact angles and wettability of cellulosic surfaces: A review of proposed mechanisms and test strategies. *BioResources*, 10(4), 8657–8749.
- Huber, T., Müssig, J., Curnow, O., Pang, S., Bickerton, S., & Staiger, M. P. (2012). A critical review of all-cellulose composites. *Journal of Materials Science*, 47, 1171-1186.
- Kusumawati, E., & Haryadi, H. (2021). Ekstraksi dan karakterisasi serat selulosa dari tanaman eceng gondok (*Eichornia crassipes*). *Fluida*, 14(1), 1-7.
- Latif, M. H. A., & Mahmood, Y. F. (2018). Isolation and characterization of microcrystalline cellulose and preparation of nano-crystalline cellulose from tropical water hyacinth. *Ibn AL-Haitham Journal For Pure and Applied Science*, 31(1), 180-188.
- Laszkiewicz, B., & Cuculo, J. A. (1993). Solubility of cellulose III in sodium hydroxide solution. *Journal of applied polymer science*, 50(1), 27-34.
- Lestari, Y. P. I. (2024). Isolasi α -Selulosa dari Bahan Alam dengan Berbagai Metode (Kimia, Fisika, Biologi) Review: Isolation of α -Cellulose from Natural Materials using Various Methods (Chemical, Physical, Biological). *Farmasains: Jurnal Ilmiah Ilmu Kefarmasian*, 76-89.
- Lewin, M., & Roldan, L. G. (1971). The effect of liquid anhydrous ammonia in the structure and morphology of cotton cellulose. *Journal of Polymer Science Part C: Polymer Symposia*, 36(1), 213-229
- Li, J., Tan, J., Zhang, B., Wei, C., Li, P., Zhang, Y., & Chen, J. (2024). Microwave assisted pretreatment of urban green waste with more efficiency and less energy cost. *International Journal of Environmental Science and Technology*, 1-16.



- Luchese, C. L., Engel, J. B., & Tessaro, I. C. (2024). A review on the mercerization of natural fibers: parameters and effects. *Korean Journal of Chemical Engineering*, 41(3), 571-587.
- Makgret, C., Dalming, T., & Adnan, J. (2023). Analisis Selulosa Dan Aktivitas Antioksidan Dari Eceng Gondok (*Eichhornia crassipes* (Mart.) Solms). *Jurnal Farmasi Pelamonia/Journal Pharmacy Of Pelamonia*, 3(2), 22-31.
- Malcolm Jr, R., & Saxena, I. M. (Eds.). (2007). *Cellulose: molecular and structural biology: selected articles on the synthesis, structure, and applications of cellulose*. Springer Science & Business Media.
- Melani, A., Atikah, A., Arjeni, R., & Robiah, R. (2022). Pengaruh Volume Pelarut NaOH Dan Temperatur Pemasakan Pulp Dari Pelepah Pisang Klutuk. *Jurnal Distilasi*, 7(1), 18-27.
- Merck KGaA. (2024). *Safety data sheet: Ammonia solution (25%)*. Retrieved from www.merckgroup.com
- Mittal, A., Katahira, R., Himmel, M. E., & Johnson, D. K. (2011). Effects of alkaline or liquid-ammonia treatment on crystalline cellulose: changes in crystalline structure and effects on enzymatic digestibility. *Biotechnology for biofuels*, 4, 1-16.
- Mulyadi, I. (2019). Isolasi dan karakterisasi selulosa. *Jurnal Saintika UNPAM. Fakultas Teknik Universitas pamulang*, 1(2), 177-182.
- Nafi'ah, R., & Fahmi, H. (2021). Kapasitas Adsorpsi Membran Selulosa Batang Eceng Gondok (*Eichhornia Crassipes*) Termodifikasi Na₂-EDTA Dengan Variasi Waktu Dan Konsentrasi Logam Cr (VI). *Cendekia Journal of Pharmacy*, 5(1), 16-27.
- Nam, S., French, A. D., Condon, B. D., & Concha, M. (2016). Segal crystallinity index revisited by the simulation of X-ray diffraction patterns of cotton cellulose I β and cellulose II. *Carbohydrate polymers*, 135, 1-9.
- Oh, S. Y., Yoo, D. I., Shin, Y., & Seo, G. (2005). FTIR analysis of cellulose treated with sodium hydroxide and carbon dioxide. *Carbohydrate Research*, 340, 2376–2391.



- Onyekwere, O. S., & Igboanugo, A. C. (2019). Optimal parameter setting for mercerization of bamboo fibres. *NIPES-Journal of Science and Technology Research*, 1(1).
- Perez, D., Montanari, S., & Vignon, M. R. (2003). TEMPO-mediated oxidation of cellulose III. *Biomacromolecules*, 4(5), 1417-1425.
- Pratama, J. H., Amalia, A., Rohmah, R. L., & Saraswati, T. E. (2020). The extraction of cellulose powder of water hyacinth (*Eichhornia crassipes*) as reinforcing agents in bioplastic. *In AIP conference proceedings* 2219(1). 1-7
- Ratnani, R. D., Arianti, F. D., & Sasongko, N. A. (2024). Exploring the potential of water hyacinth weed (*Pontederia crassipes*) as an environmentally friendly antifungal to realize sustainable development in lakes: A review. *Case Studies in Chemical and Environmental Engineering*, 100702.
- Sanger, M. J., & Danner, M. (2010). Aqueous ammonia or ammonium hydroxide? Identifying a base as strong or weak. *Journal of chemical education*, 87(11), 1213-1216.
- Saron, M., Wahyuni, D., & Arman, Y. (2025). Reduksi Termal Oksida Grafena Berbasis Tandan Kosong Kelapa Sawit: Sintesis dan Aplikasinya sebagai Adsorben Metilen Biru. *POSITRON*, 15(1), 59-69.
- Setyaningsih, L., Satria, E., Khoironi, H., Dwisari, M., Setyowati, G., Rachmawati, N., ...& Anggraeni, J. (2019). Cellulose extracted from water hyacinth and the application in hydrogel. *In IOP Conference Series: Materials Science and Engineering* 673(1), 1-7.
- Sumiati, T., Yuningtyas, S., & Haloho, L. E. B. (2023). DELIGNIFIKASI LIGNOSELULOSA DAUN NANAS SEBAGAI SUMBER ALFA SELULOSA. *Jurnal Farmamedika (Pharmamedika Journal)*, 8(2), 130-137.
- Thomas, S., Pius, A., & Gopi, S. (Eds.). (2020). *Handbook of Chitin and Chitosan: Volume 2: Composites and Nanocomposites from Chitin and Chitosan, Manufacturing and Characterisations*. Elsevier.



LAPORAN HASIL PENELITIAN

Modifikasi Kristalinitas Selulosa II menjadi Selulosa III dari Eceng Gondok

- Wu, Q., Xu, J., Zhu, S., Kuang, Y., Wang, B., & Gao, W. (2020). Crystalline stability of cellulose III nanocrystals in the hydrothermal treatment and NaOH solution. *Carbohydrate polymers*, 249, 116827.
- Zugenmaier, P. (2008). *Crystalline cellulose and derivatives: characterization and structures*. Springer Science & Business Media.