

DAFTAR PUSTAKA

- [1] R. K. Bawane, A. Muthuraja, G. N. Shelke, and C. Choudhary, "Impact analysis of emulsified Calophyllum oil biodiesel B100-WIC and B50-WIC on performance and emission characteristic of a diesel engine under variation in compression ratio," *Int. J. Ambient Energy*, vol. 43, no. 1, pp. 3771–3780, 2022, doi: 10.1080/01430750.2020.1852110.
- [2] F. A. Saleh and M. K. Allawi, "Study of the Flame Characteristics of Biodiesel Blend Fuel in a Semi-industrial Boiler," *J. Appl. Fluid Mech.*, vol. 17, no. 9, pp. 1929–1937, 2024, doi: 10.47176/jafm.17.9.2399.
- [3] P. Palies, "Flow and Flame Mechanisms for Swirl-Stabilized Combustors," *Aerospace*, vol. 12, no. 5, pp. 1–58, 2025, doi: 10.3390/aerospace12050430.
- [4] M. S. Ashrul Ishak, M. N. Mohd Jaafar, and Y. A. Eldrainy, "The Effect of Radial Swirl Generator on Reducing Emissions from Bio-Fuel Burner System," *Mod. Appl. Sci.*, vol. 3, no. 6, pp. 45–51, 2009, doi: 10.5539/mas.v3n6p45.
- [5] S. Chakchak, A. Hidouri, H. Zaidaoui, M. Chrigui, and T. Boushaki, "Experimental and numerical study of swirling diffusion flame provided by a coaxial burner: Effect of inlet velocity ratio," *Fluids*, vol. 6, no. 4, Apr. 2021, doi: 10.3390/fluids6040159.
- [6] J. Li, T. Xia, B. Sun, F. Meng, W. Song, and X. Lv, "Experimental study of rotating direction for dual-axial swirlers on the flow field and combustion characteristics of aero-engine combustor," *Case Stud. Therm. Eng.*, vol. 61, no. August, p. 105135, 2024, doi: 10.1016/j.csite.2024.105135.
- [7] R. Romy, Y. R. Ginting, Z. Mahendra, and F. E. Sembiring, "Jurnal Riset Teknologi Pencegahan Pencemaran Industri Optimization of Injection Pressure and Fuel Temperature in a Diesel Engine Using Biodiesel B40," vol. 15, no. 1, pp. 1–9, 2024.
- [8] B. Y. Belal, G. Li, Z. Zhang, H. M. El-Batsh, H. A. Moneib, and A. M. A. Attia, "The effect of swirl burner design configuration on combustion and emission characteristics of lean pre-vaporized premixed flames," *Energy*, vol. 228, no. x, p. 120622, 2021, doi: 10.1016/j.energy.2021.120622.
- [9] Z. M. Mansouri, M. Aouissi, and T. B. Boushaki, "A numerical study of swirl effects on the flow and flame dynamics in a lean premixed combustor," *Int. J. Heat Technol.*, vol. 34, no. 2, pp. 227–235, 2016, doi: 10.18280/ijht.340211.

- [10] F. Said *et al.*, “Experimental evaluation of burner cap design on energy efficiency in residential gas geysers,” *Results Eng.*, vol. 28, no. September, p. 108166, 2025, doi: 10.1016/j.rineng.2025.108166.
- [11] F. J. W. A. Martins, J. Kirchmann, A. Kronenburg, and F. Beyrau, “Experimental investigation of axisymmetric, turbulent, annular jets discharged through the nozzle of the SPP1980 SpraySyn burner under isothermal and reacting conditions,” *Exp. Therm. Fluid Sci.*, vol. 114, no. February, p. 110052, 2020, doi: 10.1016/j.expthermflusci.2020.110052.
- [12] H. Abdelkader and B. Abdelhalim, “The Effect of Swirl Intensity on the Flow Behavior and Combustion Characteristics of a Lean Propane-Air Flame,” *Fluid Dyn. Mater. Process.*, vol. 18, no. 6, pp. 1749–1762, 2022, doi: 10.32604/fdmp.2022.022006.
- [13] R. Sharma and M. Kumar, “Characterizing Swirl Strength and Recirculation Zone Formation in Tangentially Injected Isothermal Flows,” *J. Appl. Fluid Mech.*, vol. 16, no. 3, pp. 549–560, 2023, doi: 10.47176/jafm.16.03.1262.
- [14] B. O. Owiti, “PERFORMANCE OF WASTE LUBRICATION OIL BURNER FOR PROCESS HEATING IN SMALL TO MEDIUM ENTERPRISES MASTER OF SCIENCE (Mechanical Engineering) JOMO KENYATTA UNIVERSITY OF,” 2015.
- [15] M. Elkelawy, A. Abdel-Rahman, A. Abou-elyazied, and S. El-malla, “Experimental investigation on emission and combustion characteristics of an industrial burner using biogas co-fired with diesel and biodiesel,” *Egypt. Sugar J.*, vol. 19, no. 0, pp. 29–43, 2022, doi: 10.21608/esugj.2022.164403.1025.
- [16] Y. Zhang, Y. Zhong, S. Lu, Z. Zhang, and D. Tan, “A Comprehensive Review of the Properties, Performance, Combustion, and Emissions of the Diesel Engine Fueled with Different Generations of Biodiesel,” *Processes*, vol. 10, no. 6, 2022, doi: 10.3390/pr10061178.
- [17] N. A. Samiran and M. S. Sahul Hamid, “CFD Simulation Analysis of Non-Premixed Combustion using a Novel AxialRadial Combined Swirler for Emission Reduction Enhancement,” *CFD Lett.*, vol. 15, no. 6, pp. 1–11, 2023, doi: 10.37934/cfdl.15.6.111.
- [18] S. E. Ibitoye, R. M. Mahamood, T. C. Jen, C. Loha, and E. T. Akinlabi, “An overview of biomass solid fuels: Biomass sources, processing methods, and morphological and microstructural properties,” *J. Bioresour. Bioprod.*, vol. 8, no.

- 4, pp. 333–360, 2023, doi: 10.1016/j.jobab.2023.09.005.
- [19] S. Sheykhbaglou and S. M. Robati, “Comparative Study on Combustion and Flame Characteristics of Laminar Methane/Air and N-Butane/Air Flames in a Micro-Slot Burner,” *Int. J. Chem. Eng.*, vol. 2022, 2022, doi: 10.1155/2022/1821147.
 - [20] H. Lawrence, “The Design and Operation of Underfeed Stokers,” *Trans. Am. Soc. Mech. Eng.*, vol. 44, pp. 797–814, Dec. 2023, doi: 10.1115/1.4058205.
 - [21] S. R. Turns, *An Introduction to Combustion: Concepts and Applications*. in McGraw-Hill series in mechanical engineering. McGraw-Hill, 2000.
 - [22] K. K. Kuo, *Principles of combustion*. United States: Elsevier Science Pub. Co. Inc., New York, NY, 1986.
 - [23] N. Peters, *Turbulent Combustion*. Cambridge: Cambridge University Press, 2000. doi: DOI: 10.1017/CBO9780511612701.
 - [24] I. M. K. Dhiputra and T. Bunga, “Analisis Pengaruh Medan Magnet Toroid Terhadap Karakteristik Nyala Api (Flame) Dengan Bahan Bakar Butan,” no. Snttm Xv, pp. 5–6, 2016.
 - [25] S. P. Sharma and C. Mohan, *Fuels and Combustion*. Tata McGraw-Hill, 1984.
 - [26] I. Glassman and R. A. Yetter, *Combustion*. in Chemical, Petrochemical & Process. Elsevier Science, 2008.
 - [27] D. G. Lilley, “Swirl Flows in Combustion: A Review,” *AIJAA J.*, vol. 15, no. 8, pp. 1063–1078, 1977, doi: 10.2514/3.60756.
 - [28] W. Gao *et al.*, “Comprehensive Review on Thermal Performance Enhancement of Domestic Gas Stoves,” *ACS Omega*, vol. 8, no. 30, pp. 26663–26684, 2023, doi: 10.1021/acsomega.3c01628.
 - [29] I. Made, K. Dhiputra, R. Ernandi, and S. I. Siregar, “Analisis Pengaruh Swirl Number Terhadap Peningkatan Stabilitas Nyala Premix Dan Karakteristik Lift-Up Flame Pada Modifikasi Bunsen Burner Menggunakan Rotating Swirl Fan,” *Proceeding Semin. Nas. Tah. Tek. Mesin XIII (SNTTM XIII) Depok, 15 – 16 Oktober 2014 Anal.*, no. Snttm Xiii, pp. 15–16, 2014.
 - [30] M. R. Saxena, R. K. Maurya, and P. Mishra, “Assessment of performance, combustion and emissions characteristics of methanol-diesel dual-fuel compression ignition engine: A review,” *J. Traffic Transp. Eng. (English Ed.)*, vol. 8, no. 5, pp. 638–680, 2021, doi: 10.1016/j.jtte.2021.02.003.
 - [31] A. Aristyanto, “Peranan Variasi Perforated Plate Burner Pada Pembakaran Premixed Minyak Kelapa Murni Terhadap Karakteristik Nyala Api,” *Mechonversio*

- Mech. Eng. J.*, vol. 3, no. 1, p. 18, 2020, doi: 10.51804/mmej.v3i1.835.
- [32] W. Wahyudi, "Korelasi Sifat Fisik Biodiesel Campuran Jatropha - Kedelai: Densitas, Viskositas, Titik Nyala dan Nilai Kalor," *INSOLOGI J. Sains dan Teknol.*, vol. 4, no. 3, pp. 669–679, 2025, doi: 10.55123/insologi.v4i3.5191.
- [33] L. F. Chuah *et al.*, "A Review of Performance and Emission Characteristic of Engine Diesel Fuelled by Biodiesel," *Chem. Eng. Trans.*, vol. 94, no. June, pp. 1099–1104, 2022, doi: 10.3303/CET2294183.
- [34] M. Mohammadpour, R. Nabaterega, O. T. Iorhemen, and R. W. Thring, "Volatile fatty acids derived from wastewater sludge: a sustainable pathway for biodiesel production," *Total Environ. Eng.*, vol. 5, no. July, p. 100055, 2025, doi: 10.1016/j.teengi.2025.100055.
- [35] P. I. K. E. M. M. R. V. M. H. R. Junety Monde, "Karakterisasi Biodiesel Dari Minyak Jelantah Hasil Penambahan Katalis SiO₂/Al₂O₃," *Pendidik. tambusai*, vol. 9, pp. 203–207, 2025.
- [36] A. Al Shehhi, Y. Souissi, A. S. Nair, Z. Usmani, M. Sharma, and N. Sivakumar, "Microbial lipid-based biodiesel production using wastewater: opportunities and challenges," *Bioresour. Bioprocess.*, vol. 12, no. 1, 2025, doi: 10.1186/s40643-025-00897-2.
- [37] Nurfatihayati, Z. Helwani, and S. Bahri, "Esterifikasi dan Transesterifikasi Minyak Kelapa Sawit Off-grade Menjadi Biodiesel Menggunakan Katalis Barium Hidroksida Esterification and Transesterification of Off-grade Palm Oil into Biodiesel Using Barium Hydroxide Catalyst," *J. Tek. Kim. USU*, vol. 14, no. 1, pp. 1–9, 2025.
- [38] A. G. Mohod, P. P. Bhor, K. N. Kadam, S. H. Sengar, and Y. P. Khandetod, "Study of properties of Calophyllum inophyllum L. oil and its biodiesel," *Int. J.*, vol. 3, no. 1, p. 2010, 2010.
- [39] L. Razzaq *et al.*, "Maximising yield and engine efficiency using Optimised waste cooking oil biodiesel," *Energies*, vol. 13, no. 22, pp. 1–16, 2020, doi: 10.3390/en13225941.
- [40] Z. Chłopek, H. Sar, K. Szczepański, and D. Zakrzewska, "Operational Issues of Using Replacement Fuels to Power Internal Combustion Engines," *Energies*, vol. 16, no. 6, 2023, doi: 10.3390/en16062643.
- [41] L. A. Raman, B. Deepanraj, S. Rajakumar, and V. Sivasubramanian, "Experimental investigation on performance, combustion and emission analysis of a direct

- injection diesel engine fuelled with rapeseed oil biodiesel,” *Fuel*, vol. 246, no. January, pp. 69–74, 2019, doi: 10.1016/j.fuel.2019.02.106.
- [42] P. Nautiyal, K. A. Subramanian, M. G. Dastidar, and A. Kumar, “Experimental assessment of performance, combustion and emissions of a compression ignition engine fuelled with *Spirulina platensis* biodiesel,” *Energy*, vol. 193, p. 116861, 2020, doi: 10.1016/j.energy.2019.116861.
- [43] M. A. Mujtaba *et al.*, “Critical review on sesame seed oil and its methyl ester on cold flow and oxidation stability,” *Energy Reports*, vol. 6, pp. 40–54, 2020, doi: 10.1016/j.egy.2019.11.160.
- [44] D. Babu, V. Thangarasu, and A. Ramanathan, “Artificial neural network approach on forecasting diesel engine characteristics fuelled with waste frying oil biodiesel,” *Appl. Energy*, vol. 263, no. February, 2020, doi: 10.1016/j.apenergy.2020.114612.
- [45] M. Sohrab Hossain *et al.*, “A comparative review of some physicochemical properties of biodiesels synthesized from different generations of vegetative oils,” *J. Phys. Conf. Ser.*, vol. 1900, no. 1, 2021, doi: 10.1088/1742-6596/1900/1/012009.
- [46] D. C. Makepa, C. H. Chihobo, and D. Musademba, “Techno-economic analysis and environmental impact assessment of biodiesel production from bio-oil derived from microwave-assisted pyrolysis of pine sawdust,” *Heliyon*, vol. 9, no. 11, 2023, doi: 10.1016/j.heliyon.2023.e22261.
- [47] E. L. Viale, F. O. Chukwuma, and L. Uyigue, “Production and Characterization of Biodiesel from crude Palm Kernel Oil and Bio-ethanol using Potash from Ash of Empty Oil Palm Bunch Residue as Catalyst,” *Int. J. Appl. or Innov. Eng. Manag.*, vol. 3, no. 1, pp. 355–363, 2014.
- [48] Mokhtar *et al.*, “Towards nationwide implementation of 40% biodiesel blend fuel in Indonesia: a comprehensive road test and laboratory evaluation,” *Biofuel Res. J.*, vol. 10, no. 3, pp. 1876–1889, 2023, doi: 10.18331/BRJ2023.10.3.2.
- [49] R. L. McCormick, G. M. Fioroni, N. Naser, and J. Luecke, “Properties That Potentially Limit High-Level Blends of Biomass-Based Diesel Fuel,” *Energy and Fuels*, vol. 38, no. 10, pp. 8829–8841, 2024, doi: 10.1021/acs.energyfuels.4c00912.
- [50] B. Y. Lamba and W. H. Chen, “Experimental Investigation of Biodiesel Blends with High-Speed Diesels—A Comprehensive Study,” *Energies*, vol. 15, no. 21, pp. 1–15, 2022, doi: 10.3390/en15217878.
- [51] Mila, “Safety Data Sheet Biosolar B35,” *Pertamina Patra Niaga*, no. January, p. 11, 2023.

- [52] Z. Mufidah, A. H. Tiguna, and A. Haryanto, "Stability of Pure Biodiesel (B100), Biodiesel Mixture (B40), and Petroleum Diesel (B0) Due to Storage," *J. Tek. Pertan. Lampung (Journal Agric. Eng.*, vol. 13, no. 3, p. 900, 2024, doi: 10.23960/jtep-l.v13i3.900-913.
- [53] S. S. Wirawan, M. D. Solikhah, H. Setiaprada, and A. Sugiyono, "Biodiesel implementation in Indonesia: Experiences and future perspectives," *Renew. Sustain. Energy Rev.*, vol. 189, no. September 2023, 2024, doi: 10.1016/j.rser.2023.113911.
- [54] A. T. Lawang, D. Setyaningsih, M. Syahbana, J. Teknologi, and I. Pertanian, "EVALUASI MINYAK DAUN CENGKEH DAN MINYAK SEREH WANGI SEBAGAI BIOADITIF BAHAN BAKAR SOLAR DALAM MENURUNKAN EMISI GAS BUANG PADA MESIN DIESEL Evaluation Clove Leaf Oil and Citronella Oil Compounds as A Bioaditive Solar Fuel to Reduce Emissions in Diesel Engi," *J. Teknol. Pertan.*, vol. 20, no. 2, pp. 95–102, 2019.
- [55] B. U. Wisesa and D. Dahlan, "Bensin Terhadap Performa Mesin Dan Emisi Gas Buang," vol. 10, no. 2, pp. 29–35, 2017.
- [56] R. Milenia, L. S. Islam, M. Ihsan, and A. H. Sarosa, "Studi potensi minyak sereh wangi sebagai alternatif bahan aditif pada bahan bakar minyak," *J. Rekayasa Bahan Alam dan Energi Berkelanjutan*, vol. 6, no. 1, pp. 6–15, 2022.
- [57] M. A. (2025). S. E. P. V. T. B. B. D. B. D. A. N.-B. T. K. A. S. K. P. P. B. J. J. Alhalim, "STUDI EKPERIMENTAL PENGARUH VARIASI TEKANAN BAHAN BAKAR B40 KINERJA PEMBAKARAN PADA BURNER JINIL JL26D," 2025.
- [58] S. Fallah, *Electric and Hybrid Vehicles - Technologies, Modeling and Control: A Mechatronic Approach*. 2014.
- [59] R. G. Axell, "Clinical Measurement," pp. 211–217, 2014, doi: 10.1016/B978-0-12-396961-3.00012-3.
- [60] R. Kadis, "Evaluation of the measurement uncertainty : Some common mistakes with a focus on the uncertainty from linear calibration," *J. Chromatogr. A*, vol. 1499, pp. 226–229, 2017, doi: 10.1016/j.chroma.2017.03.078.
- [61] M. Zrinjski, "Measuring Uncertainty Analysis of the New Leveling Staff," 2023.
- [62] J. M. Sanchez, "Integrating Measurement Uncertainty Analysis into Laboratory Education for the Development of Critical Thinking and Practical Skills," 2024, doi: 10.1021/acs.jchemed.4c00583.

- [63] L. Geng, Y. Wang, Y. Wang, and H. Li, "Effect of the injection pressure and orifice diameter on the spray characteristics of biodiesel," *J. Traffic Transp. Eng. (English Ed.)*, vol. 7, no. 3, pp. 331–339, Jun. 2020, doi: 10.1016/j.jtte.2018.12.004.
- [64] K. Ramalingam, S. Vellaiyan, E. P. Venkatesan, S. A. Khan, Z. Mahmoud, and C. A. Saleel, "Challenges and Opportunities of Low Viscous Biofuel—A Prospective Review," *ACS Omega*, vol. 8, no. 19, pp. 16545–16560, 2023, doi: 10.1021/acsomega.3c00387.
- [65] R. Sathiyamoorthi, G. Sankaranarayanan, D. B. Munuswamy, and Y. Devarajan, "Experimental study of spray analysis for Palmarosa biodiesel-diesel blends in a constant volume chamber," *Environ. Prog. Sustain. Energy*, vol. 40, no. 6, Nov. 2021, doi: 10.1002/ep.13696.
- [66] N. H. Abu-Hamdeh, R. A. R. Bantan, A. Alimoradi, and S. H. Pourhoseini, "The effect of injection pressure on the thermal performance and emission characteristics of an oil burner operating on B20 palm oil biodiesel-diesel blend fuel," *Fuel*, vol. 278, no. May, p. 118174, 2020, doi: 10.1016/j.fuel.2020.118174.
- [67] M. Amiri and A. Shirmeshan, "Effects of air swirl on the combustion and emissions characteristics of a cylindrical furnace fueled with diesel-biodiesel-n-butanol and diesel-biodiesel-methanol blends," *Fuel*, vol. 268, no. November 2019, p. 117295, 2020, doi: 10.1016/j.fuel.2020.117295.
- [68] W. Saputro, M. A. Alhalim, E. A. Saputro, and I. A. P. Pratiwi, "Effect of injection pressure on combustion performance and flame morphology of biodiesel-n-butanol blends for industrial burner applications," *J. King Saud Univ. - Eng. Sci.*, vol. 38, no. 6, 2026, doi: 10.1007/s44444-026-00116-z.
- [69] K. Kotaiah, P. Periyasamy, and M. Prabhakar, "Performance and emission characteristics of small agricultural diesel engine using Lemongrass oil and its diesel blends," *Mater. Today Proc.*, vol. 33, no. xxxx, pp. 658–662, 2020, doi: 10.1016/j.matpr.2020.05.773.
- [70] M. Cadrazco, A. Santamaría, I. C. Jaramillo, K. Kaur, K. E. Kelly, and J. R. Agudelo, "Characterization of renewable diesel particulate matter gathered from non-premixed and partially premixed flame burners and from a diesel engine," *Combust. Flame*, vol. 214, pp. 65–79, Apr. 2020, doi: 10.1016/j.combustflame.2019.12.018.
- [71] N. H. Abu-Hamdeh, R. A. R. Bantan, A. Alimoradi, and S. H. Pourhoseini, "The effect of injection pressure on the thermal performance and emission characteristics

- of an oil burner operating on B20 palm oil biodiesel-diesel blend fuel,” *Fuel*, vol. 278, Oct. 2020, doi: 10.1016/j.fuel.2020.118174.
- [72] M. C. Chiong, A. Valera-Medina, W. W. F. Chong, C. T. Chong, G. R. Mong, and M. N. Mohd Jaafar, “Effects of swirler vane angle on palm biodiesel/natural gas combustion in swirl-stabilised gas turbine combustor,” *Fuel*, vol. 277, Oct. 2020, doi: 10.1016/j.fuel.2020.118213.
- [73] L. Geng, Y. Wang, Y. Wang, and H. Li, “Effect of the injection pressure and orifice diameter on the spray characteristics of biodiesel,” *J. Traffic Transp. Eng. (English Ed.)*, vol. 7, no. 3, pp. 331–339, 2020, doi: 10.1016/j.jtte.2018.12.004.
- [74] Sukri, U. Brawijaya, M. N. Sasongko, U. Brawijaya, T. D. Widodo, and U. Brawijaya, “Pengaruh Campuran Bahan Bakar Biodiesel WCO - Diesel terhadap Karakteristik Api Hasil Pembakaran Spray Difusi pada Concentric Jet Burner,” *J. Rekayasa Mesin*, vol. 12, no. 2 SE-Articles, pp. 459–466, Sep. 2021, doi: 10.21776/ub.jrm.2021.012.02.22.
- [75] H. Abdelkader and B. Abdelhalim, “The Effect of Swirl Intensity on the Flow Behavior and Combustion Characteristics of a Lean Propane-Air Flame,” *Fluid Dyn. Mater. Process.*, vol. 18, no. 6, pp. 1749–1762, 2022, doi: 10.32604/fdmp.2022.022006.
- [76] G. Li *et al.*, “Central recirculation zone induced by the DBD plasma actuation,” *Sci. Rep.*, vol. 10, no. 1, pp. 1–9, 2020, doi: 10.1038/s41598-020-70116-9.
- [77] O. A. Kutu and K. Nishida, “An investigation into spray combustion processes of waste cooking oil biodiesel fuel under diesel engine conditions using the LIF-PIV, shadowgraph, and chemiluminescence techniques,” *Int. J. Thermofluids*, vol. 26, no. January 2025, p. 101066, 2025, doi: 10.1016/j.ijft.2025.101066.
- [78] H. Zhang *et al.*, “Ignition, puffing and sooting characteristics of kerosene droplet combustion under sub-atmospheric pressure,” *Fuel*, vol. 285, no. June 2020, p. 119182, 2021, doi: 10.1016/j.fuel.2020.119182.
- [79] N. T. Nghia, N. X. Khoa, W. Cho, and O. Lim, “A Study the Effect of Biodiesel Blends and the Injection Timing on Performance and Emissions of Common Rail Diesel Engines,” *Energies*, vol. 15, no. 1, 2022, doi: 10.3390/en15010242.
- [80] H. Y. Kim, J. C. Ge, and N. J. Choi, “Effects of fuel injection pressure on combustion and emission characteristics under low speed conditions in a diesel engine fueled with palm oil biodiesel,” *Energies*, vol. 12, no. 17, 2019, doi: 10.3390/en12173264.

- [81] M. A. Asokan, S. S. Prabu, S. Prathiba, R. Popli, R. Bakshi, and E. V. Teja, "Emission and performance behaviour of blends of diesel/lemongrass oil in diesel engine," *Mater. Today Proc.*, vol. 46, no. xxxx, pp. 8080–8085, 2021, doi: 10.1016/j.matpr.2021.03.038.
- [82] S. R. I. Wulan, "Optimasi Proses Pembakaran Dan Emisi Gas Buang Pada Mesin Pembakaran Internal," 2023.
- [83] M. Karakteristik and B. Biodiesel, "1* , 2 , 3," vol. 24, no. 2, pp. 164–171, 2024.
- [84] P. C. Sekhar and A. V. S. S. K. S. Gupta, "Performance testing of biodiesel blends with rapeseed oil focusing on combustion, performance, and emissions analysis," *Results Eng.*, vol. 27, no. July, p. 106459, 2025, doi: 10.1016/j.rineng.2025.106459.
- [85] V. V. S and J. Gonsalves, "Performance study of using preheated biodiesel in a diesel engine," *J. Mech. Eng. Sci.*, vol. 16, no. 2, pp. 8820–8828, 2022, doi: 10.15282/jmes.16.2.2022.01.0697.
- [86] Syarifudin, "Program studi diiii teknik mesin politeknik harapan bersama tegal 2020," 2021.
- [87] P. Skryja, I. Hudak, J. Bojanovsky, Z. Jegla, and L. Korček, "Effects of Oxygen-Enhanced Combustion Methods on Combustion Characteristics of Non-Premixed Swirling Flames," *Energies*, vol. 15, no. 6, pp. 1–21, 2022, doi: 10.3390/en15062292.
- [88] I. El Helou, A. W. Skiba, and E. Mastorakos, "Experimental Investigation of Soot Production and Oxidation in a Lab-Scale Rich–Quench–Lean (RQL) Burner," *Flow, Turbul. Combust.*, vol. 106, no. 4, pp. 1019–1041, 2021, doi: 10.1007/s10494-020-00113-5.
- [89] A. S. Avcı and S. F. Yavaşoğlu, "Performance, combustion, emission and optimization characteristics of biodiesel–n-butanol blends enriched with Ni2O3 nanoparticles in a diesel engine," *Sci. Rep.*, vol. 16, no. 1, pp. 1–30, 2026, doi: 10.1038/s41598-026-36115-y.
- [90] Z. Musavi, Y. Zhang, E. Robert, and K. Engvall, "Experimental and Numerical Investigation of Flow Field and Soot Particle Size Distribution of Methane-Containing Gas Mixtures in a Swirling Burner," *ACS Omega*, vol. 7, no. 1, pp. 469–479, 2022, doi: 10.1021/acsomega.1c04895.
- [91] A. Shirneshan, "Optimization of swirl number on the pollutants emitted from the combustion of biodiesel-diesel fuel mixtures in a furnace combustion chamber by

- artificial bees colony algorithm,” *DeCarbon*, vol. 11, no. May 2025, p. 100146, 2026, doi: 10.1016/j.decarb.2025.100146.
- [92] G. T. Hidegh *et al.*, “Comparison of thermophysical properties and combustion characteristics of various biodiesels in a non-MILD ultra-low emission swirl burner,” *Fuel*, vol. 334, no. November 2022, 2023, doi: 10.1016/j.fuel.2022.126583.
- [93] S. Yu, C. Cao, and W. Lv, “Combustion and emission characteristics investigation of a marine diesel engine powered by diesel/biodiesel/n-butanol blends,” *Energy Sci. Eng.*, vol. 10, no. 9, pp. 3317–3330, 2022, doi: 10.1002/ese3.1220.
- [94] M. Darwish, G. Hidegh, D. Csemány, and V. Józsa, “Distributed combustion of diesel–butanol fuel blends in a mixture temperature-controlled burner,” *Fuel*, vol. 307, Jan. 2022, doi: 10.1016/j.fuel.2021.121840.