



DAFTAR PUSTAKA

- Abubackar, H. N., Keskin, T., Yazgin, O., Gunay, B., Arslan, K., & Azbar, N. (2019). Biohydrogen production from autoclaved fruit and vegetable wastes by dry fermentation under thermophilic condition. *International Journal of Hydrogen Energy*, 44(34), 18776–18784. <https://doi.org/10.1016/j.ijhydene.2018.12.068>
- Akhbari, A., Ibrahim, S., Zinatizadeh, A. A., Bonakdari, H., Ebtehaj, I., S. Khozani, Z., Vafaeifard, M., & Gharabaghi, B. (2019). Evolutionary Prediction of Biohydrogen Production by Dark Fermentation. *Clean - Soil, Air, Water*, 47(1). <https://doi.org/10.1002/clen.201700494>
- Akhlaghi, N., & Najafpour-Darzi, G. (2020). A comprehensive review on biological hydrogen production. In *International Journal of Hydrogen Energy* (Vol. 45, Number 43, pp. 22492–22512). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2020.06.182>
- Algapani, D. E., Qiao, W., Ricci, M., Bianchi, D., M. Wandera, S., Adani, F., & Dong, R. (2019). Bio-hydrogen and bio-methane production from food waste in a two-stage anaerobic digestion process with digestate recirculation. *Renewable Energy*, 130, 1108–1115. <https://doi.org/10.1016/j.renene.2018.08.079>
- Armenante, P. M., York, O. H., & Therapeutics, B. (2019). *Chemical Engineering in the Pharmaceutical Industry* (2nd ed., 14). John Wiley & Sons, Inc.
- Bertranda, R. L. (2019). Lag phase is a dynamic, organized, adaptive, and evolvable period that prepares bacteria for cell division. In *Journal of Bacteriology* (Vol. 201, Number 7). American Society for Microbiology. <https://doi.org/10.1128/JB.00697-18>
- Cahyari, K., Putri, A. M., Oktaviani, E. D., Hidayat, M. A., & Norajsha, J. D. (2018). Biohydrogen Production from Pineapple Waste: Effect of Substrate Concentration and Acid Pretreatment. *IOP Conference Series: Materials Science and Engineering*, 358(1). <https://doi.org/10.1088/1757-899X/358/1/012001>

- Chu, C. Y., Vo, T. P., & Chen, T. H. (2020). A novel of biohythane gaseous fuel production from pineapple peel waste juice in two-stage of continuously stirred anaerobic bioreactors. *Fuel*, 279. <https://doi.org/10.1016/j.fuel.2020.118526>
- Chung Han Chua, E., Wee, S. K., Kansedo, J., Lau, S. Y., Lim, K. H., Dol, S. S., & Lipton, A. N. (2023). Biological Hydrogen Energy Production by Novel Strains *Bacillus paramycoides* and *Cereibacter azotoformans* through Dark and Photo Fermentation. *Energies*, 16(9). <https://doi.org/10.3390/en16093807>
- Dharmawan, W. A., Zaenal Arifin, A., Puspitawati, I. N., Sumada, K., Susilowati, F., Sasquea Cakradetha, I., Reswara, R. P., Pembangunan, U., & Veteran, N. ". (2023). Potential of Biohydrogen as Renewable Energy for Indonesia's Future. *Seminar Nasional Teknik Kimia Soebardjo Brotohardjono XIX*. <http://snsb.upnjatim.ac.id/>
- Elbeshbishy, E., Dhar, B. R., Nakhla, G., & Lee, H. S. (2017). A critical review on inhibition of dark biohydrogen fermentation. In *Renewable and Sustainable Energy Reviews* (Vol. 79, pp. 656–668). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2017.05.075>
- Farini, A. D., Sarto, & Purwono, S. (2019). Pengaruh Konsentrasi Peroksida Terhadap Produksi Biohidrogen Dari Limbah Buah Jeruk Melalui Metode Fermentasi Gelap. *Jurnal Sains Dan Teknologi Lingkungan*, 11(2), 114–121.
- Kamaraj, M., Ramachandran, K. K., & Aravind, J. (2020). Biohydrogen production from waste materials: benefits and challenges. In *International Journal of Environmental Science and Technology* (Vol. 17, Number 1, pp. 559–576). Springer. <https://doi.org/10.1007/s13762-019-02577-z>
- Keskin, T., Nalakath Abubackar, H., Arslan, K., & Azbar, N. (2019). Biohydrogen Production From Solid Wastes. In *Biomass, Biofuels, Biochemicals: Biohydrogen, Second Edition* (pp. 321–346). Elsevier. <https://doi.org/10.1016/B978-0-444-64203-5.00012-5>
- Knott, B. C., Haddad Momeni, M., Crowley, M. F., MacKenzie, L. F., Götz, A. W., Sandgren, M., Withers, S. G., Staišhlberg, J., & Beckham, G. T. (2014). The

mechanism of cellulose hydrolysis by a two-step, retaining cellobiohydrolase elucidated by structural and transition path sampling studies. *Journal of the American Chemical Society*, 136(1), 321–329. <https://doi.org/10.1021/ja410291u>

Kumar, G., Mathimani, T., Rene, E. R., & Pugazhendhi, A. (2019). Application of nanotechnology in dark fermentation for enhanced biohydrogen production using inorganic nanoparticles. In *International Journal of Hydrogen Energy* (Vol. 44, Number 26, pp. 13106–13113). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2019.03.131>

Lee, H. S., Xin, W., Katakojwala, R., Venkata Mohan, S., & Tabish, N. M. D. (2022). Microbial electrolysis cells for the production of biohydrogen in dark fermentation – A review. In *Bioresource Technology* (Vol. 363). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2022.127934>

Mara, D. Duncan., & Horan, N. J. . (2008). *Handbook of water and wastewater microbiology*. Academic Press.

Martínez, V. L., Salierno, G. L., García, R. E., Lavorante, M. J., Galvagno, M. A., & Cassanello, M. C. (2022). Biological Hydrogen Production by Dark Fermentation in a Stirred Tank Reactor and Its Correlation with the pH Time Evolution. *Catalysts*, 12(11). <https://doi.org/10.3390/catal12111366>

Meegoda, J. N., Li, B., Patel, K., & Wang, L. B. (2018). A review of the processes, parameters, and optimization of anaerobic digestion. In *International Journal of Environmental Research and Public Health* (Vol. 15, Number 10). MDPI AG. <https://doi.org/10.3390/ijerph15102224>

Mokhtarani, B., Zanganeh, J., & Moghtaderi, B. (2025). A Review on Biohydrogen Production Through Dark Fermentation, Process Parameters and Simulation. In *Energies* (Vol. 18, Number 5). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/en18051092>

Owoeye, T. F., Akinlabu, D. K., Ajayi, O. O., Afolalu, S. A., Popoola, J. O., & Ajani, O. O. (2022). Phytochemical constituents and proximate analysis of dry

- pineapple peels. *IOP Conference Series: Earth and Environmental Science*, 993(1). <https://doi.org/10.1088/1755-1315/993/1/012027>
- Park, Y. C. (2025). Xylose Metabolism and Transport in *Bacillus subtilis* and Its Application to D-Ribose Production. In *Journal of Microbiology and Biotechnology* (Vol. 35). Korean Society for Microbiolog and Biotechnology. <https://doi.org/10.4014/jmb.2504.04021>
- Pascualone, M. J., Gómez Costa, M. B., & Dalmasso, P. R. (2019). Fermentative biohydrogen production from a novel combination of vermicompost as inoculum and mild heat-pretreated fruit and vegetable waste. *Biofuel Research Journal*, 6(3), 1046–1053. <https://doi.org/10.18331/BRJ2019.6.3.5>
- Qu, X., Zeng, H., Gao, Y., Mo, T., & Li, Y. (2022). Bio-hydrogen production by dark anaerobic fermentation of organic wastewater. In *Frontiers in Chemistry* (Vol. 10). Frontiers Media S.A. <https://doi.org/10.3389/fchem.2022.978907>
- Rahman, M. S. (2007). *Handbook of Food Preservation Second Edition* (2nd ed.). CRC Pres Taylor & Francis Group.
- Ramos-Suarez, M., Zhang, Y., & Heaven, S. (2024). Acidogenic Fermentation of Organic Residual Solids: Effect of Different Alkaline Sources on pH, Alkalinity, and Fermentation Performance. *Fermentation*, 10(11). <https://doi.org/10.3390/fermentation10110571>
- Sampath, P., Brijesh, Reddy, K. R., Reddy, C. V., Shetti, N. P., Kulkarni, R. V., & Raghu, A. V. (2020). Biohydrogen Production from Organic Waste – A Review. In *Chemical Engineering and Technology* (Vol. 43, Number 7, pp. 1240–1248). Wiley-VCH Verlag. <https://doi.org/10.1002/ceat.201900400>
- Selim, S., Rashid, M. H.-U., Hamoud, Y. A., & Shaghaleh, H. (2025). *Utilization of Bacterial Enzymes for Cellulose and Hemicellulose Degradation : Medical and Industrial Benefits*. 20(3), 1–14.
- Siagian, P., Suleman, N., Purba, J. S., Asrim, & Tambin. (2023). *Energi Baru Terbarukan Sebagai Energi Alternatif* (1st ed.). Yayasan Kita Menulis.
- Sivaramakrishnan, R., Shanmugam, S., Sekar, M., Mathimani, T., Incharoensakdi, A., Kim, S. H., Parthiban, A., Edwin Geo, V., Brindhadevi, K., & Pugazhendhi,



LAPORAN HASIL PENELITIAN

“Pemanfaatan Kulit Nanas untuk Produksi Biohidrogen dengan Metode Fermentasi Anaerobik

- A. (2021). Insights on biological hydrogen production routes and potential microorganisms for high hydrogen yield. *Fuel*, 291. <https://doi.org/10.1016/j.fuel.2021.120136>
- Srivastava, N., Srivastava, M., Abd_Allah, E. F., Singh, R., Hashem, A., & Gupta, V. K. (2021). Biohydrogen production using kitchen waste as the potential substrate: A sustainable approach. *Chemosphere*, 271. <https://doi.org/10.1016/j.chemosphere.2021.129537>
- Tao, Z., Yuan, H., Liu, M., Liu, Q., Zhang, S., Liu, H., Jiang, Y., Huang, D., & Wang, T. (2023). Yeast Extract: Characteristics, Production, Applications and Future Perspectives. In *Journal of Microbiology and Biotechnology* (Vol. 33, Number 1, pp. 151–166). Korean Society for Microbiolog and Biotechnology. <https://doi.org/10.4014/jmb.2207.07057>
- Turhal, S., Turanbaev, M., & Argun, H. (2019). Hydrogen production from melon and watermelon mixture by dark fermentation. *International Journal of Hydrogen Energy*, 18811–18817. <https://doi.org/10.1016/j.ijhydene.2018.10.011>
- Wahyudiati, D. (2017). *Biokimia* (E. M. Jayadi, Ed.). Leppim Mataram.
- Wang, J., & Yin, Y. (2017). *Biohydrogen Production from Organic Wastes*. Springer Singapore. <https://doi.org/10.1007/978-981-10-4675-9>
- Yokoyama. (2008). *Panduan untuk Produksi dan Pemanfaatan Biomassa*.
- Zarei, O., Dastmalchi, S., & Hamzeh-Mivehroud, M. (2016). A Simple and Rapid Protocol for Producing Yeast Extract from *Saccharomyces cerevisiae* Suitable for Preparing Bacterial Culture Media. In *Shaheed Beheshti University of Medical Sciences and Health Services Iranian Journal of Pharmaceutical Research* (Vol. 15, Number 4).
- Zhang, L., Ban, Q., Li, J., & Xu, Y. (2014). Assessment of effects of yeast extract on bio-hydrogen production from anaerobic activated sludge. *INTERNATIONAL JOURNAL OF AGRICULTURE & BIOLOGY To Cite This*, 16, 1189–1193. <http://www.fspublishers.org>



LAPORAN HASIL PENELITIAN

“Pemanfaatan Kulit Nanas untuk Produksi Biohidrogen dengan Metode Fermentasi Anaerobik

Zhou, X., Lu, Y., Huang, L., Zhang, Q., Wang, X., & Zhu, J. (2021). Effect of pH on volatile fatty acid production and the microbial community during anaerobic digestion of Chinese cabbage waste. *Bioresource Technology*, 336. <https://doi.org/10.1016/j.biortech.2021.125338>