

DAFTAR PUSTKA

- Agrios, G. N. (1987). Disease life cycle of the stubby-root nematode *Paratrichodorus minor*. In *Plant pathology* (3rd ed.). Academic Press.
- Agrios, G. N. (2005). *Plant pathology* (5th ed.). Elsevier Academic Press.
- Alford, D. V. (2012). *Pests of ornamental trees, shrubs and flowers* (2nd ed., pp. 434–443). Wiley-Blackwell.
- Amir, A. (2022). Carrot (*Daucus carota* L.) growth and yield at various doses of chicken manure. *Contributions of Central Research Institute for Agriculture*, 16(3), 57–63.
- Archidona-Yuste, A., Cai, R., Cantalapiedra-Navarrete, C., Carreira, J. A., Rey, A., Viñegla, B., Liébanas, G., Palomares-Rius, J. E., & Castillo, P. (2020). Morphostatic speciation within the dagger nematode *Xiphinema hispanum*-complex species (Nematoda: Longidoridae). *Plants*, 9(12), 1649. <https://doi.org/10.3390/plants9121649>
- Archidona-Yuste, A., Cantalapiedra-Navarrete, C., Liébanas, G., Rapoport, H. F., Castillo, P., & Palomares-Rius, J. E. (2020). Integrative identification and molecular phylogeny of *Xiphinema* species (Nematoda: Longidoridae). *Journal of Nematology*, 52, e2020-95. <https://doi.org/10.21307/jofnem-2020-095>
- Asgar, A. (2013). Kualitas umbi beberapa klon kentang (*Solanum tuberosum* L.) dataran medium untuk keripik. *Berita Biologi*, 12(1), 29–37.
- Badan Pusat Statistik. (2022). *Statistik hortikultura 2022*. BPS RI.
- Baldwin, J. G., & Mundo-Ocampo, M. (1991). Heteroderinae, cyst and non-cyst forming nematodes. In W. R. Nickle (Ed.), *Manual of agricultural nematology* (pp. 275–362). Marcel Dekker.
- Barker, K. R., Pederson, G. A., & Windham, G. L. (1998). Plant and nematode interactions in agricultural systems. *Annual Review of Phytopathology*, 36, 1–23.
- Begon, M., & Townsend, C. R. (2020). *Ecology: From individuals to ecosystems*. John Wiley & Sons.
- Beniers, J. E., van den Berg, H., & van der Putten, W. H. (2014). Plant-parasitic nematodes and their role in soil ecosystems. *Applied Soil Ecology*, 83, 1–7.
- Bird, D. M., & Bird, A. F. (2008). The role of parasitic nematodes in plant pathology. *Annual Review of Phytopathology*, 46, 87–109.
- Bird, D. M., Jones, J. T., Opperman, C. H., Kikuchi, T., & Danchin, E. G. J. (2025). Signatures of adaptation to plant parasitism in nematode genomes.

- Bongers, T. (1994). *De nematoden van Nederland*. Koninklijke Nederlandse Natuurhistorische Vereniging.
- Bridge, J., & Starr, J. L. (2007). *Plant nematodes of agricultural importance: A colour handbook*. Manson Publishing.
- Brower, J. E., & Zar, J. H. (1984). *Field and laboratory methods for general ecology*. Wm. C. Brown.
- Brzeski, M. W. (1991). Review of the genus *Ditylenchus* Filipjev, 1936 (Nematoda: Anguinidae). *Revue de Nématologie*, 14(1), 9–59.
- Bucki, P., Qing, X., Castillo, P., Gamliel, A., Dobrinin, S., Alon, T., & Braun Miyara, S. (2020). The genus *Pratylenchus* (Nematoda: Pratylenchidae) in Israel: From taxonomy to control practices. *Plants*, 9(11), 1475. <https://doi.org/10.3390/plants9111475>
- Castillo, P., & Vovlas, N. (2007). *Pratylenchus* (Nematoda: Pratylenchidae): *Diagnosis, biology, pathogenicity and management*. Brill Academic Publishers.
- Chao, A., Chazdon, R. L., Colwell, R. K., & Shen, T. J. (2005). A new statistical approach for assessing similarity of species composition with incidence and abundance data. *Ecology Letters*, 8(2), 148–159.
- Chen, Y., Lu, Y., Xie, H., & Xu, C. (2024). Morphological and molecular characterisation of *Helicotylenchus zengchengensis* n. sp. (Nematoda: Hoplolaimidae) from China, with a review on *Helicotylenchus* species in China. *Phytopathology Research*, 6(1), 7. <https://doi.org/10.1186/s42483-024-00223-2>
- Chitambar, J. J., & Raski, D. J. (1985). Life history of *Pratylenchus vulnus* on carrot discs. *Journal of Nematology*, 17(2), 235.
- Consoli, E., Ruthes, A. C., Reinhard, E., & Dahlin, P. (2019). First morphological and molecular report of *Aphelenchoides blastophthorus* on strawberry plants in Switzerland. *Plant Disease*, 103(11), 2851–2856. <https://doi.org/10.1094/PDIS-07-18-1241-RE>
- Cook, R., & Noel, G. R. (2002). Cyst nematodes: *Globodera* and *Heterodera* species. In *Plant resistance to parasitic nematodes*. CABI Publishing.
- Cornejo-Condori, G. B., Lima-Medina, I., Bravo-Portocarrero, R. Y., Barzola-Tito, K., & Casa-Coila, V. H. (2021). Nematodes associated with Andean papaya (*Carica pubescens* L.) in Sandia district, Puno, Peru. *Bioagro*, 33(3), 191–202.
- Coyne, D. L., Nicol, J. M., & Claudius-Cole, B. (2014). *Practical plant nematology*. FAO Plant Production and Protection Paper.
- Crow, W. T. (2017). Spiral nematode *Helicotylenchus* spp. (Nematoda: Tylenchida: Hoplolaimidae). *EDIS*, 2017(5), 4.

- Crow, W. T. (2017). Stubby-root nematode, *Trichodorus obtusus* Cobb (syn. *T. proximus*) (Nematoda: Adenophorea: Triplonchida: Diphtherophorina: Trichodoridea: Trichodoridae). University of Florida, IFAS Extension.
- Da Rocha, M., Bournaud, C., Dazenière, J., Thorpe, P., Bailly-Bechet, M., Pellegrin, C., & Danchin, E. G. (2021). Genome expression dynamics reveal the parasitism regulatory landscape of the root-knot nematode *Meloidogyne incognita* and a promoter motif associated with effector genes. *Genes*, 12(5), 771.
- Dare, O. K., & Forbes, M. R. (2008). Rates of development in male and female wood frogs and patterns of parasitism by lung nematodes. *Parasitology*, 135(3), 385–393. <https://doi.org/10.1017/S0031182007003836>
- Darmawan, A., Arminudin, A. T., & Rahmadani, E. (2024). Identifikasi nematoda di perkebunan kelapa sawit PTPN V Sei Pagar. *Jurnal Agroteknologi*, 15(1), 37–46.
- De Craemer, W., & Hunt, D. J. (2006). Structure and classification. In R. Perry & M. Moens (Eds.), *Plant nematology* (pp. 3–32). CABI Publishing.
- Decraemer, W. (1995). *The family Trichodoridae: Stubby root and virus vector nematodes*. Kluwer Academic Publishers.
- Decraemer, W., & Hunt, D. J. (2006). Structure and classification. In R. N. Perry & M. Moens (Eds.), *Plant nematology* (pp. 3–32). CABI.
- Decraemer, W., & Robbins, R. T. (2007). The who, what and where of Trichodoridae and their relationship to plant parasitism. *Nematology*, 9(6), 721–728.
- Douda, O., Zouhar, M., Renčo, M., & Marek, M. (2014). Molecular and morphological exploration of a mixed population of two potato-parasitising nematode species, *Globodera rostochiensis* and *G. pallida*. *Helminthologia*, 51(1), 3–6. <https://doi.org/10.2478/s11687-014-0201-3>
- Dropkin, V. H. (1991). *Introduction to plant nematology* (2nd ed.). John Wiley & Sons.
- Duceppe, M. O., Lafond-Lapalme, J., Palomares-Rius, J. E., Sabeh, M., Blok, V., Moffett, P., & Mimee, B. (2017). Analysis of survival and hatching transcriptomes from potato cyst nematodes, *Globodera rostochiensis* and *G. pallida*. *Scientific Reports*, 7, 3882. <https://doi.org/10.1038/s41598-017-03871-x>
- Ebina, T., Sekimoto, S., Sekiya, M., & Hisai, J. (2022). A banana burrowing nematode, *Radopholus similis* (Cobb, 1893) Thorne, 1949 (Tylenchida: Pratylenchidae), intercepted from aquarium plants from Southeast Asia in Japanese import plant quarantine. *Research Bulletin of the Plant Protection Service Japan*, 58, 19–29.

- Eisenback, J. D. (1982). Morphological comparison of head shape and stylet morphology of second-stage juveniles of *Meloidogyne* species. *Journal of Nematology*, 14(3), 339–343.
- Eisenback, J. D. (1985). Detailed morphology and anatomy of second-stage juveniles, males and females of the genus *Meloidogyne*. In *An advanced treatise on Meloidogyne volume II: Methodology*. North Carolina State University Graphics.
- European and Mediterranean Plant Protection Organization. (2015). *PQR database* (Version 5.3.5). EPPO.
- Evans, K., & Rowe, J. A. (1998). Distribution and economic importance. In R. J. Marks & B. B. Brodie (Eds.), *Potato cyst nematodes: Biology, distribution and control* (pp. 1–30). CABI.
- Fadilah, A., Salsabila, N. R., Oktaviani, D., Aktavia, F., Nisaa, N. K., & Advinda, L. (2022). Nematoda sista kuning (*Globodera rostochiensis*) penyebab penyakit pada tanaman kentang (*Solanum tuberosum*) dan cara pengendaliannya. In *Prosiding Seminar Nasional Biologi* (Vol. 2, No. 2, pp. 62–71).
- Fanelli, E., Vovlas, A., Santoro, S., Troccoli, A., Lucarelli, G., Trisciuzzi, N., & De Luca, F. (2019). Integrative diagnosis, biological observations, and histopathology of the fig cyst nematode *Heterodera fici* Kirjanova, 1954 associated with *Ficus carica* L. in southern Italy. *ZooKeys*, (824), 1.
- Feyisa, B. (2021). A review on root knot nematodes (RKNs): Impact and methods for control. *Journal of Plant Pathology & Microbiology*, 12(3), 547. <https://doi.org/10.35248/2157-7471.21.12.547>
- Feyisa, B. (2022). Factors associated with plant parasitic nematode (PPN) population: A review. *Animal and Veterinary Sciences*, 10(2), 41–45.
- Filipjev, I. N. (1936). On the classification of the Tylenchida. *Proceedings of the Helminthological Society of Washington*, 3, 80–82.
- Fortuner, R. (1982). On the genus *Ditylenchus* Filipjev, 1936 (Nematoda: Tylenchida). *Revue de Nématologie*, 5(1), 17–38.
- Fortuner, R. (1984). Morphometrical variability in *Helicotylenchus* Steiner, 1945. 6: Value of the characters used for specific identification. *Revue de Nématologie*, 7(3), 245–264.
- Francel, L. J. (1986). Improving the accuracy of sampling field plots for plant-parasitic nematodes. *Journal of Nematology*, 18(2), 190–195.
- French, N., & Barraclough, R. M. (1962). Survival of *Aphelenchoides ritzemabosi* (Schwartz) in soil and dry leaves.
- Geraert, E. (2013). *The Pratylenchidae of the world: Identification of the family Pratylenchidae (Nematoda: Pratylenchidae)*. Academia Press.

- Golhasan, B., Heydari, R., Esmaeili, M., & Miraeiz, E. (2017). Description of *Aphelenchoides macrospica* n. sp. (Nematoda: Aphelenchoididae) from northwestern Iran. *Journal of Nematology*, 49(1), 67–76.
- Goodey, J. B. (1958). *Ditylenchus myceliophagus* n. sp. (Nematoda: Tylenchidae).
- Greco, N., & Di Vito, M. (2009). Population dynamics and damage levels. In R. N. Perry, M. Moens, & J. L. Starr (Eds.), *Root-knot nematodes*. CABI.
- Haegeman, A., Mantelin, S., Jones, J. T., & Gheysen, G. (2010). Functional roles of effectors of plant-parasitic nematodes. *Gene*, 492(1), 19–31.
- Handoo, Z. A., & Golden, A. M. (1989). A key and diagnostic compendium to the species of the genus *Pratylenchus* Filipjev, 1936 (lesion nematodes). *Journal of Nematology*, 21(2), 202.
- Handoo, Z. A., Carta, L. K., & Skantar, A. M. (2012). Taxonomy, morphology, and molecular characterization of plant-parasitic nematodes. *Journal of Nematology*, 44(3), 251–263.
- Handoo, Z. A., Carta, L. K., & Skantar, A. M. (2014). Taxonomy, morphology, and molecular characterization of *Tylenchorhynchus* spp. associated with agricultural crops. *Journal of Nematology*, 46(3), 250–263.
- Havlin, J. L., Tisdale, S. L., Nelson, W. L., & Beaton, J. D. (2014). *Soil fertility and fertilizers: An introduction to nutrient management* (8th ed.). Pearson.
- Heve, W. K., Crow, W. T., & Mengistu, T. (2017). Dagger nematode *Xiphinema* spp. (Cobb, 1913) Inglis, 1983 (Nematoda: Enoplea: Dorylaimia: Dorylaimina: Xiphinematinae).
- Hidayah, P., Izzati, M., & Parman, S. (2017). Pertumbuhan dan produksi tanaman kentang (*Solanum tuberosum* L. var. Granola) pada sistem budidaya yang berbeda. *Buletin Anatomi dan Fisiologi*, 2(2), 218–225.
- Holterman, M., van der Wurff, A., van den Elsen, S., van Megen, H., Bongers, T., Holovachov, O., Bakker, J., & Helder, J. (2006). Phylum-wide analysis of SSU rDNA reveals deep phylogenetic relationships among nematodes and accelerated evolution toward crown clades. *Molecular Biology and Evolution*, 23(9), 1792–1800. <https://doi.org/10.1093/molbev/msl044>
- Hooper, D. J. (1974). *Cephalenchus emarginatus*. CIH Descriptions of Plant Parasitic Nematodes.
- Huang, C. S., & Huang, S. P. (1974). Dehydration and survival of the rice white-tip nematode *Aphelenchoides besseyi*. *Nematologica*, 20, 9–18.
- Hunt, D. J. (2008). *Aphelenchida, Longidoridae and Trichodoridae: Their systematics and bionomics*. CABI.
- Ismadi, I., Annisa, K., Nazirah, L., Nilahayati, N., & Maisura, M. (2021). Karakterisasi morfologi dan hasil tanaman kentang varietas Granola dan kentang merah yang dibudidayakan di Bener Meriah Provinsi Aceh. *Jurnal Agrium*, 18(1).

- Jiang, R., Hu, X., Li, Y., Bian, Y., Huang, L., Gu, J., Liu, P., Huang, W., Kong, L., Liu, S., Peng, H., & Peng, D. (2022). *Heterodera amaranthusiae* n. sp. (Nematoda: Heteroderidae), a new cyst nematode parasitising *Amaranthus retroflexus* L. in China. *Nematology*, 24(3), 289–305. <https://doi.org/10.1163/15685411-bja10131>
- Jones, J. T., Haegeman, A., Danchin, E. G. J., Gaur, H. S., Helder, J., Jones, M. G. K., Kikuchi, T., Manzanilla-López, R., Palomares-Rius, J. E., Wesemael, W. M. L., & Perry, R. N. (2013). Top 10 plant-parasitic nematodes in molecular plant pathology. *Molecular Plant Pathology*, 14(9), 946–961. <https://doi.org/10.1111/mpp.12057>
- Kanzaki, N., & Giblin-Davis, R. M. (2012). Description of *Aphelenchoides giblindavisi* n. sp. (Nematoda: Aphelenchoididae), and proposal for a new combination. *Nematology*, 14(5), 565–579. <https://doi.org/10.1163/156854112X629519>
- Karssen, G., Wesemael, W., & Moens, M. (2013). Root-knot nematodes. In R. N. Perry & M. Moens (Eds.), *Plant nematology* (pp. 73–108). CABI.
- Karuniawan, A., & Tarno, H. (2022). *Evaluasi penggunaan nematisida dihubungkan dengan penerapan pengendalian hama terpadu (PHT) pada nematoda sista kuning di Kota Batu, Jawa Timur* (Skripsi). Universitas Brawijaya.
- Kementerian Pertanian. (2020). *Angka tetap hortikultura tahun 2020*. Direktorat Jenderal Hortikultura, Kementerian Pertanian.
- Kent, M., & Coker, P. (1992). *Vegetation description and analysis: A practical approach*. John Wiley & Sons.
- Krebs, C. J. (1989). *Ecological methodology*. Harper & Row.
- Kühn, J. (1857). Über das Vorkommen Anguillulen in erkrankten Blütenköpfen von *Dipsacus fullonum* L. *Zeitschrift für Wissenschaftliche Zoologie*, 9, 129–137.
- Kumari, S., & Decraemer, W. (2011). First report of *Trichodorus primitivus*, *T. sparsus* and *T. viruliferus* (Nematoda: Trichodoridae) from the Czech Republic. *Helminthologia*, 48(3), 195–199. <https://doi.org/10.2478/s11687-011-0028-0>
- Kwak S. (2023). Are Only *p*-Values Less Than 0.05 Significant? A *p*-Value Greater Than 0.05 Is Also Significant!. *Journal of lipid and atherosclerosis*, 12(2), 89–95. <https://doi.org/10.12997/jla.2023.12.2.89>
- Langford, G. J. (2010). *Ecology and relationships of Rhabdias spp. (Nematoda: Rhabdiasidae) from North American amphibians and reptiles* (Doctoral dissertation). University of Nebraska-Lincoln.

- Li, Q., Liang, W., Zhang, X., & Mahamood, M. (2017). Nematode genera and species description along the transect. In *Soil nematodes of grasslands in northern China* (p. 228).
- Li, X., Maria, M., Cai, R., Barsalote, E. M., Peneva, V., & Zheng, J. (2020). Distribution of trichodorid species in mainland China with description of *Trichodorus hangzhouensis* sp. nov. (Nematoda, Triplonchida). *ZooKeys*, 945, 163–189. <https://doi.org/10.3897/zookeys.945.50424>
- Lilley, C. J., Atkinson, H. J., & Urwin, P. E. (2005). Molecular aspects of cyst nematodes. *Molecular Plant Pathology*, 6(6), 577–588. <https://doi.org/10.1111/j.1364-3703.2005.00306.x>
- Lisnawita, M. S., & Suastika, G. (2010). Pengaruh temperatur terhadap perkembangan nematoda sista kentang (*Globodera* spp.) di Indonesia. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 10(1), 29–34.
- Loof, P. A. A. (1960). Taxonomic studies on the genus *Pratylenchus* (Nematoda). *Tijdschrift over Plantenziekten*, 66, 29–90.
- Loof, P. A. A. (1990). The family Longidoridae (Nematoda: Dorylaimida): A systematic review. In J. A. Siddiqi (Ed.), *Nematode systematics*. E. J. Brill.
- Loof, P. A. A., & Luc, M. (1990). A revised polytomous key for the identification of species of the genus *Xiphinema* Cobb, 1913 (Nematoda: Longidoridae) with exclusion of the *X. americanum*-group. *Systematic Parasitology*, 16(1), 35–66. <https://doi.org/10.1007/BF00009600>
- Loof, P. A. A., & Seinhorst, J. W. (n.d.). A reappraisal of the genus *Pratylenchus* Filipjev, 1936.
- Lubis, K., Indarti, S., & Putra, N. S. (2021). Plant parasitic nematode abundance and diversity in potato (*Solanum tuberosum*) cultivation at various altitudes in Wonosobo and Banjarnegara. *Jurnal Perlindungan Tanaman Indonesia*, 25(2), 99–105.
- Luc, M., Sikora, R. A., & Bridge, J. (Eds.). (2005). *Plant parasitic nematodes in subtropical and tropical agriculture* (2nd ed.). CABI.
- Magurran, A. E. (1988). *Ecological diversity and its measurement*. Princeton University Press.
- Magurran, A. E. (2004). *Measuring biological diversity*. Blackwell Publishing.
- Malek, R. B. (1969). Population fluctuations and observations of the life cycle of *Xiphinema americanum* associated with cottonwood (*Populus deltoides*) in South Dakota. *Proceedings of the Helminthological Society of Washington*, 36, 270–274.
- Maquilan, M. A. D., Sarkhosh, A., & Dickson, D. W. (2018). Peach root-knot nematode (HS1320, 7/2018). *EDIS*, 2018(4).

- Mathew, R., & Opperman, C. H. (2020). Current insights into migratory endoparasitism: Deciphering the biology, parasitism mechanisms, and management strategies of key migratory endoparasitic phytonematodes. *Plants*, 9(6), 671.
- Mirsam, H., Supramana, & Suastika, G. (2015). Identifikasi nematoda parasit pada tanaman wortel di dataran tinggi Malino, Sulawesi Selatan berdasarkan pada ciri morfologi dan morfometrik. *Jurnal Fitopatologi Indonesia*, 11(3), 85–90.
- Moens, M., Perry, R. N., & Jones, J. T. (2018). Cyst nematodes: Life cycle and economic importance. In M. Moens, R. N. Perry, & J. T. Jones (Eds.), *Cyst nematodes* (pp. 1–26). CABI.
- Morsy, K., Mohamed, S. A., Abdel-Ghaffar, F., El-Fayoumi, H., & Abdel-Haleem, H. (2018). *Rhabdias bufonis* (Rhabdiasidae) from the lung of the African common toad, *Amietophrynus regularis* (Bufonidae) in Egypt: New data on the basis of light and scanning electron microscopic study. *PeerJ*, 6, e5328. <https://doi.org/10.7717/peerj.5328>
- Muhammad, W. B. (2022). *Keanekaragaman dan kepadatan populasi genus nematoda parasit pada rizosfer tanaman kentang di sentra produksi Kabupaten Solok* (Skripsi). Universitas Andalas.
- Mukhamedsadykova, A. Z., Kasela, M., Kozhanova, K. K., Sakipova, Z. B., Kukuła-Koch, W., Józefczyk, A., Świątek, Ł., Rajtar, B., Iwan, M., Kołodziej, P., Ludwiczuk, A., Kadyrbayeva, G. M., Kuntubek, G. N., Mamatova, A. S., Bogucka-Kocka, A., & Malm, A. (2024). Anthelmintic and antimicrobial effects of hedge woundwort (*Stachys sylvatica* L.) growing in Southern Kazakhstan. *Frontiers in Pharmacology*, 15, 1386509.
- Mulyadi, Rahayu, B. T. P., Trimam, B., & Indarti, S. (2003). Identifikasi nematoda sista kuning (*Globodera rostochiensis*) pada kentang di Batu, Jawa Timur. *Jurnal Perlindungan Tanaman Indonesia*, 9(1), 46–53.
- Mulyadi. (2009). *Nematologi pertanian*. Gadjah Mada University Press.
- Mutalaliah, Indarti, S., & Putra, N. S. (2018). Abundance and diversity of plant parasitic nematode associated with Robusta coffee. *Biodiversitas*, 19(1), 67–70.
- Neher, D. A. (2010). Ecology of plant and free-living nematodes in natural and agricultural soil. *Annual Review of Phytopathology*, 48, 371–394. <https://doi.org/10.1146/annurev-phyto-073009-114439>
- Nguyen, C. N., Smart, G. C., & Nguyen, K. B. (1992). Morphological and morphometric studies of species of *Xiphinema* (Nematoda: Longidoridae). *Fundamental and Applied Nematology*, 15(5), 457–469.

- Nguyen, H. T., Nguyen, T. D., Le, T. M. L., & Trinh, Q. P. (2020). First report of *Xiphinema hunaniense* Wang & Wu, 1992 (Nematoda: Longidoridae) in Vietnam. *Journal of Nematology*, 52, e2020-78. <https://doi.org/10.21307/jofnem-2020-078>
- Nicol, J. M., Turner, S. J., Coyne, D. L., Nijs, L. D., Hockland, S., & Maafi, Z. T. (2011). Current nematode threats to world agriculture. In J. T. Jones, G. Gheysen, & C. Fenoll (Eds.), *Genomics and molecular genetics of plant-nematode interactions*. Springer.
- Niles, R. K., & Mankau, R. (1990). Entomogenous nematodes as biological control agents. *Journal of Nematology*, 22(4), 568–572.
- Nining, E., Wulandari, A., Sofihidayati, T., Zulviany, I. F., & Aisyah, S. (2025). β -carotene levels in local carrot (*Daucus carota* L.) extract from two different planting areas. *Fitofarmaka: Jurnal Ilmiah Farmasi*, 15(1), 30–37.
- Norton, D. C. (1978). *Ecology of plant-parasitic nematodes*. John Wiley & Sons.
- Ochola, J., Coyne, D., Cortada, L., Haukeland, S., Ng'ang'a, M., Hassanali, A., Opperman, C., & Torto, B. (2021). Cyst nematode bio-communication with plants: Implications for novel management approaches. *Pest Management Science*, 77(3), 1150–1159. <https://doi.org/10.1002/ps.6105>
- Odum, E. P. (1971). *Fundamentals of ecology* (3rd ed.). W. B. Saunders.
- Oktafiyanto, M. F., & Ibrahim, R. (2021). Keragaman dan kelimpahan nematoda secara horizontal dan vertikal pada beberapa tanaman sayur di Kabupaten Cianjur. *Jurnal Agro Wiralodra*, 4(1), 9–15.
- Oktaviani, Y., & Gafur, A. (2020). Identifikasi nematoda tanah pada perkebunan sawi (*Brassica juncea* L.) di Kelurahan Landasan Ulin Utara, Banjarbaru, Kalimantan Selatan. *Jurnal Jejaring Matematika dan Sains*, 2(2), 41–46.
- Onditi, J. O., & Whitworth, J. L. (2025). Potato cyst nematodes (*Globodera rostochiensis* and *G. pallida*) as a new challenging problem of potato production in Africa. *American Journal of Potato Research*, 102(1), 1–12. <https://doi.org/10.1007/s12230-024-09968-0>
- Orozco, R. A., Lee, M. M., & Stock, S. P. (2014). Soil sampling and isolation of entomopathogenic nematodes (Steinernematidae, Heterorhabditidae). *Journal of Visualized Experiments*, 89, e52083. <https://doi.org/10.3791/52083>
- Panjerrino, Y. G., Dewi, B. S., & Swibawa, I. G. (2019). Keanekaragaman nematoda tanah di blok pemanfaatan Hutan Pendidikan Konservasi Terpadu Taman Hutan Raya Wan Abdul Rachman. *Jurnal Sylva Lestari*, 7(2), 214–224.

- Paramonov, A. A. (1970). *Principles in phytonematology* (Vol. 3: Taxonomy of nematodes of the superfamily Tylenchoidea). Izdatelstvo Nauka.
- Perry, R. N., & Moens, M. (2006). *Plant nematology*. CABI.
- Perry, R. N., & Moens, M. (2011). *Cyst nematodes*. CABI.
- Perry, R. N., & Moens, M. (2013). *Plant nematology* (2nd ed.). CAB International.
- Perry, R. N., Moens, M., & Starr, J. L. (2009). *Root-knot nematodes*. CABI.
- Price, J. A., Coyne, D., Blok, V. C., & Jones, J. T. (2021). Potato cyst nematodes *Globodera rostochiensis* and *G. pallida*. *Molecular Plant Pathology*, 22(5), 495–507. <https://doi.org/10.1111/mpp.13047>
- Qiao, Y., Yu, Q., Badiss, A., Zaidi, M. A., Ponomareva, E., Hu, Y., & Ye, W. (2016). Paraphyletic genus *Ditylenchus* Filipjev (Nematoda, Tylenchida), corresponding to the *D. triformis*-group and the *D. dipsaci*-group scheme. *ZooKeys*, 568, 1–12. <https://doi.org/10.3897/zookeys.568.5965>
- Rahmadhini, N., Purwadi, O. G., & Widayati, W. (2023). Eksplorasi nematoda sista kentang (*Globodera rostochiensis*) pada lahan tanaman kentang di Desa Sumber Brantas, Jawa Timur. *Agrisintech (Journal of Agribusiness and Agrotechnology)*, 4(1), 1–8.
- Raihana, R., Fitriyanti, D., & Zairin, Z. (2019). Aplikasi perkembangan stadia hidup nematoda puru akar (*Meloidogyne* spp.) mulai dari fase telur sampai dewasa pada pertanaman tomat (*Solanum lycopersicum* L.) di Kota Banjarbaru. *Agroekotek View*, 1(2), 25–35.
- Ramzan, M., Handoo, Z. A., & Fayyaz, S. (2008). Description of *Tylenchorhynchus qasimii* sp. n. with a new report of *T. kegasawai* Minagawa, 1995 from Pakistan. *Journal of Nematology*, 40(1), 20–25.
- Rashidifard, M. (2019). *Comparative molecular and morphological identification, and reproduction potential of South African Meloidogyne species with emphasis on Meloidogyne enterolobii* (Doctoral dissertation). North-West University.
- Raski, D. J. (1950). The life history and morphology of the sugar-beet nematode, *Heterodera schachtii* Schmidt. *Phytopathology*, 40, 135–152.
- Salazar-García, R., Palomares-Rius, J. E., Bajoub, A., Ajal, E. A., Cantalapiedra-Navarrete, C., Criado-Navarro, I., Liébanas, G., Castillo, P., & Archidona-Yuste, A. (2025). Morphological and molecular characterisation of *Ditylenchoides morocciensis* sp. nov. (Nematoda: Anguinoidea) from Morocco. *Journal of Helminthology*, 99, e100, 1–10. <https://doi.org/10.1017/S0022149X25100709>

- Sarmah, W., Widyastuti, R., & Supramana. (2022). Komunitas nematoda pada lahan pertanaman wortel dan hubungannya dengan populasi mikroba tanah. *Jurnal Tanah dan Iklim*, 46(1), 91–102.
- Sasser, J. N., & Freckman, D. W. (1987). A world perspective on nematology: The role of the society. In *Vistas on nematology*. Society of Nematologists.
- Schmidt, J. H., Hallmann, J., & Finckh, M. R. (2020). Bacterivorous nematodes correlate with soil fertility and improved crop production in an organic minimum tillage system. *Sustainability*, 12(17), 6730. <https://doi.org/10.3390/su12176730>
- Setiadi, S. F. (2001). *Kentang: Varietas dan pembudidayaan*. Penebar Swadaya.
- Setiadi. (2009). *Budidaya kentang*. Penebar Swadaya.
- Shannon, C. E. (1948). A mathematical theory of communication. *Bell System Technical Journal*, 27, 379–423.
- Sholeh, S., Hanani, N., & Suhartini, S. (2013). Analisis efisiensi teknis dan alokatif usahatani wortel (*Daucus carota* L.) di Kecamatan Bumiaji, Kota Batu. *Agricultural Socio-Economics Journal*, 13(3), 232.
- Siddiqi, M. R. (2000). *Tylenchida: Parasites of plants and insects* (2nd ed.). CABI Publishing.
- Sikora, R. A., & Fernández, E. (2005). Nematode parasites of vegetables. In M. Luc, R. A. Sikora, & J. Bridge (Eds.), *Plant parasitic nematodes in subtropical and tropical agriculture*. CAB International.
- Sugiyono. (2019). *Statistika untuk Peneli*